

SUZUKI PERFORMANCE NOTEBOOK

Lake Konawa, OK

Suzuki Marine

Test Date: 11-15-13

Test Boat: Blue Wave

Boat Type: Fiberglass Bay Boat

Test Motor: Suzuki DF200TX



BOAT		ENGINE		OTHER SPECS	
2000 Pure Bay		Suzuki DF200TX		Propeller	
Material	Fiberglass	Engine Type	4-Stroke V-6	Material	Stainless Steel
Length	19' 7"	HP	200	Diameter/Pitch	14.375 x 25
Beam	8'	Displacement	3.6 Liter	Number of Blades	3
Weight	1550 lb.s	Operating Range	5000~6000	Mounting Height	
Maximum HP	200	Weight	580 lbs	Hole Position	3rd Hole Up
Fuel Capacity	49 gallons	Lubrication	Wet Sump	Jack Plate	Hydraulic
Transom Height	25"	Fuel Delivery	Multi-Point EFI	Adjustable @ 2.5"	
Steering	Hydraulic	Ignition	Solid State		

PERFORMANCE DATA					TEST CONDITIONS	
RPM	MPH	GPH	MPG	RANGE	Water Conditions	Light Chop
IDLE	2.8	0.4	7.00	309	Wind Velocity	10+ mph
1000	4.4	0.9	4.89	216	Air Temperature	48
1500	6.0	1.8	3.33	147	Fuel Load	35 gal.
2000	6.9	3.0	2.30	101	Weight Onboard	2 persons
2500	8.2	5.0	1.64	72	Full Safety Gear	
3000	26.3	5.2	5.06	223		
3500	33.0	6.4	5.16	227		
4000	39.3	7.6	5.17	228		
4500	45.2	10.1	4.48	197		
5000	51.1	12.1	4.22	186		
5500	56.6	15.3	3.70	163		
6000	61.0	18.0	3.39	149		

Results may vary. Range based on 90% fuel capacity.

PERFORMANCE SUMMARY

Top Speed	61.0 mph
0-30 Acceleration	5.5 seconds
Optimum Cruising Range	@ 4000 RPM 228 Miles
Best Cruising	@ 4000 RPM
Fuel Efficiency	5.17 MPG

FOR MORE INFORMATION, CONTACT:

Blue Wave Boats
711 Boren BLVD
Seminole, OK 74868
bluwaveboats.com

Suzuki Marine
www.suzuki.com

