

SUZUKI PERFORMANCE NOTEBOOK

2004 MIAMI BOAT SHOW

TEST NO: 2004-011

TEST DATE: 2/10/04

TEST BOAT: SeaVee 34

TEST MOTORS: Suzuki DF250s



BOAT

2004 SEAVEE 340B

Material	Fiberglass
Length	34' 10"
Beam	10'
Weight	6500 Lbs.
Maximum HP	500 HP
Fuel Capacity	300 Gallons
Transom Height	30"
Steering	Hydraulic

ENGINE

SUZUKI DF250 V6 OUTBOARDS

Engine Type	4-Stroke V6
HP	250 HP
Displacement	220.5 cu.in.
Operating Range	5500 – 6100 RPM
Weight	580 Lbs.
Lubrication	Wet Sump
Fuel Delivery	Multipoint EFI
Ignition	Solid State

OTHER SPECS

PROPELLER

Material	Stainless Steel
Diameter/Pitch	16 x 21.5
Number of Blades	3
Part Number	99105-00800-215 99105-0080L-215

MOUNTING HEIGHT

Hole Position	3rd Hole Up
Jack Plate	No

PERFORMANCE DATA

RPM	MPH	GPH	MPG	RANGE	dB
IDLE	4	1.1	3.6	982	62
1000	5.6	1.8	3.1	833	65
1500	7.7	3.2	2.4	650	63
2000	8.7	5.3	1.6	441	72
2500	10.2	8.2	1.2	336	76
3000	14.3	12.8	1.1	302	85
3500	22.3	15.8	1.4	381	87
4000	29.9	19.3	1.5	418	87
4500	35.2	24.7	1.4	385	89
5000	40.0	28.1	1.4	384	90
5500	44.0	35.5	1.2	335	92
6100	48.4	42.0	1.2	311	93

Results may vary. GPH represents fuel usage for twin outboards.
Range (Miles) Based on 90% Fuel Capacity

TEST CONDITIONS

Water Conditions	Light Chop
Wind Velocity	3 to 5 MPH
Air Temperature	84° F
Fuel Load	200 Gallons
Weight Onboard	Moderate 2 Persons (400 Lbs) Gear (300 Lbs)

PERFORMANCE SUMMARY

Top Speed	57.9 MPH
Time to Plane	4.5 Seconds
Acceleration	0-30 in 6.8 Seconds
Optimum Cruising Range	450 Miles @3500 RPM
Best Fuel Efficiency	2.1 MPG @ 3500 RPM

FOR MORE INFORMATION, CONTACT:

SEA VEE BOATS

www.seaveeboats.com

SUZUKI MARINE

Phone: (800) 247-4704
www.suzuki.com

SUZUKI
MARINE