

SUZUKI PERFORMANCE NOTEBOOK

Syracuse, IN

Suzuki Marine

Test Date: 8-16-16

Test Boat: JC Manufacturing

Boat Type: Pontoon

Test Motor: Suzuki DF250SS



BOAT		ENGINE		OTHER SPECS	
Neptoon 25TT Sport (DSL)		Suzuki DF250SS		Propeller	
Material	Aluminum	Engine Type	4-Stroke V-6	Material	Stainless
Length	25'	HP	250	Diameter/Pitch	16 X 18.5
Beam	8' 6" (3 pontoons)	Displacement	4.0 Liter	Number of Blades	3
Weight	2400 lb.s	Operating Range	5300~6300	Mounting Height	
Maximum HP	300	Weight	578 lbs	Hole Position	1st Hole Up
Fuel Capacity	46 gallons	Lubrication	Wet Sump	Jack Plate	N/A
Transom Height	20"	Fuel Delivery	Multi-Point EFI		
Steering	Hydraulic w/PA	Ignition	Solid State		

PERFORMANCE DATA					TEST CONDITIONS	
RPM	MPH	GPH	MPG	RANGE	Water Conditions	Light Chop
IDLE	3.1	0.5	6.20	257	Wind Velocity	5 to 7
1000	4.7	0.9	5.22	216	Air Temperature	79
1500	6.6	1.7	3.88	161	Fuel Load	25 gal.
2000	8.4	2.7	3.11	129	Weight Onboard	2 persons Full Safety Gear
2500	14.2	3.8	3.74	155		
3000	19.0	5.3	3.58	148		
3500	23.8	7.2	3.31	137		
4000	29.2	10.4	2.81	116		
4500	33.9	13.2	2.57	106		
5000	38.3	16.8	2.28	94		
5500	42.5	21.5	1.98	82		
6100	46.0	23.3	1.97	82		

Results may vary. Range based on 90% fuel capacity.

PERFORMANCE SUMMARY	
Top Speed	46 mph
0-30 Acceleration	6.3 seconds
Optimum Cruising Range	@ 3000 RPM 148 Miles
Best Cruising	@ 3000 RPM
Fuel Efficiency	3.58 MPG

FOR MORE INFORMATION, CONTACT:

JC Pontoons
North Webster, IN
www.jcpontoon.com
(574) 834-2881

Suzuki Marine
www.suzuki.com

