

# SUZUKI PERFORMANCE NOTEBOOK

Lake Walloon , MI

Suzuki Marine

Test Date: 8/5/19

Test Boat: Tahoe GT 2185

Boat Type: Twin-Log Pontoon

Test Motor: DF90ATL



BOAT	ENGINE	OTHER SPECS
------	--------	-------------

<table style="width:100%;"> <tr> <td>Material</td> <td>Aluminum</td> </tr> <tr> <td>Length</td> <td>21'</td> </tr> <tr> <td>Beam</td> <td>8' 6"</td> </tr> <tr> <td>Weight (Dry)</td> <td>1850 lbs</td> </tr> <tr> <td>Maximum HP</td> <td>115 hp</td> </tr> <tr> <td>Fuel Capacity</td> <td>25 gallons</td> </tr> <tr> <td>Transom Height</td> <td>20"</td> </tr> <tr> <td>Steering</td> <td>SeaStar Cable</td> </tr> </table>	Material	Aluminum	Length	21'	Beam	8' 6"	Weight (Dry)	1850 lbs	Maximum HP	115 hp	Fuel Capacity	25 gallons	Transom Height	20"	Steering	SeaStar Cable	<p style="text-align: center;"><b>Suzuki</b></p> <table style="width:100%;"> <tr> <td>Engine Type</td> <td>Inline 4 cylinders</td> </tr> <tr> <td>HP</td> <td>90 hp</td> </tr> <tr> <td>Displacement</td> <td>1502 CC</td> </tr> <tr> <td>Operating Range</td> <td>5300-6300 rpm</td> </tr> <tr> <td>Weight</td> <td>343 lbs</td> </tr> <tr> <td>Lubrication</td> <td>Wet Sump</td> </tr> <tr> <td>Fuel Delivery</td> <td>Multi Point EFI</td> </tr> <tr> <td>Ignition</td> <td>Solid State</td> </tr> </table>	Engine Type	Inline 4 cylinders	HP	90 hp	Displacement	1502 CC	Operating Range	5300-6300 rpm	Weight	343 lbs	Lubrication	Wet Sump	Fuel Delivery	Multi Point EFI	Ignition	Solid State	<p style="text-align: center;"><b>Propeller</b></p> <table style="width:100%;"> <tr> <td>Material</td> <td>Aluminum</td> </tr> <tr> <td>Diameter/Pitch</td> <td>13.5 X 15</td> </tr> <tr> <td>Number of Blades</td> <td>3</td> </tr> </table> <p style="text-align: center;"><b>Mounting Height</b></p> <table style="width:100%;"> <tr> <td>Hole Position</td> <td>Flat on Transom</td> </tr> <tr> <td>Jack Plate</td> <td>N/A</td> </tr> </table>	Material	Aluminum	Diameter/Pitch	13.5 X 15	Number of Blades	3	Hole Position	Flat on Transom	Jack Plate	N/A
Material	Aluminum																																											
Length	21'																																											
Beam	8' 6"																																											
Weight (Dry)	1850 lbs																																											
Maximum HP	115 hp																																											
Fuel Capacity	25 gallons																																											
Transom Height	20"																																											
Steering	SeaStar Cable																																											
Engine Type	Inline 4 cylinders																																											
HP	90 hp																																											
Displacement	1502 CC																																											
Operating Range	5300-6300 rpm																																											
Weight	343 lbs																																											
Lubrication	Wet Sump																																											
Fuel Delivery	Multi Point EFI																																											
Ignition	Solid State																																											
Material	Aluminum																																											
Diameter/Pitch	13.5 X 15																																											
Number of Blades	3																																											
Hole Position	Flat on Transom																																											
Jack Plate	N/A																																											

PERFORMANCE DATA	TEST CONDITIONS
------------------	-----------------

RPM	MPH	GPH	MPG	RANGE											
IDLE	2.1	0.2	10.50	236	<table style="width:100%;"> <tr> <td>Water Conditions</td> <td>Medium Chop</td> </tr> <tr> <td>Wind Velocity</td> <td>10 to 15 mph</td> </tr> <tr> <td>Air Temperature</td> <td>84 degrees</td> </tr> <tr> <td>Fuel Load</td> <td>20 gallons</td> </tr> <tr> <td>Weight Onboard</td> <td>2 persons Full Safety Gear</td> </tr> </table>	Water Conditions	Medium Chop	Wind Velocity	10 to 15 mph	Air Temperature	84 degrees	Fuel Load	20 gallons	Weight Onboard	2 persons Full Safety Gear
Water Conditions	Medium Chop														
Wind Velocity	10 to 15 mph														
Air Temperature	84 degrees														
Fuel Load	20 gallons														
Weight Onboard	2 persons Full Safety Gear														
1000	3.3	0.3	11.00	248											
1500	4.5	0.5	9.00	203											
2000	5.9	0.7	8.43	190											
2500	7.7	1.2	6.42	144											
3000	9.8	1.7	5.76	130											
3500	13.6	2.2	6.18	139											
4000	16.4	2.7	6.07	137											
4500	18.7	3.4	5.50	124											
5000	21.5	5.0	4.30	97											
5500	24.6	6.4	3.84	86											
6000	27.3	8.6	3.17	71											

Results may vary. Range based on 90% fuel capacity.

Water Conditions	Medium Chop
Wind Velocity	10 to 15 mph
Air Temperature	84 degrees
Fuel Load	20 gallons
Weight Onboard	2 persons Full Safety Gear

PERFORMANCE SUMMARY
---------------------

Top Speed	27.3 MPH
0-20 Acceleration	5.3 seconds
Optimum Cruising Range	@ 3500 RPM 139 Miles
Best Cruising	@ 3500 RPM
Fuel Efficiency	6.18 MPG

**FOR MORE INFORMATION, CONTACT:**

Tahoe Pontoon Boats  
Alma, MI 48801  
(989) 463-2112  
[www.tahoepontoons.com](http://www.tahoepontoons.com)

Suzuki Marine  
[www.suzuki.com](http://www.suzuki.com)

