

SUZUKI PERFORMANCE NOTEBOOK

Laurie, MO - Lake of the Ozarks
 Test Boat: Manitou

Suzuki Marine
 Boat Type: Triple Log Pontoon

Test Date: 10-20-17
 Test Motor: DF350ATX



BOAT		ENGINE		OTHER SPECS	
25 X-Plode SHP		Suzuki DF350ATX		Propeller	
Material	Aluminium	Engine Type	V-6	Material	Stainless Steel
Length	26' 4"	HP	350 hp	Diameter/Pitch	15.5" X 22.5"
Beam	96"	Displacement	4390 CC	Number of Blades	3
Weight	3885 lbs	Operating Range	5700-6300 RPM	Mounting Height	
Maximum HP	350 HP	Weight	727 lbs	Hole Position	5th hole
Fuel Capacity	43 gallons	Lubrication	Wet Sump	Jack Plate	N/A
Transom Height	25"	Fuel Delivery	Multi-Point EFI		
Steering	SeaStar w/PA	Ignition	Solid State		

PERFORMANCE DATA					TEST CONDITIONS	
RPM	MPH	GPH	MPG	RANGE	Water Conditions	Medium chop
IDLE	3.3	0.6	5.5	213	Wind Velocity	5 to 10 mph
1000	5.5	1.2	4.6	177	Air Temperature	80 degrees
1500	7.4	2.0	3.7	143	Fuel Load	30 gallons
2000	9.8	3.0	3.3	126	Weight Onboard	3 People with Full Safety Gear
2500	15.3	4.7	3.3	126	PERFORMANCE SUMMARY	
3000	20.4	6.4	3.2	123	Top Speed	53 mph
3500	25.3	8.8	2.9	111	0-30 Acceleration	5.4 seconds
4000	30.0	12.1	2.5	96	Optimum Cruising	@ 2500 RPM
4500	35.4	15.5	2.3	88	Range	126 Miles
5000	41.7	21.0	2.0	77	Best Cruising	@ 2500 RPM
5500	45.9	24.8	1.9	72	Fuel Efficiency	3.3 MPG
6000	52.5	29.3	1.8	69		
6150	53.0	29.6	1.8	69		

Results may vary. Range based on 90% fuel capacity.

FOR MORE INFORMATION, CONTACT:

Manitou Pontoons
 Lansing, MI
 (517) 322-3822
www.manitoupontoonboats.com

Suzuki Marine
www.suzukimarine.com

