

SUZUKI PERFORMANCE NOTEBOOK

Branson, MO

Suzuki Marine

Test Date: 9-21-18

Test Boat: SeaArk

Boat Type: Alminum Fishing

Test Motor: DF150TL2



BOAT		ENGINE		OTHER SPECS	
2072 FXT		Suzuki DF150TL2		Propeller	
Material	Aluminium	Engine Type	4-Stroke Inline	Material	Stainless Steel
Length	20' 1"	HP	150	Diameter/Pitch	15 x 21
Beam	95"	Displacement	175 ci	Number of Blades	3
Weight	950 lbs	Operating Range	5500-6000	Mounting Height	
Maximum HP	150	Weight	522 lbs	Hole Position	2nd hole up
Fuel Capacity	30 gallons	Lubrication	Wet Sump	Jack Plate	N/A
Transom Height	20"	Fuel Delivery	Multi-Point EFI		
Steering	SeaStar Hydraulic	Ignition	Solid State		

PERFORMANCE DATA					TEST CONDITIONS	
RPM	MPH	GPH	MPG	RANGE	Water Conditions	Moderate Chop
IDLE	2.6	0.3	8.7	234	Wind Velocity	5 to 10 mph
1000	4.3	0.6	7.2	194	Air Temperature	82
1500	6.0	1.0	6.0	162	Fuel Load	25
2000	7.5	1.7	4.4	119	Weight Onboard	2 People with Full Safety Gear
2500	13.5	2.4	5.6	152	PERFORMANCE SUMMARY	
3000	20.5	3.1	6.6	179	Top Speed	43.1 mph
3500	25.5	4.4	5.8	156	0-30 Acceleration	6.8 seconds
4000	29.4	6.0	4.9	132	Optimum Cruising	@ 3000 RPM
4500	32.9	8.4	3.9	106	Range	179 Miles
5000	36.1	10.9	3.3	89	Best Cruising	@ 3000 RPM
5500	40.5	14.3	2.8	76	Fuel Efficiency	6.6 MPG
6000	43.1	15.7	2.7	74		

Results may vary. Range based on 90% fuel capacity.

FOR MORE INFORMATION, CONTACT:

SeaArk Boats
 Monticello, AR
 (870) 367-5317
www.seaarkboats.com

Suzuki Marine
www.suzukimarine.com

