

SUZUKI PERFORMANCE NOTEBOOK

Brunswick, GA

Suzuki Marine

Test Date: 6-12-13

Test Boat: Sundance

Boat Type: Center Console Skiff

Test Motor: Suzuki DF90ATX



BOAT		ENGINE		OTHER SPECS	
Sundance B20CCR		Suzuki DF90ATX		Propeller	
Material	Fiberglass	Engine Type	4-Stroke 4 Inline	Material	Stainless Steel
Length	19' 10"	HP	90	Diameter/Pitch	14 x 18
Beam	94"	Displacement	1502cc	Number of Blades	3
Weight	1525 lb.s	Operating Range	5300-6300	Mounting Height	
Maximum HP	130	Weight	341 lb.s	Hole Position	3rd Hole Up
Fuel Capacity	24 gallons	Lubrication	Wet Sump	Jack Plate	N/A
Transom Height	25"	Fuel Delivery	Multi-Point EFI		
Steering	Hydraulic	Ignition	Solid State		

PERFORMANCE DATA					TEST CONDITIONS	
RPM	MPH	GPH	MPG	RANGE	Water Conditions	Light Chop
IDLE	1.6	0.1	16.00	346	Wind Velocity	Calm
1000	3.3	0.3	11.00	238	Air Temperature	82
1500	4.7	0.5	9.40	203	Fuel Load	25
2000	6.1	0.7	8.71	188	Weight Onboard	2 persons Full Safety Gear
2500	7.5	1.3	5.77	125		
3000	10.5	2.1	5.00	108		
3500	17.9	2.4	7.46	161		
4000	24.6	2.9	8.48	183		
4500	28.1	3.7	7.59	164		
5000	32.0	5.3	6.04	130		
5500	35.1	6.9	5.09	110		
6050	40.1	8.6	4.66	101		

Results may vary. Range based on 90% fuel capacity.

PERFORMANCE SUMMARY

Top Speed	40.1
0-25 Acceleration	5.2 seconds
Optimum Cruising Range	@ 4000 RPM 183 Miles
Best Cruising	@ 4000 RPM
Fuel Efficiency	8.48 MPG

FOR MORE INFORMATION, CONTACT:

Sundance Boats
6131 Sundance Road
Blackshear, GA 31516
www.seabornboats.com

Suzuki Marine
www.suzuki.com

