



# 2023 SUZUKI GENUINE MARINE PARTS & ACCESSORIES CATALOG



Dear Customer,



The Suzuki Genuine Accessories Catalog provides information on the highest quality accessories, specific to your outboard engine and application. We strive to bring you only the highest quality parts to ensure your outboard will run flawlessly for years to come. We recommend only using Suzuki Genuine Accessories on your Suzuki outboard. We never compromise over quality and you shouldn't compromise your boating experience with anything but Suzuki Genuine Accessories. Suzuki is on the forefront of innovation and have the accessories to prove it. If you are thinking of bringing the foremost of technology to your boat, think Suzuki. Pair your Suzuki outboard with our dependable instruments and gauges, custom-engineered propellers, and durably designed rigging items for optimum performance and reliability. Take your time reading through our catalog, and don't hesitate to visit our website or an Authorized Suzuki Marine Dealer.

Thank you,

**Suzuki Parts & Accessories**

**[www.suzukimarine.com](http://www.suzukimarine.com)**

# TABLE OF CONTENTS

|                                                                                      |                                                    |           |
|--------------------------------------------------------------------------------------|----------------------------------------------------|-----------|
|     | <b>Suzuki Precision Control 2.0</b>                | <b>2</b>  |
|     | <b>Mechanical Controls</b>                         | <b>10</b> |
|     | <b>Multi-Function Gauge</b>                        | <b>12</b> |
|     | <b>Multi-Function Display</b>                      | <b>22</b> |
|     | <b>Suzuki C-10 Digital Gauge</b>                   | <b>24</b> |
|     | <b>Suzuki Precision Control 1.0 Legacy Product</b> | <b>25</b> |
|     | <b>Analog Instruments</b>                          | <b>26</b> |
|    | <b>Cables &amp; Rigging</b>                        | <b>30</b> |
|    | <b>Steering</b>                                    | <b>32</b> |
|  | <b>Fuel System</b>                                 | <b>34</b> |
|   | <b>Propellers</b>                                  | <b>36</b> |
|   | <b>DF300B &amp; DF350 Propellers and Tools</b>     | <b>40</b> |
|   | <b>Repair Kits &amp; Anodes</b>                    | <b>42</b> |
|   | <b>Ecstar Oils &amp; Chemicals</b>                 | <b>44</b> |
|   | <b>Maintenance &amp; Care</b>                      | <b>48</b> |
|  | <b>Engine Covers</b>                               | <b>52</b> |
|   | <b>Marine Style</b>                                | <b>54</b> |
|   | <b>Gifts &amp; Collectibles</b>                    | <b>64</b> |
|   | <b>Application Chart</b>                           | <b>68</b> |
|   | <b>Maintenance Kit</b>                             | <b>76</b> |

# SUZUKI PRECISION CONTROL 2.0

## Suzuki Precision Control 2.0 (S.P.C. 2.0) Electronic Throttle and Shift Systems

For DF115BG/140BG/150AP/175AP/200AP/  
250AP/300AP/300B/350A



**Single Engine S.P.C. 2.0  
Binnacle**

67200-98L00

Single Engine S.P.C. 2.0  
Binnacle Only



**Multi-Engine S.P.C. 2.0  
Binnacle**

67200-98L10

Multi-Engine S.P.C. 2.0  
Binnacle Only



**Flush Mount  
S.P.C. 2.0 Control**

67200-98L20

Flush Mount S.P.C. 2.0  
Control Only



### Suzuki Precision Maneuvering

- Touch the future with Suzuki's Precision Maneuvering System and enjoy confident intuitive joystick control.
- Designed exclusively for Suzuki outboards with Suzuki Precision Controls, including the new DF115 and DF140 BG models as well as DF150AP, DF175AP, DF200AP, DF250AP, DF300AP, DF300B, and DF350A.
- Experience parallel parking without a thruster.
- Confidently pilot your boat around crowded docks, at waterfront restaurants and at the launch ramp.
- Now available for twin, triple, and quad installations.
- See your Local Authorized Suzuki SeaStar Installation Center for more details.



# SUZUKI PRECISION CONTROL 2.0 COMPONENTS

1 Binnacle Mount R/C Box



Flush Mount R/C Box



2 Control Panels



3 Buzzer



4 Boat Control Module (BCM)



5 Terminal Resistor



6 Battery Lead Wire



7 BCM #1 Wiring Harness



8 Emergency Switch Extension Harness



9 Signal Unit Converter



10 Dual Station Main Harness



11 BCM #2 Wiring Harness



12 Engine Wire Harness



13A Main Switch Panels



13B 2nd Station / Push Button



14 Emergency Switch Panel



15 Main Wiring Harness



17 Troll Mode Switch



## SINGLE ENGINE S.P.C. 2.0 CONTROL KITS




## SINGLE ENGINE SPC 2.0 CONTROL KITS

| SINGLE ENGINE SPC 2.0 CONTROL KITS |             |                                     | 67000-98L02<br>1st Binnacle Kit    | 67000-98LA0<br>2nd Binnacle Kit | 67000-98L12<br>Flush Mount Kit     | 67000-98LB1<br>2nd Flush Kit         |
|------------------------------------|-------------|-------------------------------------|------------------------------------|---------------------------------|------------------------------------|--------------------------------------|
| 1                                  | 67200-98L00 | Binnacle Mount R/C Box              | 1                                  | 1                               | -                                  | -                                    |
|                                    | 67200-98L20 | Flush Mount R/C Box                 | -                                  | -                               | 1                                  | 1                                    |
| 3                                  | 38500-93J90 | Warning Buzzer                      | -                                  | 1                               | -                                  | 1                                    |
|                                    | 09407-08401 | Warning Buzzer Clamp                | -                                  | 1                               | -                                  | 1                                    |
| 4                                  | 36770-98L02 | Boat Control Module                 | 1                                  | 1                               | 1                                  | 1                                    |
|                                    | 36775-98L00 | BCM Holder (L)                      | 1                                  | 1                               | 1                                  | 1                                    |
|                                    | 36776-98L00 | BCM Holder (R)                      | 1                                  | 1                               | 1                                  | 1                                    |
|                                    | 33925-98L00 | BCM Cushion                         | 1                                  | 1                               | 1                                  | 1                                    |
| 5                                  | 33926-98L00 | Terminal Resistor                   | 2                                  | -                               | 2                                  | -                                    |
| 6                                  | 36625-98J10 | Battery - Lead                      | 1                                  | -                               | 1                                  | -                                    |
| 7                                  | 36623-98L00 | BCM #1 Wiring Harness               | 1                                  | -                               | 1                                  | -                                    |
| 8                                  | 36627-98L10 | Harness Assy. Emergency Switch Ext. | -                                  | -                               | 1                                  | 1                                    |
| 9                                  | 37140-98L00 | Signal Converter                    | -                                  | -                               | 1                                  | 1                                    |
| 10                                 | 36622-98L00 | Dual - Station Wiring Harness       | -                                  | 1                               | -                                  | 1                                    |
| 11                                 | 36624-98L00 | BCM #2 Wiring Harness               | -                                  | 1                               | -                                  | 1                                    |
| -                                  | 09403-13402 | Harness Clamp                       | 10                                 | 10                              | 10                                 | 10                                   |
| 13A*                               | 37100-98L00 | Modular Ignition Switch             | Choose 1*                          |                                 | Choose 1*                          |                                      |
|                                    | 37100-98L10 | Vertical Ignition Switch            |                                    |                                 |                                    |                                      |
|                                    | 37100-98L20 | Horizontal Ignition Switch          |                                    |                                 |                                    |                                      |
| 13B*                               | 37290-98L00 | Modular Push Button Ignition        | Choose 1*                          |                                 |                                    | 37290-98L00<br>(Purchase separately) |
|                                    | 37290-98L10 | Vertical Push Button Ignition       |                                    |                                 |                                    |                                      |
|                                    | 37290-98L20 | Horizontal Push Button Ignition     |                                    |                                 |                                    |                                      |
| 14***                              | 37803-98L00 | Modular Emergency Switch            | 1***                               |                                 |                                    |                                      |
| 15                                 | 36620-98L00 | 21' Main Wiring Harness             | Select required length, 1 required |                                 | Select required length, 1 required |                                      |
|                                    | 36620-98L10 | 31' Main Wiring Harness             |                                    |                                 |                                    |                                      |
| 16                                 | 36620-98L20 | 6.5' Main Harness Extension         | Select if necessary                |                                 |                                    |                                      |
| 17                                 | 37860-98L00 | Troll Mode Switch                   | Optional                           |                                 |                                    |                                      |
| 18                                 | 36627-98L00 | R/C Extension Harness               |                                    |                                 | 1****                              | 1****                                |

\*\*Push button ignition switches for 2nd station only

\*\*\*Required when using Flush Mount Control kit

# DUAL ENGINE S.P.C. 2.0 CONTROL KITS



## SINGLE STATION



1 Binnacle Mount R/C Box



2 Dual Engine Control Panel

## DUAL ENGINE S.P.C. 2.0 CONTROL KITS


| DUAL ENGINE S.P.C. 2.0 CONTROL KITS |             |                                 | 67000-98L22<br>1st Station Kit        | 67000-98LC2<br>2nd Station Kit        |
|-------------------------------------|-------------|---------------------------------|---------------------------------------|---------------------------------------|
| 1                                   | 67200-98L10 | Binnacle Remote Control Box     | 1                                     | 1                                     |
| 2                                   | 37120-98L00 | Control Panel                   | 1                                     | 1                                     |
| 3                                   | 38500-93J90 | Warning Buzzer                  | 1                                     | 2                                     |
|                                     | 39407-08401 | Warning Buzzer Clamp            | 1                                     | 2                                     |
| 4                                   | 36770-98L02 | Boat Control Module (BCM)       | 1                                     | 2                                     |
|                                     | 36775-98L00 | BCM Holder (L)                  | 4                                     | 2                                     |
|                                     | 36776-98L00 | BCM Holder (R)                  | 1                                     | 2                                     |
|                                     | 33925-98L00 | BCM Cushion                     | 1                                     | 2                                     |
| 5                                   | 33926-98L00 | Terminal Resistor               | 2                                     | -                                     |
| 6                                   | 36625-98J10 | Battery - Lead                  | 1                                     | -                                     |
| 7                                   | 36623-98L30 | BCM # 1 Wiring Harness          | 1                                     | -                                     |
| 10                                  | 36622-98L00 | Dual - Station Wiring Harness   | -                                     | 1                                     |
| 11                                  | 36624-98L10 | BCM #2 Wiring Harness           | -                                     | 1                                     |
| -                                   | 09403-13402 | Harness Clamp                   | 15                                    | 10                                    |
| -                                   | 36612-98J20 | Counter Rotation Adapter        | 1                                     | -                                     |
| 13A*                                | 37100-98L00 | Modular Ignition Switch         | Choose 1*                             |                                       |
|                                     | 37100-98L10 | Vertical Ignition Switch        |                                       |                                       |
|                                     | 37100-98L20 | Horizontal Ignition Switch      |                                       |                                       |
| 13B*                                | 37290-98L00 | Modular Push Button Ignition    |                                       | Choose 1**                            |
|                                     | 37290-98L10 | Vertical Push Button Ignition   |                                       |                                       |
|                                     | 37290-98L20 | Horizontal Push Button Ignition |                                       |                                       |
| 14***                               | 37803-98L00 | Modular Emergency Switch        | 1***                                  | 1***                                  |
| 15                                  | 36620-98L00 | 21' Main Wiring Harness         | Select required length,<br>2 required | Select required length,<br>2 required |
|                                     | 36620-98L10 | 31' Main Wiring Harness         |                                       |                                       |
| 16                                  | 36620-98L20 | 6.5' Main Harness Extension     | Select if necessary                   |                                       |
| 17                                  | 37860-98L00 | Troll Mode Switch               | Optional                              |                                       |
| 18                                  | 36627-98L00 | R/C Extension Harness           | Select if necessary                   |                                       |

\*Switch panels are sold separately, select type

\*\*Push button ignition switches for 2nd station only

\*\*\* Required when using 37100-98L00 or 37290-98L00

# TRIPLE ENGINE S.P.C. 2.0 CONTROL KITS



## SINGLE STATION

### TRIPLE ENGINE S.P.C. 2.0 CONTROL KITS


|       |             |                                 |                                       |                                       |
|-------|-------------|---------------------------------|---------------------------------------|---------------------------------------|
| 1     | 67200-98L10 | Binnacle Remote Control Box     | 1                                     | 1                                     |
| 2     | 37120-98L10 | Control Panel                   | 1                                     | 1                                     |
| 3     | 38500-93J90 | Warning Buzzer                  | 1                                     | 2                                     |
|       | 09407-08401 | Warning Buzzer Clamp            | 1                                     | 2                                     |
| 4     | 36770-98L02 | Boat Control Module (BCM)       | 2                                     | 2                                     |
|       | 36775-98L00 | BCM Holder (L)                  | 2                                     | 2                                     |
|       | 36776-98L00 | BCM Holder (R)                  | 2                                     | 2                                     |
|       | 33925-98L00 | BCM Cushion                     | 2                                     | 2                                     |
| 5     | 33926-98L00 | Terminal Resistor               | 3                                     | -                                     |
| 6     | 36625-98J10 | Battery - Lead                  | 1                                     | -                                     |
| 7     | 36623-98L30 | BCM # 1 Wiring Harness          | 1                                     | -                                     |
| 10    | 36622-98L00 | Dual - Station Wiring Harness   | -                                     | 1                                     |
| 11    | 36624-98L10 | BCM #2 Wiring Harness           | -                                     | 1                                     |
| 12    | 36621-98L00 | Engine Wiring Harness           | 1                                     | -                                     |
| -     | 09403-13402 | Harness Clamp                   | 18                                    | 10                                    |
| -     | 36612-98J20 | Counter Rotation Adapter        | 1                                     | -                                     |
| 13A*  | 37100-98L00 | Modular Ignition Switch         | Choose 1*                             |                                       |
|       | 37100-98L10 | Vertical Ignition Switch        |                                       |                                       |
|       | 37100-98L20 | Horizontal Ignition Switch      |                                       |                                       |
| 13B*  | 37290-98L00 | Modular Push Button Ignition    |                                       | Choose 1**                            |
|       | 37290-98L10 | Vertical Push Button Ignition   |                                       |                                       |
|       | 37290-98L20 | Horizontal Push Button Ignition |                                       |                                       |
| 14*** | 37803-98L00 | Modular Emergency Switch        | 1***                                  | 1***                                  |
| 15    | 36620-98L00 | 21' Main Wiring Harness         | Select required length,<br>2 required | Select required length,<br>2 required |
|       | 36620-98L10 | 31' Main Wiring Harness         |                                       |                                       |
| 16    | 36620-98L20 | 6.5' Main Harness Extension     | Select if necessary                   |                                       |
| 17    | 37860-98L00 | Troll Mode Switch               | Optional                              |                                       |
| 18    | 36627-98L00 | R/C Extension Harness           | Select if necessary                   |                                       |
| 19    | 36627-98L20 | CAN Extension Harness           | Select if necessary                   |                                       |

\*Switch panels are sold separately, select type

\*\*Push button ignition switches for 2nd station only

\*\*\* Required when using 37100-98L00 or 37290-98L00

# QUAD ENGINE S.P.C. 2.0 CONTROL KITS



## SINGLE STATION

### QUADRUPLE ENGINE S.P.C. 2.0 CONTROL KITS

|       |             |                                 |                                       |                                       |
|-------|-------------|---------------------------------|---------------------------------------|---------------------------------------|
| 1     | 67200-98L10 | Binnacle Remote Control Box     | 1                                     | 1                                     |
| 2     | 37120-98L20 | Control Panel Port              | 1                                     | 1                                     |
|       | 37120-98L30 | Control Panel STBD              | 1                                     | 1                                     |
| 3     | 38500-93J90 | Warning Buzzer                  | 1                                     | 1                                     |
| 4     | 09407-08401 | Warning Buzzer Clamp            | 1                                     | 1                                     |
|       | 36770-98L02 | Boat Control Module             | 2                                     | 2                                     |
|       | 36775-98L00 | BCM Holder (L)                  | 2                                     | 2                                     |
|       | 36776-98L00 | BCM Holder (R)                  | 2                                     | 2                                     |
|       | 33925-98L00 | BCM Cushion                     | 2                                     | 2                                     |
| 5     | 33926-98L00 | Terminal Resistor               | 3                                     | -                                     |
| 6     | 36625-98J10 | Battery - Lead                  | 1                                     | -                                     |
| 7     | 36623-98L40 | BCM # 1 Wiring Harness          | 1                                     | -                                     |
| 10    | 36622-98L00 | Dual - Station Wiring Harness   | -                                     | 1                                     |
| 11    | 36624-98L20 | BCM #2 Wiring Harness           | -                                     | 1                                     |
| 12    | 36621-98L00 | Engine Wiring Harness           | 2                                     | -                                     |
| -     | 09403-13402 | Harness Clamp                   | 20                                    | 15                                    |
| -     | 36612-98J20 | Counter Rotation Adapter        | 2                                     | -                                     |
| 13A*  | 37100-98L00 | Modular Ignition Switch         | Choose 1*                             |                                       |
|       | 37100-98L10 | Vertical Ignition Switch        |                                       |                                       |
|       | 37100-98L20 | Horizontal Ignition Switch      |                                       |                                       |
| 13B*  | 37290-98L00 | Modular Push Button Ignition    |                                       | Choose 1**                            |
|       | 37290-98L10 | Vertical Push Button Ignition   |                                       |                                       |
|       | 37290-98L20 | Horizontal Push Button Ignition |                                       |                                       |
| 14*** | 37803-98L00 | Modular Emergency Switch        | 1***                                  | 1***                                  |
| 15    | 36620-98L00 | 21' Main Wiring Harness         | Select required length,<br>2 required | Select required length,<br>2 required |
|       | 36620-98L10 | 31' Main Wiring Harness         |                                       |                                       |
| 16    | 36620-98L20 | 6.5' Main Harness Extension     | Select if necessary                   |                                       |
| 17    | 37860-98L00 | Troll Mode Switch               | Optional                              |                                       |
| 18    | 36627-98L00 | R/C Extension Harness           | Select if necessary                   |                                       |
| 19    | 36627-98L20 | CAN Extension Harness           | Select if necessary                   |                                       |

\*Switch panels are sold separately, select type

\*\*Push button ignition switches for 2nd station only

\*\*\* Required when using 37100-98L00 or 37290-98L00

# SUZUKI PRECISION CONTROL 2.0

First and second station ignition switches. Featuring a gloss black face with concealed screws for a cleaner and more luxurious finish.

For DF115BG/140BG/150AP/175AP/200AP/250AP/300AP/300B/350A.



## 1ST STATION KEYED IGNITION SWITCHES

|             |                                             |
|-------------|---------------------------------------------|
| 37100-98L00 | Modular Keyed Ignition                      |
| 37100-98L10 | Vertical Keyed Ignition w/ Emergency Stop   |
| 37100-98L20 | Horizontal Keyed Ignition w/ Emergency Stop |

## 2ND STATION PUSH BUTTON IGNITION SWITCHES (Pictured on Page 5)

|             |                                                   |
|-------------|---------------------------------------------------|
| 37290-98L00 | Modular Push Button Ignition                      |
| 37290-98L10 | Vertical Push Button Ignition w/ Emergency Stop   |
| 37290-98L20 | Horizontal Push Button Ignition w/ Emergency Stop |

## COMMON TO KEYED OR PUSH BUTTON MODULAR

|             |                        |
|-------------|------------------------|
| 37803-98L00 | Modular Emergency Stop |
|-------------|------------------------|



### Control Panel Assemblies

|                    |                                      |
|--------------------|--------------------------------------|
| <b>37120-98L00</b> | Dual Engine Control Panel (Pictured) |
| <b>37120-98L10</b> | Triple Engine Control Panel          |
| <b>37120-98L20</b> | Quad Control Panel - Port            |
| <b>37120-98L30</b> | Quad Control Panel - Starboard       |



### Replacement Wiring Harness

|                    |                                            |
|--------------------|--------------------------------------------|
| <b>36621-98L00</b> | Triple and Quadruple Engine Wiring Harness |
|--------------------|--------------------------------------------|



### BCM Harness

|                    |                                                      |
|--------------------|------------------------------------------------------|
| <b>36623-98L00</b> | BCM Harness No. 1 for Single Engine Single Station   |
| <b>36623-98L30</b> | BCM Harness No. 1 for Multiple Engine Single Station |
| <b>36624-98L00</b> | BCM Harness No. 2 for Single Engine Single Station   |
| <b>36624-98L10</b> | BCM Harness No. 2 for Multiple Engine Single Station |
| <b>36623-98L40</b> | BCM Harness No. 1 for Quadruple Engine               |
| <b>36624-98L20</b> | BCM Harness No. 2 for Quadruple Engine               |



### Battery Sub-Lead

For use with SPC / Digital Models.

|                    |            |
|--------------------|------------|
| <b>36625-98J10</b> | 2.2m / 7'  |
| <b>36625-98J20</b> | 6.1m / 20' |



### Battery Isolator Lead Sets

Used for charging auxiliary battery.

|                    |                                               |
|--------------------|-----------------------------------------------|
| <b>33830-98J02</b> | DF300 2007-2011 only                          |
| <b>33830-98J11</b> | DF150A/175A/200A/150AP/175AP/200AP/300AP/350A |

### Wiring Harnesses

Main Wiring Harness. Order length as needed for rigging applications.



|                    |                                                                |
|--------------------|----------------------------------------------------------------|
| <b>36#20-98L00</b> | 21' (6.5m) Wiring Harness                                      |
| <b>36#20-98L10</b> | 31' (9.5m) Wiring Harness                                      |
| <b>36#20-98L20</b> | 6.5' (2m) Wiring Harness Extension (Optional; order as needed) |

# MECHANICAL CONTROLS



Suzuki Genuine Control Boxes are designed for longevity and ease of use.

Choose a control box that fits your application. We offer a Single Binnacle Control Box for your top of the line

Suzuki Outboard, or choose a Dual Binnacle Control Box to manage 2 Suzuki Outboards masterfully. Suzuki Genuine Control Boxes define accuracy, user-friendliness and durability.



## Single Binnacle Control Box

Single Binnacle Control Box uses a convenient thumb-operated power trim and tilt switch, push-button shifting disengagement, for faster warm-ups and built-in neutral safety switch. Main wiring harness, ignition switch, and control cable must be ordered separately, see pages 32-33 for options.

**67200-88L02** Single Binnacle Control Box Assembly



## Dual Binnacle Control Box

Dual Binnacle Control Box includes the same features as the Single Binnacle Control Box, plus a unique base mounted FTT system allowing you to trim the motors individually then adjust them together for maximum performance. Main wiring harness, ignition switch, and control cable must be ordered separately, see pages 32-33 for options.

**67200-88L11** Dual Binnacle Control Box Assembly



## Flush Mount Binnacle Control Box

Suzuki's top quality Flush Mount Control Box features include a smooth action thumb-controlled power trim and tilt switch, a convenient push button to disengage transmission for throttle only, and a built-in neutral safety switch. Reversible for left hand installations. Main wiring harness, ignition switch, and control cable must be purchased separately, see pages 32-33 for options.

|                    |                                                                       |
|--------------------|-----------------------------------------------------------------------|
| <b>67000-93JN0</b> | Flush Mount Binnacle Control Box Kit                                  |
| <b>Includes:</b>   |                                                                       |
| <b>37100-96J27</b> | Ignition Switch Panel with Emergency Stop and Warning Buzzer Assembly |
| <b>67200-93J34</b> | Flush Mount Control Box                                               |

## Miscellaneous Components

|                    |                                                                                                                                    |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>38500-92X50</b> | Warning Buzzer.                                                                                                                    |
| <b>36620-93J20</b> | Control Box Adaptor Harness. Adapts 2005+ model control box with square connector to 2004 and earlier motors with round connector. |
| <b>36620-93J30</b> | Control Box Adaptor Harness. Adapts 2005+ model engine with square connector to 2004 and earlier harness with round connector.     |



|                    |                                    |
|--------------------|------------------------------------|
| <b>67500-88L00</b> | Single Binnacle Control Box Spacer |
|--------------------|------------------------------------|

|                    |                                  |
|--------------------|----------------------------------|
| <b>67500-88L10</b> | Dual Binnacle Control Box Spacer |
|--------------------|----------------------------------|

## Wiring Harnesses

Analog Wiring Harnesses.

|                    |                |                |
|--------------------|----------------|----------------|
| <b>36620-89L10</b> | DF9.9B/15A/20A | 21'            |
| <b>36620-94L20</b> | DF25A/DF30A    | 21'            |
| <b>36620-93J80</b> | DF40A-DF250    | 16'            |
| <b>36620-93J70</b> | DF40A-DF250    | 21'            |
| <b>36620-93J90</b> | DF40A-DF250    | 26'            |
| <b>36620-93J12</b> | DF9.9B-DF250   | 6.5' Extension |
| <b>36620-93J42</b> | DF9.9B-DF250   | 10' Extension  |



## Side Mount Control Boxes

Side Mount Control Boxes can be tailored to your needs. Standard features include a fast idle lever for easy warm-ups, a key-type ignition switch, and an emergency stop switch. \*Main Wiring Harness must be ordered separately, see above. Choose correct control cable length, see below.

|                    |              |                                     |
|--------------------|--------------|-------------------------------------|
| <b>67200-94J40</b> | Df8A-DF30A   | Single Engine, buzzer only (No PTT) |
| <b>67200-93J70</b> | Df9.9B-DF250 | Single Engine, with PTT switch      |

## Suzuki Performance Remote Control Cables


Suzuki Performance Cables have a unique design that incorporates a patent-pending splined core. Ridges on the core allow a close fit to the cable's inner liner with minimum contact, allowing the core to glide back and forth smoothly. All cables are factory tested and approved for heavy use applications. Order cable length as needed.

Black HDPE super tough casing

Oil tempered reinforced lay wire for high strength and flexibility

Heavy-duty HDPE inner liner for minimal drag and long life

Splined core for high efficiency and minimal backflash



|                        |     |                        |     |                        |     |                        |     |
|------------------------|-----|------------------------|-----|------------------------|-----|------------------------|-----|
| <b>990C0-11002-008</b> | 8'  | <b>990C0-11002-014</b> | 14' | <b>990C0-11002-020</b> | 20' | <b>990C0-11002-026</b> | 26' |
| <b>990C0-11002-009</b> | 9'  | <b>990C0-11002-015</b> | 15' | <b>990C0-11002-021</b> | 21' | <b>990C0-11002-027</b> | 27' |
| <b>990C0-11002-010</b> | 10' | <b>990C0-11002-016</b> | 16' | <b>990C0-11002-022</b> | 22' | <b>990C0-11002-028</b> | 28' |
| <b>990C0-11002-011</b> | 11' | <b>990C0-11002-017</b> | 17' | <b>990C0-11002-023</b> | 23' | <b>990C0-11002-029</b> | 29' |
| <b>990C0-11002-012</b> | 12' | <b>990C0-11002-018</b> | 18' | <b>990C0-11002-024</b> | 24' | <b>990C0-11002-030</b> | 30' |
| <b>990C0-11002-013</b> | 13' | <b>990C0-11002-019</b> | 19' | <b>990C0-11002-025</b> | 25' |                        |     |

# SUZUKI MULTI-FUNCTION GAUGE

## Multi-Function Gauge - SMG4

When you're on the water, it's vital that you can get the information you need about your engine's condition and performance whenever you need it. That's exactly the thinking behind our Suzuki Multi-Function Gauge.

## All the Information in One Place

This brilliantly simple technology gives you the right information at the right time, all on one user friendly, highly intuitive screen. You can view a wide range of important information including engine RPM, speed, trim angle, engine temp, and fuel economy. You'll also receive alerts from the engine's sensors and warning systems. All you need for effortless and relaxing boating in one simple, reassuring, and reliable device.

### ANALOG TACHOMETER & SPEED MODE



\* Speed sensor or GPS module will be required in order to display the speed.

### DIGITAL TACHOMETER MODE



- Fuel flow (instantaneous)
- Mileage (instantaneous and average)
- Trip time, Trip distance

## DIGITAL TACHOMETER & SPEED



## ANALOG TACHOMETER & SPEED



## ANALOG SPEED (NIGHT)



## FUEL MODE



## TROLL MODE



## FEATURES

### MULTILINGUAL MENU



SMG4 is now available in 13 languages.

### AUTOMATIC TRIM



Automatically adjusts trim based on engine RPM

### DEMO MODE



Pre-installed data demonstrates gauge functionality. Great for boat shows!

# DIAGNOSTIC MOBILE APP

## New Advanced Service Tool

Our new Suzuki Diagnostic App lets you send your Suzuki Authorized Dealer information they can use to service and maintain your outboard instantly and easily.



SDS Mobile works in tandem with our new Multi-Function Gauge and new Multi-Function Display. Simply download the App, available on iOS and Android™, to your smartphone: you don't need a

separate device. When you email your QR code to the dealer, the data will be transferred directly - including engine serial number, number of hours since last oil change, and total hours of operation at different RPM.

iOS is a registered trademark or trademark of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries. Android is a trademark of Google LLC.

## How It Works

1. The outboard sends engine data and converts it into a QR code displayed on the Multi-Function Gauge or Multi-Function Display.
2. With the SDS Mobile App, you can then scan the QR code on the Multi-Function Gauge or Multi-Function Display with your phone. The engine data will be stored on your smart phone.
3. You can then send the engine data via email to your Suzuki Dealer.



## DOWNLOAD THE APP FROM



Apple and Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries.



Google Play and the Google Play logo are trademarks of Google LLC. SDS Mobile App and Email Service is entirely free of charge.

# SUZUKI MULTIFUNCTION GAUGE ACCESSORIES & KIT CONTENTS LIST

## NMEA 2000 Cable Kit

This cable kit includes parts needed to make a basic NMEA 2000 backbone. A backbone is required for speed data to be displayed on SMG using either a GPS antenna or paddle wheel transducer. Kit contents in table below.

**990C0-88L00-KIT**

| NMEA 2000 Backbone Cable Kit |             |                     |                 |
|------------------------------|-------------|---------------------|-----------------|
|                              | Part Number | Part Name           | 990C0-88L00-KIT |
| 4                            | 990C0-88104 | 2' N2K Cable        | 1               |
| 5                            | 990C0-88112 | N2K Power Cable / T | 1               |
| 6                            | 990C0-88110 | Backbone T          | 1               |
| 7                            | 990C0-88113 | Terminator (F)      | 1               |
| 8                            | 990C0-88114 | Terminator (M)      | 1               |

## SMG Sun Cover

Replacement white plastic cover for SMG.

**34211-96L00**



## Single and Dual Mechanical Engine SMG Requirements

See below chart for required SMG components for dual mechanical engines. Please order components separately.

| Components Chart - Single and Dual Mechanical Engines |             |                         | Single Engine | Dual Engine |
|-------------------------------------------------------|-------------|-------------------------|---------------|-------------|
| 1                                                     | 34011-96L44 | SMG Gauge               | 1             | 2           |
| 2                                                     | 36665-87L10 | Mech Multi Engine Adpt. | -             | 1           |
| 4                                                     | 990C0-88104 | 2' Backbone Cable       | -             | 2           |
| 5                                                     | 990C0-88112 | Power Cable             | -             | 1           |
| 6                                                     | 990C0-88110 | Backbone T              | -             | 2           |
| 7                                                     | 990C0-88113 | Female Terminator       | -             | 1           |
| 8                                                     | 990C0-88114 | Male Terminator         | -             | 1           |
| 11                                                    | 36661-96L30 | Mech Gauge Adapter      | 1             | 2           |


## COMPONENTS LIST

|    |                     |     |                                 |     |                        |     |             |                                     |
|----|---------------------|-----|---------------------------------|-----|------------------------|-----|-------------|-------------------------------------|
| 1  | Multifunction Gauge | 2   | Mechanical Multi Engine Adapter | 3   | Extension Wire         | 1   | 34011-96L44 | Multifunction Gauge                 |
| 4  | 2' N2K Cable        | 5   | N2K Power Cable / T             | 6   | Backbone T             | 2   | 36665-87L10 | Mechanical Multi Engine Adapter     |
| 7  | Terminator (F)      | 8   | Terminator (M)                  | 9   | N2K Cable              | 3   | 36682-92E00 | Extension wire                      |
| 11 | Gauge Adapter       | 13a | Paddle Wheel/Speed Sensor       | 13b | GPS Antenna w/ Compass | 4   | 990C0-88104 | 2' N2K Cable                        |
|    |                     |     |                                 |     |                        | 5   | 990C0-88105 | 6' N2K Cable                        |
|    |                     |     |                                 |     |                        | 6   | 990C0-88107 | 15' N2K Cable                       |
|    |                     |     |                                 |     |                        | 7   | 990C0-88108 | 25' N2K Cable                       |
|    |                     |     |                                 |     |                        | 8   | 990C0-88112 | N2K Power Cable / T                 |
|    |                     |     |                                 |     |                        | 9   | 990C0-88110 | Backbone T                          |
|    |                     |     |                                 |     |                        | 10  | 990C0-88113 | Terminator (F)                      |
|    |                     |     |                                 |     |                        | 11  | 990C0-88114 | Terminator (M)                      |
|    |                     |     |                                 |     |                        | 12a | 990C0-88104 | 2' N2K Cable                        |
|    |                     |     |                                 |     |                        | 12b | 990C0-88105 | 6' N2K Cable                        |
|    |                     |     |                                 |     |                        | 13a | 990C0-88107 | 15' N2K Cable                       |
|    |                     |     |                                 |     |                        | 13b | 990C0-88108 | 25' N2K Cable                       |
|    |                     |     |                                 |     |                        | 14  | 36666-96L00 | Gauge Power Adapter (dual station)  |
|    |                     |     |                                 |     |                        | 15  | 36661-96L20 | Gauge Adapter (SPC 1.0 Only)        |
|    |                     |     |                                 |     |                        | 16  | 36661-96L30 | Gauge Adapter (Mechanical Engines)  |
|    |                     |     |                                 |     |                        | 17  | 36667-96L00 | Gauge Adapter (SPC 2,3,4)           |
|    |                     |     |                                 |     |                        |     | 36667-96L30 | Gauge Adapter for tanks 3-4         |
|    |                     |     |                                 |     |                        |     | 990C0-88317 | Paddle Wheel / Speed Sensor         |
|    |                     |     |                                 |     |                        |     | 990C0-88122 | GPS Antenna w/ Compass              |
|    |                     |     |                                 |     |                        |     | 36667-96L11 | 2nd Gauge Adapter                   |
|    |                     |     |                                 |     |                        |     | 36665-96L00 | Dual Station Adapter                |
|    |                     |     |                                 |     |                        |     | 36667-96L20 | Extension wire                      |
|    |                     |     |                                 |     |                        |     | 36660-89L02 | Adapter for use with DF9.9B - DF30A |

# SUZUKI SINGLE MECHANICAL ENGINE



Mechanical  
Single



## Single Mechanical Engine

Order SMG and SMG Mechanical Adapter for single mechanical engine applications.

|                    |                                  |
|--------------------|----------------------------------|
| <b>34011-96L44</b> | Suzuki Multifunction Gauge (SMG) |
| <b>36661-96L30</b> | Mechanical Engine Adapter        |

## Speed Data Sources (Optional)

SMG must have a speed source to display speed data. This can be achieved by adding a GPS antenna or paddle wheel transducer to the backbone if no other speed source is available. Simply use the included N2K Tee to extend your backbone and plug it in! (GPS option shown in diagram)

|                    |             |                    |              |
|--------------------|-------------|--------------------|--------------|
| <b>990C0-88122</b> | GPS Antenna | <b>990C0-88317</b> | Paddle Wheel |
|--------------------|-------------|--------------------|--------------|

## NMEA 2000 Cable Kit

This NMEA 2000 Cable Kit includes the basics for what you need to make a NMEA 2000 backbone in your electronics system. A backbone is required for speed data (optional) to be shown on the Suzuki Multifunction Displays. Speed sources listed below. See page 17 for required components.


**990C0-88L00-KIT**



# SUZUKI DUAL MECHANICAL ENGINES



Mechanical  
Dual



## Dual Mechanical Engine

Order following components separately if using SMG's with dual mechanical engines.

|             |                                 | Req. |
|-------------|---------------------------------|------|
| 34011-96L44 | Suzuki Multifunction Gauge      | 2    |
| 36665-87L10 | Mechanical Multi Engine Adapter | 1    |
| 990C0-88104 | 2' Backbone Cable               | 2    |
| 990C0-88112 | N2K Power Cable                 | 1    |
| 990C0-88110 | Backbone T                      | 2    |
| 990C0-88113 | Female Terminator               | 1    |
| 990C0-88114 | Male Terminator                 | 1    |
| 36661-96L30 | Mechanical Gauge Adapter        | 2    |

## NMEA 2000 Cable Kit\*

This NMEA 2000 Cable Kit includes the basics for what you need to make a NMEA 2000 backbone in your electronics system. A backbone is required for speed data (optional) to be shown on the Suzuki Multifunction Displays. Speed sources listed below. See page 17 for required components.

990C0-88L00-KIT


## Speed Data Sources (Optional)

SMG must have a speed source to display speed data. This can be achieved by adding a GPS antenna or paddle wheel transducer to the backbone if no other speed source is available. Simply use the included N2K Tee to extend your backbone and plug it in! (GPS option shown in diagram)


|             |             |             |              |
|-------------|-------------|-------------|--------------|
| 990C0-88122 | GPS Antenna | 990C0-88317 | Paddle Wheel |
|-------------|-------------|-------------|--------------|

# SUZUKI PRECISION CONTROL 2.0 SINGLE

## SINGLE ENGINE - SINGLE STATION



## SINGLE ENGINE - DUAL STATION



Connecting an SMG to SPC 2.0 is now easier than ever! SMG now plugs directly in to the BCM harness, eliminating the need for an extra adapter harness. As an option, if you also require speed data to be displayed, also purchase a NMEA2000 (N2K) starter kit and a speed source.

| No. | Part Name                  | Part Number      | Qty. |
|-----|----------------------------|------------------|------|
| 1   | Suzuki Multifunction Gauge | 34011-96L44      | 1    |
| 4   | 2' N2K Cable               | 990C0-88L00-KIT* | 1    |
| 6   | N2K Power Cable            |                  |      |
| 7   | N2K Tee                    |                  |      |
| 9   | Terminator (F)             |                  |      |
| 10  | Terminator (M)             |                  |      |
| 18  | Paddle Wheel Sensor        | 990C0-88317      | 1    |
|     | GPS Module (Pictured)      | 990C0-88122      |      |
| 19  | BCM Harness #1             | 36623-98L00      | -    |
| 27  | Terminal Resistor          | 33926-98L00      | -    |

| No. | Part Name                  | Part Number      | Qty. |
|-----|----------------------------|------------------|------|
| 1   | Suzuki Multifunction Gauge | 34011-96L44      | 2    |
| 4   | 2' N2K Cable               | 990C0-88L00-KIT* | 1    |
| 6   | N2K Power Cable            |                  |      |
| 7   | N2K Tee                    |                  |      |
| 9   | Terminator (F)             |                  |      |
| 10  | Terminator (M)             |                  |      |
| 5   | 15' N2K Cable              | 990C0-88107      | 1    |
|     | 25' N2K Cable              | 990C0-88108      |      |
| 18  | Paddle Wheel Sensor        | 990C0-88317      | 1    |
|     | GPS Module (Pictured)      | 990C0-88122      |      |
| 19  | BCM Harness #1             | 36623-98L00      | -    |
| 27  | Terminal Resistor          | 33926-98L00      | -    |

\*Only required if adding a speed source

\*Only required if adding a speed source

## Speed Data Sources (Optional)

SMG must have a speed source to display speed data. This can be achieved by adding a GPS antenna or paddle wheel transducer to the backbone if no other speed source is available. Simply use the included N2K Tee to extend your backbone and plug it in! (GPS option shown in diagram)


990C0-88122 GPS Antenna

990C0-88317 Paddle Wheel

\*See page 17 for kit parts lists with corresponding diagram reference numbers

# SUZUKI PRECISION CONTROL 2.0 DUAL


## DUAL ENGINES - SINGLE STATION



| No. | Part Name                    | Part Number      | Qty. |                                                          |
|-----|------------------------------|------------------|------|----------------------------------------------------------|
| 1   | Suzuki Multifunction Gauge   | 34011-96L44      | 2    | SMG directly plugs in to BCM Harness                     |
| 4   | 2' N2K Cable                 | 990C0-88L00-KIT* | 1    | Part number 990C0-88104, included in N2K Kit             |
| 6   | N2K Power Cable              |                  |      | Part number 990C0-88112, included in N2K Kit             |
| 7   | N2K Tee                      |                  |      | Part Number 990C0-88110, included in N2K Kit             |
| 9   | Terminator (F)               |                  |      | Part number 990C0-88113, included in N2K Kit             |
| 10  | Terminator (M)               |                  |      | Part number 990C0-88114, included in N2K Kit             |
| 15  | 2' Gauge Extension           | 36667-96L60      | (1)  | Optional, only use if necessary                          |
| 18  | Paddle Wheel Sensor          | 990C0-88317      | 1    | Choose Either (Optional, only if speed data is required) |
|     | GPS Module (Pictured)        | 990C0-88122      |      |                                                          |
| 23  | BCM Harness #1, Multi-Engine | 36623-98L30      | -    | Included in SPC 2.0 Control Kits                         |
| 24  | Multi-Gauge Adapter**        | 36667-96L50      | 1    | Same as below, but has connections for tanks 3 and 4     |
|     |                              | 36667-96L40      |      | Used to Connect Multiple SMG's                           |
| 27  | Terminal Resistor            | 33926-98L00      | -    | Included in SPC 2.0 Control Kits                         |

\*Only required if adding a speed source

## DUAL ENGINES - DUAL STATION




| No. | Part Name                    | Part Number      | Qty. |                                                          |
|-----|------------------------------|------------------|------|----------------------------------------------------------|
| 1   | Suzuki Multifunction Gauge   | 34011-96L44      | 4    | SMG directly plugs in to BCM Harness                     |
| 4   | 2' N2K Cable                 | 990C0-88L00-KIT* | 1    | Part number 990C0-88104, included in N2K Kit             |
| 6   | N2K Power Cable              |                  |      | Part number 990C0-88112, included in N2K Kit             |
| 7   | N2K Tee                      |                  |      | Part Number 990C0-88110, included in N2K Kit             |
| 9   | Terminator (F)               |                  |      | Part number 990C0-88113, included in N2K Kit             |
| 10  | Terminator (M)               |                  |      | Part number 990C0-88114, included in N2K Kit             |
| 5   | 15' N2K Cable                | 990C0-88107      | 1    | Choose required length from station 1 to station 2       |
|     | 25' N2K Cable                | 990C0-88108      |      |                                                          |
| 15  | 2' Gauge Extension           | 36667-96L60      | 1    | Optional, only use if necessary                          |
| 18  | Paddle Wheel Sensor          | 990C0-88317      | 1    | Choose Either (Optional, only if speed data is required) |
|     | GPS Module (Pictured)        | 990C0-88122      |      |                                                          |
| 20  | 2nd Station Main Harness     | 36622-98L00      | -    | Included in SPC 2.0 Control Kits                         |
| 21  | 21' Main Harness             | 36620-98L00      | -    | For illustration purposes only                           |
|     | 31' Main Harness             | 36620-98L10      |      |                                                          |
| 23  | BCM Harness #1, Multi-Engine | 36623-98L30      | -    | Included in SPC 2.0 Control Kits                         |
| 24  | Multi-Gauge Adapter**        | 36667-96L50      | 1    | Same as below, but has connections for tanks 3 and 4     |
| 25  |                              | 36667-96L40      | 1    | Used to Connect Multiple SMG's                           |
| 26  | BCM Harness #2, Multi-Engine | 36624-98L10      | -    | Included in SPC 2.0 Control Kits                         |

\*Only required if adding a speed source

\*\*Can use 1 x 36667-96L40 + 1 x 36667-96L50, or 2 x 36667-96L40 if tanks 3 and 4 not required

# SUZUKI PRECISION CONTROL 2.0 TRIPLE

## TRIPLE ENGINE - SINGLE STATION




| No. | Part Name                    | Part Number      | Qty. |                                                          |
|-----|------------------------------|------------------|------|----------------------------------------------------------|
| 1   | Suzuki Multifunction Gauge   | 34011-96L44      | 3    | SMG directly plugs in to BCM Harness                     |
| 4   | 2' N2K Cable                 | 990C0-88L00-KIT* | 1    | Part number 990C0-88104, included in N2K Kit             |
| 6   | N2K Power Cable              |                  |      | Part number 990C0-88112, included in N2K Kit             |
| 7   | N2K Tee                      |                  |      | Part Number 990C0-88110, included in N2K Kit             |
| 9   | Terminator (F)               |                  |      | Part number 990C0-88113, included in N2K Kit             |
| 10  | Terminator (M)               |                  |      | Part number 990C0-88114, included in N2K Kit             |
| 15  | 2' Gauge Extension           | 36667-96L60      | 1    | Optional, only use if necessary                          |
| 18  | Paddle Wheel Sensor          | 990C0-88317      | 1    | Choose Either (Optional, only if speed data is required) |
|     | GPS Module (Pictured)        | 990C0-88122      |      |                                                          |
| 23  | BCM Harness #1, Multi-Engine | 36623-98L30      | -    | Included in SPC 2.0 Control Kits                         |
| 24  | Multi-Gauge Adapter**        | 36667-96L50      | 1    | Same as above, but has connections for tanks 3 and 4     |
| 25  |                              | 36667-96L40      | 1    | Used to Connect Multiple SMG's                           |
| 27  | Terminal Resistor            | 33926-98L00      | -    | Included in SPC 2.0 Control Kits                         |

\*Only required if adding a speed source

\*\*Can use 1 x 36667-96L40 + 1 x 36667-96L50, or 2 x 36667-96L40 if tanks 3 and 4 not required

## TRIPLE ENGINE - DUAL STATION




| No. | Part Name                    | Part Number      | Qty. |                                                          |
|-----|------------------------------|------------------|------|----------------------------------------------------------|
| 1   | Suzuki Multifunction Gauge   | 34011-96L44      | 6    | SMG directly plugs in to BCM Harness                     |
| 4   | 2' N2K Cable                 | 990C0-88L00-KIT* | 1    | Part number 990C0-88104, included in N2K Kit             |
| 6   | N2K Power Cable              |                  |      | Part number 990C0-88112, included in N2K Kit             |
| 7   | N2K Tee                      |                  |      | Part Number 990C0-88110, included in N2K Kit             |
| 9   | Terminator (F)               |                  |      | Part number 990C0-88113, included in N2K Kit             |
| 10  | Terminator (M)               |                  |      | Part number 990C0-88114, included in N2K Kit             |
| 5   | 15' N2K Cable                | 990C0-88107      | 1    | Choose required length from station 1 to station 2       |
|     | 25' N2K Cable                | 990C0-88108      |      |                                                          |
| 15  | 2' Gauge Extension           | 36667-96L60      | 1    | Optional, only use if necessary                          |
| 18  | Paddle Wheel Sensor          | 990C0-88317      | 1    | Choose Either (Optional, only if speed data is required) |
|     | GPS Module (Pictured)        | 990C0-88122      |      |                                                          |
| 20  | 2nd Station Main Harness     | 36622-98L00      | -    | Included in SPC 2.0 Control Kits                         |
| 21  | 21' Main Harness             | 36620-98L00      | -    | For illustration purposes only                           |
|     | 31' Main Harness             | 36620-98L10      |      |                                                          |
| 23  | BCM Harness #1, Multi-Engine | 36623-98L30      | -    | Included in SPC 2.0 Control Kits                         |
| 24  | Multi-Gauge Adapter**        | 36667-96L50      | 1    | Same as above, but has connections for tanks 3 and 4     |
| 25  |                              | 36667-96L40      | 3    | Used to Connect Multiple SMG's                           |
| 26  | BCM Harness #2, Multi-Engine | 36624-98L10      | -    | Included in SPC 2.0 Control Kits                         |

\*Only required if adding a speed source

\*\*Can use 3 x 36667-96L40 + 1 x 36667-96L50, or 4 x 36667-96L40 if tanks 3 and 4 not required

# SUZUKI PRECISION CONTROL 2.0 QUADRUPLE

## QUADRUPLE ENGINE - SINGLE STATION




| No. | Part Name                  | Part Number      | Qty. |                                                          |
|-----|----------------------------|------------------|------|----------------------------------------------------------|
| 1   | Suzuki Multifunction Gauge | 34011-96L44      | 4    | SMG directly plugs in to BCM Harness                     |
| 4   | 2' N2K Cable               | 990C0-88L00-KIT* | 1    | Part number 990C0-88104, included in N2K Kit             |
| 6   | N2K Power Cable            |                  |      | Part number 990C0-88112, included in N2K Kit             |
| 7   | N2K Tee                    |                  |      | Part Number 990C0-88110, included in N2K Kit             |
| 9   | Terminator (F)             |                  |      | Part number 990C0-88113, included in N2K Kit             |
| 10  | Terminator (M)             |                  |      | Part number 990C0-88114, included in N2K Kit             |
| 15  | 2' Gauge Extension         | 36667-96L60      | 1    | Optional, only use if necessary                          |
| 18  | Paddle Wheel Sensor        | 990C0-88317      | 1    | Choose Either (Optional, only if speed data is required) |
|     | GPS Module (Pictured)      | 990C0-88122      |      |                                                          |
| 24  | Multi-Gauge Adapter**      | 36667-96L50      | 1    | Same as above, but has connections for tanks 3 and 4     |
| 25  |                            | 36667-96L40      | 2    | Used to Connect Multiple SMG's                           |
| 27  | Terminal Resistor          | 33926-98L00      | -    | Included in SPC 2.0 Control Kits                         |
| 28  | BCM Harness #1, Quadruple  | 36623-98L40      | -    | Included in SPC 2.0 Control Kits                         |

\*Only required if adding a speed source

\*\*Can use 2 x 36667-96L40 + 1 x 36667-96L50, or 3 x 36667-96L40 if tanks 3 and 4 not required

## QUADRUPLE ENGINE - DUAL STATION



| No. | Part Name                  | Part Number      | Qty. |                                                          |
|-----|----------------------------|------------------|------|----------------------------------------------------------|
| 1   | Suzuki Multifunction Gauge | 34011-96L44      | 8    | SMG directly plugs in to BCM Harness                     |
| 4   | 2' N2K Cable               | 990C0-88L00-KIT* | 1    | Part number 990C0-88104, included in N2K Kit             |
| 6   | N2K Power Cable            |                  |      | Part number 990C0-88112, included in N2K Kit             |
| 7   | N2K Tee                    |                  |      | Part Number 990C0-88110, included in N2K Kit             |
| 9   | Terminator (F)             |                  |      | Part number 990C0-88113, included in N2K Kit             |
| 10  | Terminator (M)             |                  |      | Part number 990C0-88114, included in N2K Kit             |
| 5   | 15' N2K Cable              | 990C0-88107      | 1    | Choose required length from station 1 to station 2       |
|     | 25' N2K Cable              | 990C0-88108      |      |                                                          |
| 15  | 2' Gauge Extension         | 36667-96L60      | 1    | Optional, only use if necessary                          |
| 18  | Paddle Wheel Sensor        | 990C0-88317      | 1    | Choose Either (Optional, only if speed data is required) |
|     | GPS Module (Pictured)      | 990C0-88122      |      |                                                          |
| 20  | 2nd Station Main Harness   | 36622-98L00      | -    | Included in SPC 2.0 Control Kits                         |
| 21  | 21' Main Harness           | 36620-98L00      | -    | For illustration purposes only                           |
|     | 31' Main Harness           | 36620-98L10      |      |                                                          |
| 24  | Multi-Gauge Adapter**      | 36667-96L50      | 1    | Same as above, but has connections for tanks 3 and 4     |
| 25  |                            | 36667-96L40      | 5    | Used to Connect Multiple SMG's                           |
| 26  | BCM Harness #2, Quadruple  | 36624-98L20      | -    | Included in SPC 2.0 Control Kits                         |
| 28  | BCM Harness #1, Quadruple  | 36623-98L40      | -    | Included in SPC 2.0 Control Kits                         |

\*Only required if adding a speed source

\*\*Can use 2 x 36667-96L40 + 1 x 36667-96L50, or 3 x 36667-96L40 if tanks 3 and 4 not required

# SUZUKI MULTI-FUNCTION DISPLAY



## Suzuki Multi-Function Display Connected to Earth

The Suzuki Multi-Function Display and its features offers you access to all the information you need for The Ultimate boating experience. Control at the touch of a finger with the touch screen glass top design, available in 12" and 16" sizes.

### Key Benefits:

The Suzuki Multi-Function Display gives you access to all of your Suzuki engine information, so you can easily and quickly see the performance of your outboard(s) in one clear view. Additional features include chartplotting, sounder, radar, and weather. Detailed cartography chip not included. Transducers, radar antennas, and weather antennas must be purchased from your local Furuno dealer. Additional charge to unlock radar and sounder functions on 12" and 16" models, unlock codes can be purchased from your local Furuno dealer.





## Suzuki Multi-Function Display - SMD7 and SMD9

Powerful Technology in a compact design that is compact enough to fit on small runabouts and center consoles. The 7" and 9" touch screens enable you to operate the chartplotter with built-in fish finder at the touch of a finger.



| Part Number        | Description               | Notes                                                                      |
|--------------------|---------------------------|----------------------------------------------------------------------------|
| <b>34901-98L01</b> | SMD 7" Kit                | Gateway not included, need engine engine adapter (Mech or SPC)*            |
| <b>34901-98L11</b> | SMD 9" Kit                | Gateway not included, need engine engine adapter (Mech or SPC)*            |
| <b>34900-98L21</b> | SMD 12"                   | Requires gateway (1 per engine) and engine adapter, see below              |
| <b>34900-98L31</b> | SMD 16"                   | Requires gateway (1 per engine) and engine adapter, see below              |
| <b>34923-96L02</b> | SMD Gateway               | For SPC 1.0 and Mechanical Models 2022 and prior **                        |
| <b>34923-96L13</b> | SMD Gateway               | For SPC 2.0 Single Engine Applications ***                                 |
| <b>36661-96L30</b> | Mechanical Engine Adapter | Required for all mechanical engine installs, 1 per engine                  |
| <b>36661-96L20</b> | SPC Engine Adapter        | SPC 1.0 - 1-3 engine configs require 1 adapter, 4 engine configs require 2 |
| <b>36667-96L00</b> | SPC Multi Engine Adapter  | SPC 1.0 - 2-3 engine configs require 1 adapter, 4 engine configs require 2 |

\* Must order gateway separately \*\* Each engine requires 1 gateway \*\*\* Can be programmed for up-to 6 engines



# SUZUKI C-10 & NMEA 2000 ACCESSORIES PARTS LIST



## Suzuki Color Display Kit

**990C0-04C10-KIT**  
Suzuki Color Display Kit includes:

| Part Number     | Description             | Qty |
|-----------------|-------------------------|-----|
| 990C0-04C10     | Suzuki Color Display    | 1   |
| 990C0-88114     | Male Terminator         | 1   |
| 990C0-88113     | Female Terminator       | 1   |
| 990C0-88110     | NMEA "T"                | 2   |
| 990C0-88112     | Power Cable + Network T | 1   |
| 990C0-88149-357 | Interface Cable         | 1   |

## How It Works

- Bright, full color 320 x 240 LED screen makes it easier to see menus and screen detail in both full sunlight and night operation
- Fits standard 3-3/8" gauge cutout
- Each C-10 gauge will display engine info from 1 or 2 engines
- Preconfigured pages or create your own
- Micro USB for software updates (update cable required)
- Power and data through single NMEA 2000 micro-C connector
- Low profile front mount - 8 mm of dash (rear mount option for "glass dash" installations)

## Suzuki C-10 Cover

This cover protects the Suzuki Color Display (C-10) from the elements. Use the cover to extend the life of your Suzuki C-10 Color Gauges.



|             |                  |
|-------------|------------------|
| 990C0-10C10 | Suzuki C10 Cover |
|-------------|------------------|

The Suzuki Color Display is a LED high-resolution screen that has very sharp, crisp lines and is extremely easy to read. It has a bonded glass front screen so whether it be sun, salt, or UV rays, your screen will never blur or fade like a plastic cover. The C-10 has its mounting points in the front so there is no need to crawl under your console to mount it. There is one easy connection to Suzuki's digital harness. Save your favorite programming and update the display using the Mini USB port. The C-10 is able to monitor functions such as RPM, Speed\*, Water Pressure\*, Fuel Level\*, Fuel Consumption, Coolant Temperature, Oil Level, Oil Temperature, Trim Level, Hours, or Volts. The C-10 is able to monitor up to 2 engines simultaneously. The Suzuki C-10 can be retro-fitted, to replace a 4" round gauge. (\* additional sensors required)

## SENSORS



## GPS Antenna with Compass

Suzuki has upgraded its GPS Antenna to include compass heading.

|             |                                  |
|-------------|----------------------------------|
| 990C0-8#122 | GPS Antenna with Compass Heading |
|-------------|----------------------------------|

## Fluid Level Sensor

Monitors fluid levels such as fuel, live well water level, etc. 10 ft. cable.

|             |                    |
|-------------|--------------------|
| 990C0-8#217 | Fluid Level Sensor |
|-------------|--------------------|

## Speed Sensor

Paddle wheel-type speed sensor. 10 ft. cable.

|             |             |
|-------------|-------------|
| 990C0-8#317 | Speed Wheel |
|-------------|-------------|

## Temperature Sensor

Surface Water Temperature sensor. 10 ft. cable.

|             |                    |
|-------------|--------------------|
| 990C0-8#318 | Temperature Sensor |
|-------------|--------------------|

## INTERFACE CABLES

## Engine Interface Cables



DF9.9B thru DF350A Suzuki Outboards can connect to the system using the exclusive Engine Interface. (Adapter Cable also needed for DF115BG/140BG/150AP/175AP/200AP/250AP/300AP/300B/350A)

|                 |                                          |
|-----------------|------------------------------------------|
| 990C0-8#149-357 | Software Version 3.7 (subject to change) |
| 990C0-8#149-294 | Software Version 2.9 (subject to change) |
| 990C0-9#C10     | C10 Update Cable                         |

## NMEA 2000 COMPONENTS

## NMEA 2000 Extension Cables



NMEA 2000 Extension Cable allows compatible sensors or other devices to be added by the use of T-Connectors throughout the system.

|             |                      |
|-------------|----------------------|
| 990C0-88104 | 2' Connection cable  |
| 990C0-88105 | 6' Connection cable  |
| 990C0-88107 | 15' Connection cable |
| 990C0-88108 | 25' Connection cable |

## Power Cable



Fused(3A) lead connects extension cable to the power source.

|             |                                         |
|-------------|-----------------------------------------|
| 990C0-88112 | Single Power Cable (includes Network T) |
|-------------|-----------------------------------------|

## Quad Power Node



Allows network to be powered from multiple power sources (key switch, accessory switch, etc.).

|             |                 |
|-------------|-----------------|
| 990C0-88130 | Quad Power Node |
|-------------|-----------------|

## T-Connector



T-Connector for NMEA 2000 system.

|             |             |
|-------------|-------------|
| 990C0-88110 | T-Connector |
| 990C0-88109 | Quad-T      |

## Power Isolation

The NMEA 2000 power isolator makes sure the NMEA 2000 power from the engines and system power are kept separate.

|             |                                    |
|-------------|------------------------------------|
| 990C0-88115 | Network Power Isolator (not shown) |
|-------------|------------------------------------|

## NMEA Adaptor

Used to connect a new style NMEA device net connector to an older network with Blue T's. Used to connect an early Blue Cconnector device to the later NMEA T.

|             |                         |
|-------------|-------------------------|
| 990C0-88137 | NMEA Device to Blue "T" |
|-------------|-------------------------|

## Terminating Resistors

120 ohm Terminating Resistors are required for any open cable ends in the NMEA 2000 system.

|             |                     |
|-------------|---------------------|
| 990C0-88113 | Terminator - Female |
| 990C0-88114 | Terminator - Male   |

## Suzuki Engine Connect Gateway

The Suzuki Engine Connect Gateway provides Suzuki engine information, diagnostic codes and proprietary pop-up messages on compatible Simrad and Lowrance Multi-Function display (MFD) units.

**Note:** Do not utilize C10 gauges with the Suzuki Connect Gateway. Only one Suzuki Connect Gateway is required per vessel. In multiple engine applications, each additional engine will require a standard Suzuki engine interface."

|             |                        |
|-------------|------------------------|
| 990C0-8#171 | Suzuki Connect Gateway |
|-------------|------------------------|



# SUZUKI PRECISION CONTROL 1.0 - LEGACY PRODUCT

The following control sets and related accessories are compatible with Suzuki 3-Series and prior digital engines.

| Suzuki Precision Control 1.0 Compatible with 3-series Engines and prior only |             |                                    | Single Engine Control Kit |             |                      | Dual Engine Control Kit |             | Triple Engine Control Kit |             | Quadruple Engine Control Kit |             |
|------------------------------------------------------------------------------|-------------|------------------------------------|---------------------------|-------------|----------------------|-------------------------|-------------|---------------------------|-------------|------------------------------|-------------|
|                                                                              |             |                                    | 67000-98JE8               | 6'000-98JM5 | 67000-98JF6          | 67000-98JG6             | 67000-98JH4 | 67000-98JJ5               | 67000-98JK4 | 67000-98J75                  | 67000-98J85 |
|                                                                              |             |                                    | Binnacle                  | Flush Mount | 2nd Station Binnacle | 1st Station             | 2nd Station | 1st Station               | 2nd Station | 1st Station                  | 2nd Station |
| CATEGORY                                                                     | PART #      | DESCRIPTION                        |                           |             |                      |                         |             |                           |             |                              |             |
| Control Boxes                                                                | 67200-98J06 | Binnacle-Mount R/C Box             | 1                         | -           | 1                    | -                       | -           | -                         | -           | -                            | -           |
|                                                                              | 67200-98J14 | Dual Binnacle-Mount R/C Box        | -                         | -           | -                    | 1                       | 1           | 1                         | 1           | 1                            | 1           |
|                                                                              | 67200-98J23 | Flush-Mount R/C Box                | -                         | 1           | -                    | -                       | -           | -                         | -           | -                            | -           |
| Control Panel Assemblies                                                     | 37100-98J11 | Single Engine Control Panel Assy   | 1                         | 1           | 1                    | -                       | -           | -                         | -           | -                            | -           |
|                                                                              | 37100-98J21 | Dual Engine Control Panel Assy     | -                         | -           | -                    | 1                       | 1           | -                         | -           | 2                            | 2           |
|                                                                              | 37100-98J31 | Triple Engine Control Panel Assy   | -                         | -           | -                    | -                       | -           | 1                         | 1           | -                            | -           |
| Key Switch                                                                   | 37100-98J07 | Main Power Key Switch Assy         | 1                         | 1           | -                    | 1                       | -           | 1                         | -           | 1                            | -           |
| Troll Mode                                                                   | 37860-87L00 | Troll Mode Control Switch          | 1                         | 1           | 1                    | 1                       | 1           | 1                         | 1           | 1                            | 1           |
| Emer. Switch                                                                 | 37803-93J06 | Emergency Switch Panel             | -                         | -           | 1                    | -                       | 1           | -                         | 1           | -                            | 1           |
| Buzzer                                                                       | 38500-93J90 | Warning Buzzer                     | 1                         | 1           | 1                    | 1                       | 1           | 1                         | 1           | 2                            | 2           |
|                                                                              | 09407-14403 | Warning Buzzer Clamp               | 1                         | 1           | 1                    | 1                       | 1           | 1                         | 1           | 2                            | 2           |
| Boat Control Module (BCM)                                                    | 36770-98J13 | Boat Control Module (BCM)          | 1                         | 1           | 1                    | 1                       | 1           | 1                         | 1           | -                            | -           |
|                                                                              | 36770-98J21 | Boat Control module (BCM)          | -                         | -           | -                    | -                       | -           | -                         | -           | 2                            | 2           |
| BCM Components                                                               | 36775-98J00 | BCM Holder (L)                     | 1                         | 1           | 1                    | 1                       | 1           | 1                         | 1           | 2                            | 2           |
|                                                                              | 36776-98J00 | BCM Holder (R)                     | 1                         | 1           | 1                    | 1                       | 1           | 1                         | 1           | 2                            | 2           |
|                                                                              | 33911-88B10 | BCM-Connect Cap                    | 1                         | 1           | 1                    | -                       | -           | -                         | -           | -                            | -           |
|                                                                              | 33925-93J00 | BCM Cushion                        | 1                         | 1           | 1                    | 1                       | 1           | 1                         | 1           | 2                            | 2           |
| BCM Harnesses                                                                | 36623-98J21 | BCM #1 Wiring Harness              | 1                         | 1           | -                    | -                       | -           | -                         | -           | -                            | -           |
|                                                                              | 36623-98J30 | BCM #1 Wiring Harness              | -                         | -           | -                    | 1                       | -           | 1                         | -           | -                            | -           |
|                                                                              | 36624-98J02 | BCM #2 Wiring Harness              | -                         | -           | 1                    | -                       | -           | -                         | -           | -                            | -           |
|                                                                              | 36624-98J11 | BCM #2 Wiring Harness              | -                         | -           | -                    | -                       | 1           | -                         | 1           | -                            | -           |
|                                                                              | 36623-98J40 | BCM Quadruple Wiring Harness       | -                         | -           | -                    | -                       | -           | -                         | -           | 1                            | 1           |
| Misc.                                                                        | 33926-98J00 | Terminal Resistor                  | 2                         | 2           | -                    | 2                       | -           | 2                         | -           | 4                            | -           |
|                                                                              | 36625-98J10 | Battery Sub-Lead                   | 1                         | 1           | -                    | 1                       | -           | 1                         | -           | 2                            | -           |
|                                                                              | 36622-98J00 | Dual Station Main Harness          | -                         | -           | 1                    | -                       | 1           | -                         | 1           | -                            | 2           |
|                                                                              | 36621-98J00 | Dual Engine 1st Station Harness    | -                         | -           | -                    | 1                       | -           | -                         | -           | -                            | -           |
|                                                                              | 36621-98J10 | Triple Engine 1st Station Harness  | -                         | -           | -                    | -                       | -           | 1                         | -           | -                            | -           |
| Main Harnesses                                                               | 36620-98J33 | Main Wiring Harness 21ft./6.5m     | 1*                        | 1*          | 1*                   | 1*                      | 1*          | 1*                        | 1*          | 1*                           | 1*          |
|                                                                              | 36620-98J42 | Main Wiring Harness 31ft./9.5m     |                           |             |                      |                         |             |                           |             |                              |             |
|                                                                              | 36620-98J51 | Main Harness Extension 6.5ft./2.0m | 1**                       | 1**         | 1**                  | 1**                     | 1**         | 1**                       | 1**         | 1**                          | 1**         |

\* Main harness not included in kits, select required length

\*\* Only if necessary

## ENGINE ADAPTERS

### Adapters

Adapter must be used with Engine Interface to connect the DF150AP/175AP/200AP/250AP/300AP/350A Outboard to the system.



|                |                                                                                      |
|----------------|--------------------------------------------------------------------------------------|
| 990C0-88131    | Single Engine Adapter (not shown)                                                    |
| 990C0-88132    | Dual Engine Adapter (shown below)                                                    |
| 990C0-88133    | Triple Engine Adapter (not shown)                                                    |
| 990C3-88132 x2 | Quad Engine Adapter (not shown)                                                      |
| 990C0-88136    | NMEA 2000 Adapter - to connect at engine SDS connector. 6' long. (shown on the left) |
| 36664-89L03    | Adapter for use with DF9.9B - DF30A. 21' long.                                       |

# SUZUKI ANALOG INSTRUMENTS



Suzuki Genuine Instruments are custom-designed to provide the quality, reliability and value you expect from Suzuki Products.

The wide selection allows you to accurately monitor a variety of essential functions. All instruments are lighted for night-time boating and feature standard 2" and 4" diameters for easy installation.



## 4" Tachometers

7,000 max RPM Tachs are available with or without 4-Stroke monitor functions. Monitor functions include: Low Oil Pressure Warning, Engine Temperature Warning, Check Engine Warning and Over-Rev Limit Warning.

|             |                                   |
|-------------|-----------------------------------|
| 34200-93J14 | White - With monitor functions    |
| 34200-93J34 | White - Without monitor functions |
| 34200-93J02 | Black - With monitor functions    |
| 34200-93J22 | Black - Without monitor functions |

## Trolling Mode Control Switch

Allows the use of the Suzuki Troll Mode on equipped engines. When Troll Mode is engaged, this switch allows for adjustments of engine RPM in 50 RPM increments, from idle to 1,200 RPM to make setting and maintaining a trolling speed easy. Consult owner's manual or Suzuki Outboard Dealer for additional details on Suzuki Troll System operation.



37860-98L00

DF40A/50A/50AV/60A/60AV/70A/  
90A/115A/115SS/140A/150A/150A/175A/200A

## 4" Tachometer With Suzuki Troll Mode Scale

Easy to read 4" Tachometer has a scale from 0-7,000 RPM for standard use and a secondary scale from 0-3,000 RPM with markers at 50 RPM intervals for use with the Suzuki Troll Mode System. Gauge also includes warning lamps for Engine Temperature, Low Oil, Check Engine, and Over-Rev. When in Troll Mode, Over-Rev Lamp stays on to indicate that Troll Mode has been engaged. The secondary RPM scale is designed to make setting and maintaining a lower troll speed simple. Fits DF40A/50A/50AV/60A/60AV/70A/90A/115A/140A (DF300/350A requires C-10 gauges) \*See engine owner's manual for information about Suzuki Troll Mode System. Not all models come equipped with trolling mode system. Accessory Troll Mode Switch is required for Suzuki Troll Mode System use. Suzuki recommends the use of this gauge for trolling use.



|             |                                                                                                                                                                      |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 34200-93J54 | White - DF40A/50A/50AV/60A/60AV/70A/90A/115SS/115BG/140BG/140A/150SS/150A/175A/200A/200SS (DF150AP/175AP/200AP/250AP/300/300B/350A requires digital instrumentation) |
| 34200-93J43 | Black - DF40A/50A/50AV/60A/60AV/70A/90A/115SS/115BG/140BG/140A/150SS/150A/175A/200A/200SS (DF150AP/175AP/200AP/250AP/300/300B/350A requires digital instrumentation) |



## 4" Speedometers

Bourdon-tube type speedometer with readings in M.P.H. and Km/h. Includes vinyl tube, plus all installation instructions and hardware. \*Pitot tube 34190-87D00 must be ordered separately.

|              |                |
|--------------|----------------|
| 34100-93J13  | White - 80 mph |
| 34100-93J33  | White - 50 mph |
| 34100-93J02  | Black - 80 mph |
| 34100-93J22  | Black - 50 mph |
| 34190-87D00* | Pitot Tube     |



## 2" Hour Meter

12 volt electric motor driven meter indicates the number of hours your outboard motor has been operated to indicate when periodic services are necessary.

|             |       |
|-------------|-------|
| 34500-93J13 | White |
| 34500-93J02 | Black |

## 2" Trim Gauge

Magnetic type gauge shows trim angle for optimum performance and efficiency.

|             |       |
|-------------|-------|
| 34800-93J13 | White |
| 34800-93J02 | Black |

## 2" Voltmeter

A well charged battery is essential for quick and easy starts. Monitor the charging system using a Voltmeter.

|             |       |
|-------------|-------|
| 34600-93J13 | White |
| 34600-93J02 | Black |



## 2" Fuel Gauge

Operates on 12 volts with magnetically damped needle. Works with most fuel tank sending units.

|             |       |
|-------------|-------|
| 34300-93J14 | White |
| 34300-93J02 | Black |

## 2" Water Pressure Gauge 15 psi

Bourdon-tube type gauge measures cooling water pressure. Instructions and dash installation hardware included. Order Installation Kit for appropriate model.

|             |       |
|-------------|-------|
| 34650-93J33 | White |
| 34650-93J22 | Black |



## Water Pressure Gauge Installation Kits

Kit includes fittings and hoses needed for motor to gauge connection.

|             |                                                                |
|-------------|----------------------------------------------------------------|
| 34660-93J02 | DF25/250/250AP/300A                                            |
| 34660-96J01 | DF150/150AP/150A/<br>DF175/175AP/175A/200A                     |
| 34660-99E01 | DF80/70                                                        |
| 34660-87J01 | DF80/50                                                        |
| 34660-90J04 | DF40A/50A/50AV/60A/<br>60AV/70A/90/DF90A/<br>112/115A/140/140A |

# SUZUKI ANALOG INSTRUMENTS

Economically priced, high-quality instruments feature easy plug-in wiring connections, perimeter-lighted dial, chrome bezels, contoured pointers and fog-resistant glass lenses. All use standard 2" or 4" diameters for easy dash installation.



White



Black

## 4" Speedometer

Easy to read 4" Speedometer features include lighted dial, contoured pointer and fog-resistant glass lens. \*Requires Tubing 99105-80009.

|              |                                |
|--------------|--------------------------------|
| 990C0-80102  | White 60 mph                   |
| 990C0-80009* | Speedometer Tubing (not shown) |
| 990C0-80002  | Black 65 mph                   |
| 990C0-80009* | Speedometer Tubing (not shown) |

## 4" Tachometers

7,000 max R.P.M. Tachs are available with or without 4-Stroke monitor functions. Monitor functions include: Low Oil Pressure Warning, Engine Temperature Warning, Check Engine Warning and Over-Rev Limit Warning.



White

Black

|             |                                   |
|-------------|-----------------------------------|
| 990C0-80101 | White - With monitor functions    |
| 990C0-80100 | White - Without monitor functions |
| 990C0-80001 | Black - With monitor functions    |
| 990C0-80000 | Black - Without monitor functions |



White



Black

## 2" Engine Monitor Gauge

Engine Monitor Gauge for 4-stroke engines helps alert you to low oil pressure, high engine temperature and engine over-rev.

|             |       |
|-------------|-------|
| 990C0-80108 | White |
| 990C0-80008 | Black |



White



Black

## 2" Trim Gauge

To help maintain steering stability and good performance, proper trim angle is essential. The Trim Gauge helps you monitor the trim angle. For use with 2-wire senders.

|             |       |
|-------------|-------|
| 990C0-80105 | White |
| 990C0-80005 | Black |



White



Black

## 2" Digital Hour Meter

Handy Hour Meter helps you keep track of the time between services and total running time.

|             |       |
|-------------|-------|
| 990C0-80110 | White |
| 990C0-80010 | Black |



White



Black

## 2" Fuel Gauge

Adding a Fuel Gauge can help you monitor fuel level. Connects easily using your boat's fuel sending unit harness.

|             |       |
|-------------|-------|
| 990C0-80103 | White |
| 990C0-80003 | Black |



White



Black

## 2" Voltmeter

A well charged battery is essential for quick and easy starts. Monitor the charging system by using a Voltmeter.

|             |       |
|-------------|-------|
| 990C0-80106 | White |
| 990C0-80006 | Black |



White



Black

## 2" Water Pressure Gauge 30 psi

Bourdon-tube type gauge measures cooling water pressure. Instructions and dash installation hardware included. Order Installation Kit for appropriate model.

|             |       |
|-------------|-------|
| 990C0-80104 | White |
| 990C0-80004 | Black |

## Water Pressure Gauge Installation Kits

Kit includes fittings and hoses needed for motor to gauge connection.

|             |                                                      |
|-------------|------------------------------------------------------|
| 34660-93J02 | DF225/250/250AP/300A                                 |
| 34660-87J01 | DF40/50                                              |
| 34660-96J01 | DF150/150AP/150A/DF175/175AP/175A/200AP              |
| 34660-99E01 | DF60/70                                              |
| 34660-90J04 | DF40A/50A/50AV/60A/60AV/70A/90A/90/115/115A/140/140A |



# CABLES AND RIGGING



## Dual Engine Ignition and Emergency Stop Switch Panel Assembly

Dual Engine Ignition and Emergency Stop Switch Panel Assembly. Includes wiring, hardware and stop switch lanyard.

37100-98L20



## Emergency Stop Switch Panel Assembly

Emergency Stop Switch Panel Assembly. Includes wiring, hardware and lanyard.

37803-98L00



## Single Engine Ignition Switch Panel Assembly

Single Engine Ignition Switch Panel Assembly. Includes wiring and hardware.

37100-98L40 DF9.9B - DF250

## Switch Panel Assemblies

Genuine Suzuki Switch Panel Assemblies are designed to match and connect with other Suzuki components for easy installation and trouble-free operation.



## Trolling Mode Control Switch

Allows the use of the Suzuki Troll Mode on equipped engines. When Troll Mode is engaged, this switch allows for adjustments of engine RPM in 50 RPM increments, from idle to 1200 RPM to make setting and maintaining a trolling speed easy. Consult owner's manual or Suzuki Outboard Dealer for additional details on Suzuki Troll System operation.

37860-98L00

DF40A/50A/60AV/60A/60AV/70A/90A/115A/115SS/140A/150A/150A/175A/200A

## Single Engine Ignition and Emergency Stop Switch Panel Assembly

Single Engine Ignition and Emergency Stop Switch Panel Assembly. Includes wiring, hardware and stop switch lanyard.



## Vertical Ignition Switch

37100-98L10 DF9.9B - DF250



## Horizontal Ignition Switch

37100-98L20 DF9.9B - DF250



### P.T.T. Switch Panel Assembly

P.T.T. Switch Panel Assembly. Includes wiring and hardware.

37805-88L00 DF40A - DF250

### Aux Power Trim Switch (not shown)

Allows quick connection of remote trim switch with easy plug-in bullet connectors.

36647-93J00



### Thru-Hull Fitting And Hose Kits

Thru-Hull Fitting and Hose Kit can handle single, dual and triple motor installations. One Thru Hull Kit and one Adaptor Kit is necessary for each outboard used.

990C0-20010  
Includes:

- Black Thru Hull Kit
- 1 - 4' Black Hose
- 1 - Fuel Hose Port
- 1 - 2" Thru-Hull Fitting
- 2 - Stainless Steel Bolts & Nuts

990CC-20020  
Includes:

- White Thru Hull Kit
- 1 - 4' White Hose
- 1 - Fuel Hose Port
- 1 - 2" Thru-Hull Fitting
- 2 - Stainless Steel Bolts & Nuts

### Suzuki Performance Remote Control Cables


Suzuki Performance Cables have a unique design that incorporates a patent-pending splined core. Ridges on the core allow a close fit to the cable's inner liner with minimum contact, allowing the core to glide back and forth smoothly. All cables are factory tested and approved for heavy use applications. Order cable length as needed.

Black HDPE super tough casing

Oil tempered reinforced lay wire for high strength and flexibility

Heavy-duty HDPE inner liner for minimal drag and long life

Splined core for high efficiency and minimal backflash



|                 |     |                 |     |                 |     |                 |     |
|-----------------|-----|-----------------|-----|-----------------|-----|-----------------|-----|
| 990C0-11002-008 | 8'  | 990C0-11002-014 | 14' | 990C0-11002-020 | 20' | 990C0-11002-026 | 26' |
| 990C0-11002-009 | 9'  | 990C0-11002-015 | 15' | 990C0-11002-021 | 21' | 990C0-11002-027 | 27' |
| 990C0-11002-010 | 10' | 990C0-11002-016 | 16' | 990C0-11002-022 | 22' | 990C0-11002-028 | 28' |
| 990C0-11002-011 | 11' | 990C0-11002-017 | 17' | 990C0-11002-023 | 23' | 990C0-11002-029 | 29' |
| 990C0-11002-012 | 12' | 990C0-11002-018 | 18' | 990C0-11002-024 | 24' | 990C0-11002-030 | 30' |
| 990C0-11002-013 | 13' | 990C0-11002-019 | 19' | 990C0-11002-025 | 25' |                 |     |



### Wiring Harness

Main Wiring Harness. Order length as needed for rigging applications.

|             |                |                |
|-------------|----------------|----------------|
| 36620-89L10 | DF9.9B/15A/20A | 21'            |
| 36620-94L20 | DF25A/DF30A    | 21'            |
| 36620-93J80 | DF40A-DF250    | 16'            |
| 36620-93J70 | DF40A-DF250    | 21'            |
| 36620-93J90 | DF40A-DF250    | 26'            |
| 36620-93J12 | DF9.9B-DF250   | 6.5' Extension |
| 36620-93J42 | DF9.9B-DF250   | 10' Extension  |



### Battery Isolator Lead Set

Used for charging auxiliary battery.

|             |                                                                            |
|-------------|----------------------------------------------------------------------------|
| 33830-96J00 | DF150/175 (S/N Models up to 499999)                                        |
| 33830-98J11 | DF150/175 (S/N Models 510001 and newer) DF200AP/175AP/150AP/250A/300A/300B |
| 33830-98J02 | DF300 (Models up to 199999)                                                |

### Adapter Kits

Kit Includes:  
1 - Through-Hull attachment  
2 - pins,  
2 - e-rings



|             |                                                                   |
|-------------|-------------------------------------------------------------------|
| 67300-98J10 | DF115A/140A/150/175/200A/200AP/250AP/300A/300B/350A<br>2016-Newer |
| 67300-93J01 | DF150/175/200/225/250/300<br>2006-2015                            |
| 67300-90J00 | DF70A/30A/115/140<br>2006-2015                                    |

### Replacement Lanyard

Replacement Lanyard for Emergency Stop Switch.

37823-92E02



### Replacement Ignition Keys (not shown)

|             |         |             |         |
|-------------|---------|-------------|---------|
| 37141-99E00 | Key 931 | 37141-99E60 | Key 937 |
| 37141-99E10 | Key 932 | 37141-99E70 | Key 938 |
| 37141-99E20 | Key 933 | 37141-99E80 | Key 939 |
| 37141-99E30 | Key 934 | 37141-99E90 | Key 940 |
| 37141-99E40 | Key 935 | 37141-99EA0 | Key 941 |
| 37141-99E50 | Key 936 | 37141-99EB0 | Key 942 |

# STEERING



## Tiller Handle Kits

New fully-integrated tiller handle with digital tachometer display. Includes redesigned, more ergonomic shift lever.

### PEARL NEBULAR BLACK

|                 |                               |
|-----------------|-------------------------------|
| 63002-88L2A-YAY | DF40A/50A                     |
| 63002-88L18-YAY | DF50AV/60A/60AV               |
| 63002-87L18-YAY | DF70A/90A 2021- Prior         |
| 63002-87L20-YAY | DF70A/75A/90A ('22 - Current) |
| 63002-90J38-YAY | DF115A                        |
| 63002-99L00-YAY | DF115B                        |
| 63002-87L20-YAY | DF75A/100A ('22 - Current)    |



Digital Tachometer



Shift Lever



Angle Adjustable Bracket



## Tiller Handle Kits

Tiller Handle Kits are designed for easy installation for selected electric start models. Kit includes ignition switch, engine stop switches, wiring harness, cables and grommets.

|                 |                                 |             |
|-----------------|---------------------------------|-------------|
| 63002-87J42-0EP | DF40/50                         | 20C5 - 2009 |
| 63002-88L33-0EP | DF40A/50A/60A                   | 2010 - 2015 |
| 63002-87L09-0EP | DF70A/90A                       | 20C9 - 2015 |
| 63002-90J43-0EP | DF90/115 w/ Hydraulic Tensioner | 20C5 - 2015 |



## Dual Cable Steering Kit

Kit allows you to attach two steering cables for added reliability.

|             |               |
|-------------|---------------|
| 990C0-10004 | DF150 - DF250 |
|-------------|---------------|



## Drag Link Kits

Corrosion-resistant stainless steel Drag Links are specially designed for use with Suzuki Outboard Motors.

|             |                   |               |
|-------------|-------------------|---------------|
| 67701-99J02 | DF9.9B-DF20A      | '10 - Current |
| 67701-93E12 | DF9.9/15          | '97 - '10     |
| 67701-94L00 | DF25A/30A         |               |
| 67701-87J11 | DF40/50           | '99 - '10     |
|             | DF40A-60A/200-250 | '10 - Current |
|             | DF60/70           | '98 - '10     |
| 67701-87L01 | DF70A/90A         | '09 - Current |
| 67701-90J01 | DF90/115/140A     | '01 - Current |
| 67701-96J00 | DF150-175/200A/AP | '06 - Current |
| 67700-93J00 | DF225/250         | '04 - Current |



## Twin Engine Adapter Plate Set

Adapter plates are used when installing a tie bar on a D115A/140A.

|             |                     |
|-------------|---------------------|
| 99105-10005 | DF115A/140A         |
|             | *Does NOT fit DF90A |



## Dual Engine Tie Bar

Stainless steel Tie Bar for dual engine steering, adjustable up to 36°.

|             |                |
|-------------|----------------|
| 990C0-10006 | DF40A - DF140A |
|-------------|----------------|

# FUEL SYSTEM



## Compact Water Separator/Fuel Filter

Compact size Water Separator/Fuel Filter is ideal for smaller boat-motor combinations of up to 140 H.P. Not for 150 and above.

|                 |                               |
|-----------------|-------------------------------|
| 99105-20006     | Replacement Filter            |
| 99105-20006-ASY | Complete Assembly             |
| 99105-20006-BWL | Bowl and Drain Valve Assembly |



## Bowl Wrench

|             |             |
|-------------|-------------|
| 99105-20003 | Bowl Wrench |
|-------------|-------------|



## Water Separator/Fuel Filter

State-of-the-art filter removes water and other contaminants from the fuel before they reach your engine. It features a transparent removable bowl for easy viewing of fuel condition and a drain valve for water and other impurities. Due to the high flow rate capabilities of this filter system, a special large diameter thread is used. Use only Genuine Suzuki Replacement Filter 99105-20005. Applicable to all models, recommended 150 and up.

|                 |                               |
|-----------------|-------------------------------|
| 99105-20005     | Replacement Filter            |
| 99105-20005-ASY | Complete Assembly             |
| 99105-20004-BWL | Bowl and Drain Valve Assembly |



## Plastic Fuel Tanks\*

Constructed of tough, lightweight, high-density polyethylene and made to CARB / EPA standards.

|             |                                                        |
|-------------|--------------------------------------------------------|
| 65000-99J01 | 3 Gallon Tank without Fuel Level Gauge, 11mm connector |
| 65000-95J01 | 6.6 Gallon Tank with Fuel Level Gauge, 13mm connector  |

\* Not for use with DF 4/6 without fuel hose with pressure regulator. See dealer for details.

## FUEL CONNECTORS - MOTOR SIDE

Male connectors are located on the motor side, for fuel hose attachment.



|                    |                         |            |
|--------------------|-------------------------|------------|
| <b>65720-985L1</b> | OD:11mm<br>Plated Brass | DT3.5 - 65 |
|--------------------|-------------------------|------------|



|                    |                         |             |
|--------------------|-------------------------|-------------|
| <b>65720-955L1</b> | OD:13mm<br>Plated Brass | DT75 - 140A |
|--------------------|-------------------------|-------------|



|                    |                    |          |
|--------------------|--------------------|----------|
| <b>65720-94403</b> | OD:13mm<br>Plastic | DT4 - 65 |
|--------------------|--------------------|----------|

## FUEL TANK CONNECTORS

Fuel tank connectors are available in stainless steel with metric thread and plated brass with 1/4" NPT.



|                    |                |            |
|--------------------|----------------|------------|
| <b>65740-95501</b> | OD:13mm Metric | All Models |
|--------------------|----------------|------------|



|                    |                  |            |
|--------------------|------------------|------------|
| <b>99105-00192</b> | OD:11mm 1/4" NPT | U.S. Tanks |
|--------------------|------------------|------------|



|                    |                  |            |
|--------------------|------------------|------------|
| <b>99105-00193</b> | OD:13mm 1/4" NPT | U.S. Tanks |
|--------------------|------------------|------------|

## FUEL HOSE CONNECTORS

Quick connect and disconnect female fittings fit either hose end.



|                    |         |                                |
|--------------------|---------|--------------------------------|
| <b>65750-98506</b> | ID:11mm | Metal for small diameter hoses |
|--------------------|---------|--------------------------------|



|                    |         |                                |
|--------------------|---------|--------------------------------|
| <b>65750-95501</b> | ID:13mm | Metal for small diameter hoses |
|--------------------|---------|--------------------------------|



|                    |         |            |
|--------------------|---------|------------|
| <b>65750-87J11</b> | Plastic | DF4 - 140A |
|--------------------|---------|------------|

## Internal Engine Fuel Filters

| Engine Model                     | Year           | Part Number |
|----------------------------------|----------------|-------------|
| <b>DF4/6</b>                     | 2002-2016      | 15410-98500 |
| <b>DF4A/6A</b>                   | 2017-Current   | 44330-13H00 |
| <b>DF9.9A</b>                    | 2010-Current   | 44330-13H00 |
| <b>DF9.9/15</b>                  | 2011-2013      | 15410-98500 |
| <b>DF9.9B/15A/20A</b>            | 2013-Current   | 15410-87L00 |
| <b>DF25 V-Twin</b>               | 2006-2010      | 15410-87J30 |
| <b>DF25/30</b>                   | 2001-2010      | 15410-87J10 |
| <b>DF25A/30A</b>                 | 2015-Current   | 15410-87L00 |
| <b>DF40/50</b>                   | Late 2006-2010 | 15410-87J30 |
| <b>DF40A/50A/60A</b>             | 2010-Current   | 15410-88L00 |
| <b>DF50AV/60AV</b>               | 2014-Current   | 15410-88L00 |
| <b>DF60/70</b>                   | 2007-2009      | 15410-87J30 |
| <b>DF70A/75A/80A/90A</b>         | 2009-Current   | 15410-87L00 |
| <b>DF115/140</b>                 | 2010-2012      | 15410-87J30 |
| <b>DF115A/140A/115SS</b>         | 2013-Current   | 15412-92J00 |
| <b>DF150/175/150SS</b>           | 2006-Current   | 15410-96J00 |
| <b>DF150A/175A/200A</b>          | 2016-Current   | 15412-92J00 |
| <b>DF200/225/250 V6</b>          | 2011-Current   | 15412-93J10 |
| <b>DF250A/300A/300AP/250SS</b>   | 2011-Current   | 15412-93J10 |
| <b>DF300B/300BMD/350A/350AMD</b> | 2017-Current   | 15412-93J10 |



|                    |                 |            |
|--------------------|-----------------|------------|
| <b>65750-94404</b> | ID:13mm Plastic | DT4 - 140A |
|--------------------|-----------------|------------|



|                    |         |            |
|--------------------|---------|------------|
| <b>65720-986L0</b> | Plastic | DF4 - 140A |
|--------------------|---------|------------|

# PROPELLERS

Propeller selection is very important in the performance of your boat. Acceleration, speed, fuel efficiency, stability and engine RPM all are affected by the propeller selected. Operating requirements and conditions will also affect which design, style and pitch of propeller you may choose to meet your individual needs. The boat and engine combination may have already been tested by your dealer or the boat manufacturer for the appropriate propeller size. Your Suzuki Dealer can assist you with the process to determine the correct propeller for your application.



## Stainless Steel Propellers


Suzuki Stainless Steel Propellers offer higher performance and greater durability than aluminum propellers. The aggressive design of these propellers enhances the overall performance of your boat and the durability of the stainless steel construction will give you long term dependability. Your Suzuki Stainless Steel Propeller is also fitted with a rubber cushion hub to help absorb vibration and shock.


## Propeller Sizing

When referring to propeller size, such as 3 x 13 x 18, the first number indicates the number of blades, the second number details the diameter of the propeller in inches and the third number is the pitch of the propeller in inches. The pitch is the most significant number in the description. The diameter is usually predetermined by the propeller engineers and is based on the size and series of the engine.

## Diameter


Diameter is considered to be the distance across an imaginary circle that is made when a propeller is rotated. Diameter is determined during the engineering process of designing a propeller and is usually based on requirements to meet the needs of engine size, gear case design, horsepower and speed.





## Pitch

Pitch is used to describe the theoretical distance that a propeller "corks screws" through the water in inches of forward travel. In theory, an 18" pitch propeller would move ahead 18" with each complete revolution of a propeller. There is always some percentage of inefficiency as water conditions, boat weight and propeller style are introduced into the performance equation. The lower the "slip factor," the more efficiently the propeller will perform and the faster the speed at a given engine RPM. Lower pitches accelerate faster, but have a lower top end speed. Higher pitches have a slower acceleration, but may attain higher top speeds. An inch of pitch generally is equal to 150 – 200 engine RPM at wide open throttle (WOT). If pitch is increased by an inch, RPM will decrease by 150 – 200 RPM at WOT. If pitch is decreased by an inch, RPM will increase by 150 – 200 RPM at WOT. Always operate your boat/engine combination within the recommended RPM range guidelines as stated in your operator's manual. Operating outside the recommended range can cause severe damage to your engine and may void the engine warranty.



## Propeller Cup

Cup is used to reduce the slip and ventilation of the propeller. This will allow you to operate your engine at a higher transom mounting and allow you to use more trim for bow lift. The cup refers to the area along the trailing edge of the propeller blade that has an increased pitch in the last 1/2" of the blade surface and extends to the blade tip.

## Rake

Rake is described as the angle, in degrees, that the propeller blades are mounted to the "barrel" of the propeller. The blades of a zero degree rake propeller are mounted perpendicular to the "barrel" of the propeller. The blades of a higher rake propeller angle more to the rear of the propeller. A propeller with a high rake design will hold the water on the blades longer during operation and will ventilate less at higher engine heights. High rake propellers will produce higher thrust that will help lift the bow of the boat more effectively.



## Propeller Lock

Theft protection for your boat's propeller, in and out of the water. Constructed of naval brass and stainless steel for long life. Easy to install. Also fits counter rotation models.

99105-30003 DF40 - 350A



## Propeller Hardware Kits

Includes the spacer, cotter key, washer and nut to secure the propeller to the shaft. Great for tackle or tool box. See following page for exact kit contents.

|             |                               |
|-------------|-------------------------------|
| 57630-99J00 | DF8A/9.9A                     |
| 57630-93900 | DF9.9B/15A/20A                |
| 57630-96300 | DF25A/30A                     |
| 57630-94301 | DF40A/50A/60A                 |
|             | DF50AV/60AV                   |
| 57630-90J00 | DF70/90A                      |
|             | DF115A/115BG/140A/140BG       |
| 57630-93L00 | DF150A-DF300AP (Watergrip)    |
| 57630-92E00 | DF150-DF300AP (Non-Watergrip) |
| 58540-98L00 | DF300B/DF350A Front           |
| 58640-98L00 | DF300B/DF350A Rear            |

# PROPELLERS

## DF4/6 (Optional '03-'10)

| Material | Blades | Diameter | Pitch | Part Number     | DF4         | DF6         |
|----------|--------|----------|-------|-----------------|-------------|-------------|
| Aluminum | 3      | 7-1/2    | 6     | 58110-91JL0-019 | '04-Current | '04-Current |
| Aluminum | 3      | 7-1/2    | 6-1/2 | 58110-91JM0-019 | '04-Current | '04-Current |
| Aluminum | 3      | 7-1/2    | 7     | 58110-91JN0-019 | '04-Current | '04-Current |
| Aluminum | 3      | 7-1/2    | 6     | 58111-98602-019 | '03         |             |
| Aluminum | 3      | 7-1/2    | 6-1/2 | 58111-98641-019 | '03         |             |
| Aluminum | 3      | 7-1/2    | 7     | 58111-98651-019 | '03         |             |

Diameter and pitch are measured in inches. ■=Optional. Refer to the Bushing Application Chart.

## DF9.9/15/20

| Material | Blades | Diameter | Pitch | Part Number     | DF9.9 | DF15/20 |
|----------|--------|----------|-------|-----------------|-------|---------|
| Aluminum | 3      | 9-1/4    | 7     | 58100-89L00-019 | ■     | ■       |
| Aluminum | 3      | 9-1/4    | 8     | 58100-90L41-019 | ■     | ■       |
| Aluminum | 3      | 9-1/4    | 9     | 58100-90L50-019 | ■     | ■       |
| Aluminum | 3      | 9-1/4    | 10    | 58100-90L60-019 | ■     | ■       |
| Aluminum | 3      | 9-1/4    | 11    | 58100-89L70-019 | ■     | ■       |
| Aluminum | 3      | 9-1/4    | 12    | 58100-89L50-019 | ■     | ■       |
| Aluminum | 3      | 9-1/4    | 10    | 58100-90L60-019 | ■     | ■       |
| Aluminum | 4      | 10       | 5     | 58100-94JA2-019 | ■     |         |

Diameter and pitch are measured in inches. ■=Optional.

## DF9.9B/15A/20A

| Material | Blades | Diameter | Pitch | Part Number     | DF15A/20A |
|----------|--------|----------|-------|-----------------|-----------|
| Aluminum | 3      | 9-1/4    | 8     | 58100-90L41-019 | ■         |
| Aluminum | 3      | 9-1/4    | 9     | 58100-90L50-019 | ■         |
| Aluminum | 3      | 9-1/4    | 10    | 58100-90L60-019 | ■         |
| Aluminum | 3      | 9-1/4    | 11    | 58100-89L70-019 | ■         |
| Aluminum | 3      | 9-1/4    | 12    | 58100-89L50-019 | ■         |

Diameter and pitch are measured in inches. ■=Optional.

## Propeller Bushing Application

| Applications                               | Bushing Type | Bushing     | Stopper      | Spacer        | Washer          | Nut             |
|--------------------------------------------|--------------|-------------|--------------|---------------|-----------------|-----------------|
| DF4 '03 Models                             | Push-In      | 58124-98600 |              |               |                 | 58130-91JL0     |
| DF4 '04 - Current Models                   | Press-In     | 58121-91JL0 | 57635-91JL0  | 58130-91JL0   | 58100-90L41-019 | 58100-90L41-019 |
| DF6 '03 - Current Models                   | Press-In     | 58121-91JL0 | 57635-91JL0  |               |                 | 58130-91JL0     |
| DF9.9/9.9A/9.9B/15/15A/20A                 | Press-In     | 58124-89L00 | 57632-94J00  | 57633-93901   | 09160-12066     | 09141-12005     |
| DF25/30 '00 - Current Models               | Press-In     | 58124-96401 | 57632-96400  | 57633-96300   | 09160-14028     | 09141-14008     |
| DF25 V-Twin                                | Press-In     | 58124-96401 | 57632-95J00  | 57633-96300   | 09160-14028     | 09141-14008     |
| DF40/50                                    | Press-In     | 58124-88L01 | 57632-95320  | 57633-94301   | 09160-18028     | 09141-18005     |
| DF40A/50A/60A '10 - Current Models         | Press-In     | 58124-88L01 | 57632-95320  | 57633-94301   | 09160-18028     | 09141-18005     |
| DF60/70                                    | Press-In     | 58124-95500 | 57635-95510  | 57633-95501   | 09160-18028     | 09141-18005     |
| DF60/70                                    | Press-In     | 58124-94520 | 57635-94511  | 57633-94500   | 09160-18028     | 09141-18005     |
| DF70A/90A '09 - Current Models             | Press-In     | 58121-90J00 | 57632-87L01  | 57633-90J02   | 09160-18028     | 09141-18005     |
| DF90/115/140A                              | Press-In     | 58121-90J00 | 57635-90J01* | year specific | 09160-18028     | 09141-18005     |
| DF90/115/140A                              | Press-In     | 58121-90J00 | 57635-90J01* | year specific | 09160-18028     | 09141-18005     |
| DF90/115/140A '01 - '02 Models             | Press-In     | 58121-90J00 | 57635-90J01* | 57633-90J02   | 09160-18028     | 09141-18005     |
| DF90/115/140A '03 - '08 Models             | Press-In     | 58121-90J00 | 57635-90J01* | 57633-90J02   | 09160-18028     | 09141-18005     |
| DF115/140A Counter Rotation Models         | Press-In     | 58121-90J00 | 57635-92J01* | year specific | 09160-18028     | 09141-18005     |
| DF150/175/200/200A/225/250/250AP/300/300AP | Press-In     | 58101-93J00 | 57632-93J11  | 57633-87D30   | 09160-18028     | 09141-18005     |
| DF250SS                                    | Press-In     | 58101-93J10 | 57632-93J21  | 57633-87D30   | 09160-18028     | 09141-18005     |

\*Uses Spacer For Stopper, 57632-90J00

## Watergrip Bushing Application

| Engine Model              | Stopper     | Propeller Bushing | Kit         | INCLUDED IN KIT |             |             |             |             |
|---------------------------|-------------|-------------------|-------------|-----------------|-------------|-------------|-------------|-------------|
|                           |             |                   |             | Spacer          | Washer      | Stopper     | Nut         | Cutter Pin  |
| DF2.5                     | -           | -                 | -           | -               | -           | -           | 58130-91JL0 | 09204-03003 |
| DF4A/6A                   | 57635-97L00 | 58120-91JL0       | N/A         | -               | -           | -           | 58130-91JL0 | 09204-03003 |
| DF8A/9.9A                 | 57632-94J00 | 58120-89L00       | 57630-99J00 | -               | 09160-12066 | -           | 09141-12005 | 09204-02004 |
| DF9.9B/15A/20A            | 57632-94J00 | 58120-89L00       | 57630-93900 | -               | 09160-12066 | -           | 09141-12005 | 09204-02004 |
| DF25A/30A                 | 57632-91L00 | 58120-96401       | 57630-96300 | 57633-96300     | 09160-14028 | -           | 09141-14008 | 09204-03003 |
| DF40A/50A/60A             | 57632-95320 | 58120-88L01       | 57630-94301 | 57633-94301     | 09160-18028 | -           | 09141-18005 | 09204-03003 |
| DF50AV/60AV               | 57635-90J01 | 58105-90J00       | 57630-90J00 | 57633-90J02     | 09160-18028 | -           | 09141-18005 | 09204-03003 |
| DF70/90A                  | 57632-87L01 | 58105-90J00       | 57630-90J00 | 57633-90J02     | 09160-18028 | -           | 09141-18005 | 09204-03003 |
| DF115A/115BG/140A/140BG   | 57635-92J01 | 58105-90J00       | 57630-90J00 | 57633-90J02     | 09160-18028 | -           | 09141-18005 | 09204-03003 |
| DF150-DF300 Non-Watergrip | 57632-93L11 | -                 | 57630-92E00 | 57633-87D30     | 09160-18019 | -           | 09141-18005 | 09204-03003 |
| DF150A-DF300AP Watergrip  | 57632-93L11 | 58120-93L00       | 57630-93L00 | 57633-93L00     | 09160-18028 | -           | 09141-18005 | 09204-03003 |
| DF300B/350A Front         | 58531-98L00 | 58520-98L00       | 58540-98L01 | 58541-98L00     | -           | 58551-98L00 | 58561-98L01 | -           |
| DF300B/350A Rear          | 58631-98L00 | 58520-98L00       | 58640-98L00 | 58641-98L00     | 09160-18019 | -           | 09141-18005 | 09204-03003 |



## DF25A/30A

| Material | Blades | Diameter | Pitch | Part Number      | DF25A/30A |
|----------|--------|----------|-------|------------------|-----------|
| Aluminum | 3      | 10-1/4   | 9     | 58100-96372-019  | ■         |
| Aluminum | 3      | 10-1/4   | 10    | 58100-91L40-019  | ■         |
| Aluminum | 3      | 10-1/4   | 10    | 58100-96472-019* | ■         |
| Aluminum | 3      | 10-1/4   | 11    | 58100-91L50-019  | ■         |
| Aluminum | 3      | 10-1/4   | 12    | 58100-96482-019  | ■         |
| Aluminum | 3      | 10-1/4   | 13    | 58100-96492-019  | ■         |
| Aluminum | 3      | 10-1/4   | 14    | 58100-95D01-019  | ■         |
| Aluminum | 3      | 10-1/4   | 15    | 58100-96462-019  | ■         |

Diameter and pitch are measured in inches. ■=Optional.

\*Thicker Blade

## DF60/70

| Material | Blades | Diameter | Pitch | Part Number     | '08 - '09 |
|----------|--------|----------|-------|-----------------|-----------|
| Aluminum | 3      | 14       | 11    | 58100-99E10-019 | ■         |
| Aluminum | 3      | 13-3/4   | 13    | 58100-99E00-019 | ■         |
| Aluminum | 3      | 13-1/2   | 15    | 58100-94500-019 | ■         |
| Aluminum | 3      | 13-1/4   | 17    | 58100-94512-019 | ■         |
| Aluminum | 3      | 13       | 19    | 58100-94522-019 | ■         |
| Aluminum | 3      | 13       | 21    | 58100-94532-019 | ■         |

Diameter and pitch are measured in inches. Extremely durable stainless steel propellers especially designed for high performance boats. ■=Optional. Type V Cupped aluminum propeller with press-in bushing.

## DF40A/60A

| Material        | Blades | Diameter | Pitch | Part Number     | '99 - Current |
|-----------------|--------|----------|-------|-----------------|---------------|
| Aluminum        | 3      | 11-1/2   | 9     | 58100-88LC0-011 | ■             |
| Aluminum        | 3      | 11-1/2   | 10    | 58100-88LD0-011 | ■             |
| Aluminum        | 3      | 11-1/2   | 11    | 58100-88LE0-011 | ■             |
| Aluminum        | 3      | 11-5/8   | 12    | 58100-88LA0-011 | ■             |
| Aluminum        | 3      | 11-1/2   | 13    | 58100-88LB0-011 | ■             |
| Aluminum        | 3      | 11-3/8   | 14    | 58100-88L52-011 | ■             |
| Aluminum        | 3      | 11-1/4   | 15    | 58100-88L62-011 | ■             |
| Aluminum        | 3      | 11-1/8   | 16    | 58100-88L72-011 | ■             |
| Aluminum        | 3      | 11       | 17    | 58100-88LF0-011 | ■             |
| Stainless Steel | 3      | 11-3/4   | 10    | 990C0-00600-10P | ■             |
| Stainless Steel | 3      | 11-3/4   | 11    | 990C0-00600-11P | ■             |
| Stainless Steel | 3      | 11-3/4   | 12    | 990C0-00600-12P | ■             |
| Stainless Steel | 3      | 11-3/4   | 13    | 990C0-00600-13P | ■             |
| Stainless Steel | 3      | 11-3/4   | 14    | 990C0-00600-14P | ■             |
| Stainless Steel | 3      | 11-3/4   | 15    | 990C0-00600-15P | ■             |
| Stainless Steel | 3      | 11-3/4   | 16    | 990C0-00600-16P | ■             |
| Stainless Steel | 3      | 11-3/4   | 17    | 990C0-00600-17P | ■             |

Diameter and pitch are measured in inches. ■=Optional.

## DF50AV/60AV/70A/90A/ 115/115A/115BG/140/140A/140BG

| Material        | Blades | Diameter | Pitch | Part Number     | '99 - Current |
|-----------------|--------|----------|-------|-----------------|---------------|
| Aluminum        | 3      | 14       | 9     | 990C0-00750-09P | ■             |
| Aluminum        | 3      | 14       | 11    | 990C0-00750-11P | ■             |
| Aluminum        | 3      | 14       | 13    | 990C0-00750-13P | ■             |
| Aluminum        | 3      | 13-7/8   | 15    | 990C0-00750-15P | ■             |
| Aluminum        | 3      | 13-3/4   | 17    | 990C0-00750-17P | ■             |
| Aluminum        | 3      | 13-3/4   | 19    | 990C0-00750-19P | ■             |
| Aluminum        | 3      | 13-3/4   | 21    | 990C0-00750-21P | ■             |
| Aluminum        | 3      | 13-3/4   | 23    | 58100-87LF0-013 | ■             |
| Aluminum        | 3      | 13-1/2   | 15    | 990C0-00760-15P | ■             |
| Aluminum        | 3      | 14       | 17    | 990C0-00760-17P | ■             |
| Aluminum        | 3      | 14       | 19    | 990C0-00760-19P | ■             |
| Aluminum        | 3      | 14       | 21    | 990C0-00760-21P | ■             |
| Aluminum        | 3      | 14       | 23    | 990C0-00760-23P | ■             |
| Stainless Steel | 3      | 14       | 15    | 990C0-00610-15P | ■             |
| Stainless Steel | 3      | 14       | 16    | 990C0-00610-16P | ■             |
| Stainless Steel | 3      | 14       | 17    | 990C0-00610-17P | ■             |
| Stainless Steel | 3      | 14       | 18    | 990C0-00610-18P | ■             |
| Stainless Steel | 3      | 14       | 19    | 990C0-00610-19P | ■             |
| Stainless Steel | 3      | 14       | 20    | 990C0-00610-20P | ■             |
| Stainless Steel | 3      | 14       | 21    | 990C0-00610-21P | ■             |
| Stainless Steel | 3      | 14       | 22    | 990C0-00610-22P | ■             |
| Stainless Steel | 3      | 14       | 23    | 990C0-00610-23P | ■             |
| Stainless Steel | 3      | 14       | 24    | 990C0-00610-24P | ■             |
| Stainless Steel | 3      | 14       | 25    | 990C0-00610-25P | ■             |
| Stainless Steel | 3      | 14       | 26    | 990C0-00610-26P | ■             |

Diameter and pitch are measured in inches. ■=Optional.

## Counter Rotation 610 Series Propellers for DF50AV/60AV/70A/90A/115/115A/140/140A

| Material        | Blades | Diameter | Pitch | Part Number     | '99 - Current |
|-----------------|--------|----------|-------|-----------------|---------------|
| Stainless Steel | 3      | 14       | 15    | 990C0-0061L-15P | ■             |
| Stainless Steel | 3      | 14       | 16    | 990C0-0061L-16P | ■             |
| Stainless Steel | 3      | 14       | 17    | 990C0-0061L-17P | ■             |
| Stainless Steel | 3      | 14       | 18    | 990C0-0061L-18P | ■             |
| Stainless Steel | 3      | 14       | 19    | 990C0-0061L-19P | ■             |
| Stainless Steel | 3      | 14       | 20    | 990C0-0061L-20P | ■             |
| Stainless Steel | 3      | 14       | 21    | 990C0-0061L-21P | ■             |
| Stainless Steel | 3      | 14       | 22    | 990C0-0061L-22P | ■             |
| Stainless Steel | 3      | 14       | 23    | 990C0-0061L-23P | ■             |
| Stainless Steel | 3      | 14       | 24    | 990C0-0061L-24P | ■             |

Diameter and pitch are measured in inches. ■=Optional.

## Suzuki Watergrip® Propellers for DF150/150AP/175/175AP/200/200A/200AP/250AP/300A

| Material        | Blades | Diameter | Pitch  | Part Number     | DF150 - 300AP |
|-----------------|--------|----------|--------|-----------------|---------------|
| Stainless Steel | 3      | 16       | 17     | 990C0-00810-17P | ■             |
| Stainless Steel | 3      | 16       | 18-1/2 | 990C0-00810-185 | ■             |
| Stainless Steel | 3      | 16       | 20     | 990C0-00810-20P | ■             |
| Stainless Steel | 3      | 16       | 21-1/2 | 990C0-00810-215 | ■             |
| Stainless Steel | 3      | 16       | 23     | 990C0-00810-23P | ■             |
| Stainless Steel | 3      | 16       | 24-1/2 | 990C0-00810-245 | ■             |
| Stainless Steel | 3      | 16       | 26     | 990C0-00810-26P | ■             |
| Stainless Steel | 3      | 16       | 27-1/2 | 990C0-00810-275 | ■             |
| Stainless Steel | 3      | 15-1/2   | 17     | 990C0-00840-17P | ■             |
| Stainless Steel | 3      | 15-1/4   | 19     | 990C0-00840-19P | ■             |
| Stainless Steel | 3      | 15       | 21     | 990C0-00840-21P | ■             |
| Stainless Steel | 3      | 14-3/4   | 23     | 990C0-00840-23P | ■             |
| Stainless Steel | 3      | 14-1/2   | 25     | 990C0-00840-25P | ■             |
| Stainless Steel | 3      | 14-1/2   | 27     | 990C0-00840-27P | ■             |
| Stainless Steel | 4      | 15-1/4   | 20     | 990C0-00510-20P | ■             |
| Stainless Steel | 4      | 15-1/4   | 22     | 990C0-00510-22P | ■             |
| Stainless Steel | 4      | 15-1/4   | 24     | 990C0-00510-24P | ■             |
| Stainless Steel | 4      | 15-1/4   | 26     | 990C0-00510-26P | ■             |

Diameter and pitch are measured in inches. ■=Optional.

## Suzuki Watergrip® Counter Rotation Propellers for DF150/150AP/175/175AP/200/200A/200AP/250AP/300A

| Material        | Blades | Diameter | Pitch  | Part Number     | DF150 - 300AP |
|-----------------|--------|----------|--------|-----------------|---------------|
| Stainless Steel | 3      | 16       | 17     | 990C0-0081L-17P | ■             |
| Stainless Steel | 3      | 16       | 18-1/2 | 990C0-0081L-185 | ■             |
| Stainless Steel | 3      | 16       | 20     | 990C0-0081L-20P | ■             |
| Stainless Steel | 3      | 16       | 21-1/2 | 990C0-0081L-215 | ■             |
| Stainless Steel | 3      | 16       | 23     | 990C0-0081L-23P | ■             |
| Stainless Steel | 3      | 16       | 24-1/2 | 990C0-0081L-245 | ■             |
| Stainless Steel | 3      | 16       | 26     | 990C0-0081L-26P | ■             |
| Stainless Steel | 3      | 15-1/2   | 17     | 990C0-0084L-17P | ■             |
| Stainless Steel | 3      | 15-1/4   | 19     | 990C0-0084L-19P | ■             |
| Stainless Steel | 3      | 15       | 21     | 990C0-0084L-21P | ■             |
| Stainless Steel | 3      | 14-3/4   | 23     | 990C0-0084L-23P | ■             |
| Stainless Steel | 3      | 14-1/2   | 25     | 990C0-0084L-25P | ■             |
| Stainless Steel | 3      | 14-1/2   | 27     | 990C0-0084L-27P | ■             |
| Stainless Steel | 4      | 15-1/4   | 20     | 990C0-0051L-20P | ■             |
| Stainless Steel | 4      | 15-1/4   | 22     | 990C0-0051L-22P | ■             |
| Stainless Steel | 4      | 15-1/4   | 24     | 990C0-0051L-24P | ■             |
| Stainless Steel | 4      | 15-1/4   | 26     | 990C0-0051L-26P | ■             |

Diameter and pitch are measured in inches. ■=Optional.

## DF250SS

| Material        | Blades | Diameter | Pitch | Part Number     | DF250SS |
|-----------------|--------|----------|-------|-----------------|---------|
| Stainless Steel | 4      | 14 1/4   | 17    | 990C0-00622-17P | ■       |
| Stainless Steel | 4      | 14-1/4   | 18    | 990C0-00622-18P | ■       |
| Stainless Steel | 4      | 14-1/4   | 19    | 990C0-00622-19P | ■       |
| Stainless Steel | 4      | 14-1/4   | 20    | 990C0-00622-20P | ■       |
| Stainless Steel | 4      | 14-1/4   | 21    | 990C0-00622-21P | ■       |
| Stainless Steel | 4      | 14-1/4   | 22    | 990C0-00622-22P | ■       |
| Stainless Steel | 4      | 14-1/4   | 23    | 990C0-00622-23P | ■       |
| Stainless Steel | 4      | 14-1/4   | 24    | 990C0-00622-24P | ■       |
| Stainless Steel | 4      | 14-1/4   | 25    | 990C0-00622-25P | ■       |
| Stainless Steel | 4      | 14-1/4   | 26    | 990C0-00622-26P | ■       |
| Stainless Steel | 4      | 14-1/4   | 27    | 990C0-00622-27P | ■       |
| Stainless Steel | 4      | 14-1/4   | 28    | 990C0-00622-28P | ■       |
| Stainless Steel | 4      | 14-1/2   | 26    | 990C0-00630-26P | ■       |
| Stainless Steel | 4      | 14-1/2   | 27    | 990C0-00630-27P | ■       |
| Stainless Steel | 4      | 14-1/2   | 28    | 990C0-00630-28P | ■       |
| Stainless Steel | 4      | 14-1/2   | 29    | 990C0-00630-29P | ■       |
| Stainless Steel | 4      | 14-1/2   | 30    | 990C0-00630-30P | ■       |

Diameter and pitch are measured in inches. n=Optional.

All 622 and 630 Series Propellers Require the 57632-93J21 stopper, and both 09160-37006 / 09160-18028 spacers.

Must purchase separately. Recommended for high performance applications only.


# DF300B AND DF350A PROPELLERS AND TOOLS

## A REVOLUTION IN INNOVATION




### Development of Suzuki's First Contra-Rotating Propeller

After years of outboard design, Suzuki engineers knew that the shape of the lower unit and the design of the propeller would have a critical impact on performance. The increased power of the new engine required more powerful gears, and more powerful gears were typically larger. After considering alternatives, an innovative idea was proposed: design a contra-rotating dual propeller system. The contra-rotating propeller would certainly provide more "grip" underwater, and because contra-rotating propellers distribute the engine torque evenly over the two propellers, the torque per propeller decreases and gear diameter can be reduced. A reduction in gear diameter could then lead to the design of a smaller, more hydrodynamic gear case.



# DF300B/350A PROPELLERS AND TOOLS



## DF300B/DF350A Propellers


| Material        | Blades | Diameter | Pitch | Part Number                     | Description     | HP-current |
|-----------------|--------|----------|-------|---------------------------------|-----------------|------------|
| Stainless Steel | 3      | 15-1/2"  | 12    | <a href="#">990C0-0991R-12P</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 15    | <a href="#">990C0-0991R-15P</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 16.5  | <a href="#">990C0-0991R-165</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 18    | <a href="#">990C0-0991R-18P</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 19.5  | <a href="#">990C0-0991R-195</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 21.0  | <a href="#">990C0-0991R-21P</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 22.5  | <a href="#">990C0-0991R-225</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 24.0  | <a href="#">990C0-0991R-24P</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 25.5  | <a href="#">990C0-0991R-255</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 27.0  | <a href="#">990C0-0991R-27P</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 28.5  | <a href="#">990C0-0991R-285</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 30.0  | <a href="#">990C0-0991R-30P</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 31.5  | <a href="#">990C0-0991R-315</a> | Rear Propeller  | ■          |
| Stainless Steel | 3      | 15-1/2"  | 12    | <a href="#">990C0-0090F-12P</a> | Front Propeller | ■          |
| Stainless Steel | 3      | 15-1/2"  | 15    | <a href="#">990C0-0090F-15P</a> | Front Propeller | ■          |
| Stainless Steel | 3      | 15-1/2"  | 16.5  | <a href="#">990C0-0090F-165</a> | Front Propeller | ■          |
| Stainless Steel | 3      | 15-1/2"  | 18    | <a href="#">990C0-0090F-18P</a> | Front Propeller | ■          |
| Stainless Steel | 3      | 15-1/2"  | 19.5  | <a href="#">990C0-0090F-195</a> | Front Propeller | ■          |
| Stainless Steel | 3      | 15-1/2"  | 21.0  | <a href="#">990C0-0090F-21P</a> | Front Propeller | ■          |
| Stainless Steel | 3      | 15-1/2"  | 22.5  | <a href="#">990C0-0090F-225</a> | Front Propeller | ■          |
| Stainless Steel | 3      | 15-1/2"  | 24.0  | <a href="#">990C0-0090F-24P</a> | Front Propeller | ■          |
| Stainless Steel | 3      | 15-1/2"  | 25.5  | <a href="#">990C0-0090F-255</a> | Front Propeller | ■          |
| Stainless Steel | 3      | 15-1/2"  | 27.0  | <a href="#">990C0-0090F-27P</a> | Front Propeller | ■          |
| Stainless Steel | 3      | 15-1/2"  | 28.5  | <a href="#">990C0-0090F-285</a> | Front Propeller | ■          |
| Stainless Steel | 3      | 15-1/2"  | 30.0  | <a href="#">990C0-0090F-30P</a> | Front Propeller | ■          |
| Stainless Steel | 3      | 15-1/2"  | 31.5  | <a href="#">990C0-0090F-315</a> | Front Propeller | ■          |

## DF300B/DF350A Accessories

|                                 |           |
|---------------------------------|-----------|
| <a href="#">99924-29810-LPT</a> | Prop Tool |
| <a href="#">99000-81202</a>     | Flush Kit |



# REPAIR KITS & ANODES



## Water Pump Repair Kit

### FOUR STROKE

| Part Number        | Application               | Years          |
|--------------------|---------------------------|----------------|
| <b>17400-986L2</b> | DF4/6                     | 2002 - 2010    |
|                    | DF4/6                     | 2011 - 2016    |
|                    | DF4A/6A                   | 2017 - Current |
| <b>17400-93951</b> | DF9.9/15                  | 1997 - 2006    |
| <b>17400-94J00</b> | DF9.9/15                  | 2007 - 2013    |
| <b>17400-99J20</b> | DF9.9A                    | ALL            |
|                    | DF9.9B/15A/20A            | 2013 - Current |
| <b>17400-95J03</b> | DF25 V-Twin               | 2006 - 2010    |
| <b>17400-96354</b> | DF25/30                   | ALL            |
| <b>17400-94L21</b> | DF25A/30A                 | 2015 - Current |
| <b>17400-96354</b> | DF40/50                   | 1999 - 2010    |
| <b>17400-88L01</b> | DF40A/50A/60A             | 2011 - Current |
| <b>17400-99E12</b> | DF50AVT/60AVT             | ALL            |
| <b>17400-87E04</b> | DF60/70                   | 1998 - 2007    |
| <b>17400-99E01</b> | DF60/70                   | 2008 - 2009    |
| <b>17400-87L04</b> | DF70A/80A/90A             | 2009 - Current |
| <b>17400-90J20</b> | DF90/115/140              | 2001 - 2005    |
| <b>17400-92J00</b> | DF90/115/140              | 2006 - 2008    |
| <b>17400-92J23</b> | DF115/115A/140/140A       | 2009 - Current |
| <b>17400-96J04</b> | DF150A/175A/200A          | 2006 - Current |
| <b>17400-98J04</b> | DF200/225/250 (V6)        | 2004 - Current |
|                    | DF250SS                   | 2008 - Current |
|                    | DF250AP/300/300A          | 2007 - Current |
| <b>17400-98L02</b> | DF300B/350A               | 2017 - 2022    |
| <b>17400-87M00</b> | DF300B/300BMD/350A/350AMD | 2023 - Current |

### TWO STROKE

|                    |                     |             |
|--------------------|---------------------|-------------|
| <b>17400-98652</b> | DT4                 | 1984 - 1998 |
|                    | DT5                 | 1999 - 2002 |
|                    | DT6                 | 1984 - 2002 |
| <b>17400-98551</b> | DT8                 | 1986 - 1997 |
|                    | DT9.9               | 1985 - 1987 |
|                    | DT15C               | 1989 - 1997 |
| <b>17400-92D01</b> | DT15                | 1983 - 1988 |
|                    | DT8C/9.9C           | 1988 - 1997 |
|                    | DT25C               | 1989 - 2000 |
| <b>17400-96404</b> | DT30C               | 1988 - 1997 |
|                    | DT20                | 1986 - 1988 |
|                    | DT25                | 1984 - 1988 |
| <b>17400-96354</b> | DT30                | 1984 - 1987 |
|                    | DT35/40C            | 1983 - 1998 |
|                    | DT55/65             | 1985 - 1997 |
| <b>17400-95351</b> | DT75/85             | 1985 - 2000 |
| <b>17400-94611</b> | DT115/140           | 1986 - 2001 |
| <b>17400-87D11</b> | V6, 2-Stroke Models | 1986 - 2003 |

## Gear Case Seal Kit

| Part Number        | Application                       | Years        |
|--------------------|-----------------------------------|--------------|
| <b>25700-95D03</b> | DT25C/30C/DF25/30 (except V-Twin) |              |
| <b>25700-95J00</b> | DF25 V-Twin                       | All          |
| <b>25700-88L03</b> | DT40C/CF40/50/40A/50A/60A         | All          |
| <b>25700-87E00</b> | DF60/7C and V4 Models             | 1989-2000    |
| <b>25700-99E00</b> | DF60/7C                           | 2001 - 2010  |
| <b>25700-87L01</b> | DF70A/50A                         | 2009-Current |
| <b>25700-90J01</b> | DF90/115                          | 2001-2011    |
| <b>25700-92J00</b> | DF140/115A/140A/115B/140B         | All          |
| <b>25700-93J00</b> | DF150/175/200/200AP/225/250       | All          |
| <b>25700-98J01</b> | DF250S/300                        | All          |
| <b>25700-93L02</b> | DF250A/300AP                      | All          |
| <b>25700-98L04</b> | DF300B/350A                       | 2017-2022    |
| <b>25700-87M00</b> | DF300B/300BMD/350A/350AMD         | 2023-Current |

## Carburetor Repair Kit

| Part Number        | Application             | Years |
|--------------------|-------------------------|-------|
| <b>13910-89J01</b> | DF25/30 (Except V-Twin) | All   |
| <b>13910-95D00</b> | DT25/30C                | All   |
| <b>13910-94400</b> | DF40/65/85/140          | All   |
| <b>13910-94701</b> | DF55/75/115             | All   |
| <b>13910-87D01</b> | V6, 2-Stroke Models     | All   |



## ZINC ANODES FOR SALTWATER USE ONLY



**11281-94400** DF60/70 '98 - '01



**55321-90L00** DF9.9/15 '97 - '10



**55125-90J01** DF90-140 '98 - Current



**55125-98J00-OEP** DF200/225/250/300 Trim Tab



**55125-95500** DF40/50 '99 - '10  
DF40A/50A/60A '10 - Current



**55125-98J10** DF250SS '08 - Current



**55125-93L00-OEP** DF250AP/300AP '13 - Current



**55125-92J00** DF115/140 '08 - Current



**55125-96310** DF25/30 '00 - '10  
DF25 V-Twin '06 - Current



**55300-95500** DF9.9/15 '04 - '10  
DF40/50 '99 - '10  
DF40A/50A/60A '10 - Current



**55320-95311** DF25 /30 '00 - '07  
DF40/50 '99 - '08  
DF40A/50A/60A '10 - Current  
DF60/70 '01 - '08  
DF150/175 '06 - Current  
DF200/225/250/300 '04 - Current



**55320-94900** DF60 thru 300 '01 - '10



**55321-90J01** DF60-140 '98 - '08



**55321-939L0** DF9.9/15 '97 - '08

## MAGNESIUM ANODES FOR FRESHWATER USE ONLY



**55321-87J11**

|               |               |
|---------------|---------------|
| DF8A/9.9A     | '10 - Current |
| DF25 V-Twin   | '06 - Current |
| DF40A/50A/60A | '10 - Current |
| DF70A/90A     | '09 - Current |
| DF90/115      | '01 - '08     |
| DF115         | '09 - Current |
| DF140         | '02 - Current |
| DF150/175     | '06 - Current |
| DF200/225/250 | '04 - Current |
| DF300         | '07 - Current |



**55321-93J01\*** DF300B/DF350A All models  
\*Also requires P/N 09118-06236 (Bolt)

## ALUMINUM ANODES FOR BRACKISH AND/OR SALTWATER



**55321-94910**

|                           |               |
|---------------------------|---------------|
| DF60 thru 140             | '01 - '10     |
| DF150/175/200/225/250/300 | '06 - Current |



**55321-87J01** All Models All Years

# ECSTAR®

**The Number One Engine Oil for Suzuki Owners or any boat owner that cares about performance and protection.**

ECSTAR® Suzuki Genuine Semi-Synthetic Engine Oil is scientifically formulated by Suzuki to provide the Ultimate Outboard Motor with the protection it needs to run long and strong in the harsh marine environment.

- **Special Additives Help Protect Engines in Both Salt and Fresh Water Environments**
- **Advanced Detergents Keep Engine Parts Clean**
- **Viscosity Index Improvers Help Engines Start Easily in Cold Conditions**

ECSTAR® Suzuki Semi-Synthetic Marine Engine Oil exceeds NMMA FC-W requirements.

**ECSTAR® Suzuki Genuine Oil** is a proud sponsor of numerous professional and collegiate anglers in the Major League Fishing (MLF) Bass Pro Tour, B.A.S.S. Elite Angler Pro Tour, National Walleye Tour, and Collegiate Tour. The combination of speed, power and reliability of their SUZUKI engines matched with ECSTAR® Suzuki Genuine Oil keeps our anglers out in front of the competition and fully focused on what matters most – catching fish!

Pictured at right is B.A.S.S. Elite Angler Brandon Card.





# ECSTAR® OILS AND CHEMICALS



## ECSTAR® Marine 4-Cycle Engine Oil

Ecstar V7000 Semi-Synthetic Oil is specifically formulated for the Ultimate Outboard Motor. Premium mineral oils and synthetic lubricants, with an additive profile designed to stand up to harsh conditions on the water. FC-W Certified. See chart for recommended oil filter and capacities.

|                 |                |         |
|-----------------|----------------|---------|
| 990C0-01E30-QUA | 1 QT. Bottle   | 12/Case |
| 990C0-01E30-GLN | 1 GL. Bottle   | 4/Case  |
| 990C0-01E30-DRU | 55 Gallon Drum |         |

Dealers: Engine Oil must be ordered separately from all Parts and Accessories. See Suzuki Connect for instructions.



## Gear Lube Pump

The Gear Lube Pump is developed to make changing the gear case oil in your lower units a whole lot easier. The pump is specially designed to fit and function with our Hypoid Gear Oil bottles and Suzuki outboard lower units. Includes 8mm and 10mm adapters.

990C0-99002



## Four-Stroke

Gear oil capacities are for reference only. Please consult your engine owners manual for gear oil change procedure and specifications.

| Engine Model                 | Gear Case Oil Capacity (ml) | Gear Case Oil Capacity (oz) |
|------------------------------|-----------------------------|-----------------------------|
| DF4/6                        | 190 ml.                     | 6.4 oz.                     |
| DF9.9/15                     | 175 ml.                     | 5.9 oz.                     |
| DF9.9B/15A/20A               | 250 ml.                     | 8.4 oz.                     |
| DF25/30                      | 230 ml.                     | 7.8 oz.                     |
| DF25A/30A                    | 330 ml.                     | 11.1 oz.                    |
| DF25V-Twin                   | 420 ml.                     | 14.2 oz.                    |
| DF40A/50A/60A/40/50          | 610 ml.                     | 20.6 oz.                    |
| DF60/70                      | 1050 ml.                    | 35.5 oz.                    |
| DF70A/75A/90A                | 850 ml.                     | 28.7 oz.                    |
| DF90/115/140                 | 1050 ml.                    | 35.5 oz.                    |
| DF115A/115B/140A/140B        | 1050 ml.                    | 35.5 oz.                    |
| DF150/175/200/225/250/250S   | 1100 ml.                    | 37.2 oz.                    |
| DF250AP/300/300AP            | 1100 ml.                    | 37.2 oz.                    |
| DF300B/350A (2017 - 2022)    | 3218 ml.                    | 108.8 oz.                   |
| DF300B/350A (2023 - Forward) | 2850 ml.                    | 100.3 oz.                   |

## Two-Stroke

| Engine Model          | Gear Case Oil Capacity (ml) | Gear Case Oil Capacity (oz) |
|-----------------------|-----------------------------|-----------------------------|
| DT2/2.2 (Short Shaft) | 70 ml.                      | 2.4 oz.                     |
| DT2/2.2 (Long Shaft)  | 120 ml.                     | 4.0 oz.                     |
| DT3.5                 | 85 ml.                      | 2.9 oz.                     |
| DT4                   | 190 ml.                     | 6.4 oz.                     |
| DT5/6/8               | 240 ml.                     | 11.5 oz.                    |
| DT8C/9.9C/9.9CN       | 175 ml.                     | 5.9 oz.                     |
| DT9.9/15/15C          | 170 ml.                     | 5.7 oz.                     |
| DT20/25/30/30C/35C    | 230 ml.                     | 7.8 oz.                     |
| DT40                  | 610 ml.                     | 20.6 oz.                    |
| DT50/55/60/65         | 650 ml.                     | 22.0 oz.                    |
| DT75/85               | 700 ml.                     | 23.7 oz.                    |
| DT90/100              | 560 ml.                     | 18.9 oz.                    |
| DT115/140             | 1100 ml.                    | 37.2 oz.                    |
| DT150/175/200/225     | 1050 ml.                    | 35.5 oz.                    |

## Hypoid Gear Oil

Hypoid Gear Oil is formulated to Suzuki specifications. Available in two convenient sizes: 1 quart bottle and 5 gallon bucket. See chart for recommended gear oil capacities.

|                 |                 |         |
|-----------------|-----------------|---------|
| 990A0-01E81-01Q | 1 Quart         | 12/Case |
| 990A0-01E81-05G | 5 Gallon Bucket |         |



### Fuel Conditioner & Water Remover

Removes water and helps clean fuel system. Helps to keep injectors and carburetors clean and corrosion free. Dissolves gum and varnish and helps prevent fuel line freezing. Use regularly for best result. 12oz bottle treats 3-12 gallons of gasoline.

990A0-02E30-12Z 12 Fluid oz. Bottle 12/Case



### Fuel Injector Cleaner

Quickly cleans deposits in gasoline injectors and helps to avoid costly injector replacement. Also helps prevent deposit build up with regular use and will not harm catalytic converters or oxygen sensors. Mix ratio 1:1, 12oz bottle treats 12 gallons of gasoline.

990A0-02E25-12Z 12 Fluid oz. Bottle 12/Case



### Spray Cleaner & Polish

Suzuki Spray Cleaner & Polish is the ultimate "detailer in a can". It cleans dirt, road contaminants, bugs, water spots and shipping preservatives without water, leaving a "showroom shine" that helps to protect against UV damage, ozone and dirt accumulation. \*Not for Matte Black Finish on SS Models.

990A0-04E06-14Z 14 Fluid oz. 12/Case



### Performance Low VOC Brake Cleaner

Blasts away brake fluid, dirt and contaminants quickly and easily with no residue. Helps stop annoying brake squeal and chatter. Cleans disc and drum assemblies, including springs, rotors and pads. Also works great on your boat trailer!

990A0-04E16-15Z 14 oz. Can 12/Case

### Bond 1207B

1207E is used for sealing crankcases due to its outstanding resistance to heat and oil.

990A0-06E70-03Z 3.5 oz. Tube



### Thread Locks

Prevents nuts and bolts from vibrating loose. Made with the same compounds used to assemble Suzuki Products at the factory. Four strengths for different applications. Easy to use and store in individual 10cc containers with different colors for quick identification.



|                 |                                             |
|-----------------|---------------------------------------------|
| 990A0-06E33-10C | 1333B Medium Strength Bearing and Stud Lock |
| 990A0-06E03-10C | 1303 High Strength Retaining Type           |
| 990A0-06E42-10C | 1342 Low Strength Frequent Repair           |
| 990A0-06E60-10C | 1360 Medium Strength High Temperature Type  |

## MAINTENANCE AND CARE





## Oil Filters

Oil filter part numbers by engine model. Engine oil capacities are for reference only. Please consult your engine owners manual for oil change procedure.

| Models                        | Filter Part Number | Years        | Oil Capacity<br>w/out Filter L/QT | Oil Capacity<br>w/Filter L/QT |
|-------------------------------|--------------------|--------------|-----------------------------------|-------------------------------|
| DF4A/6A                       | 16510-16H11        | 2017-Current | 0.7/0.74                          | 0.7/0.74                      |
| DF9.9T/9.9TH/9.9B/15/15A/20A  | 16510-45H10        | 2011-Current | 1.0/1.1                           | 1.1/1.2                       |
| DF9.9A                        | 16510-05240        | ALL          | 0.8/0.85                          | 0.9/0.95                      |
| DF25/30                       | 16510-87J01        | ALL          | 1.5/1.6                           | 1.6/1.7                       |
| DF25 V-Twin                   | 16510-87J01        | 2006-2010    | 1.5/1.6                           | 1.8/1.9                       |
| DF25A/30A                     | 16510-87J01        | 2015-Current | 1.5/1.6                           | 1.6/1.7                       |
| DF40/50                       | 16510-87J01        | ALL          | 2.2/2.3                           | 2.4/2.5                       |
| DF60/70                       | 16510-87J01        | ALL          | 4.5/4.8                           | 4.8/5.1                       |
| DF40A/50A/60A                 | 16510-87J01        | 2010-Current | 2.7/3.0                           | 2.9/3.2                       |
| DF70A/90A                     | 16510-61A21-MHL    | 2009-2010    | 4.2/4.0                           | 4.4/4.7                       |
| DF70A/90A                     | 16510-61A32        | 2011-Current | 4.2/4.0                           | 4.4/4.7                       |
| DF90/115                      | 16510-61A21-MHL    | 2001-2008    | 5.5/5.8                           | 5.7/6.0                       |
| DF115A/115B/140A/140B/115SS   | 16510-61A32        | 2013-Current | 5.5/5.8                           | 5.7/6.0                       |
| DF140                         | 16510-82703        | 2002-2012    | 5.5/5.8                           | 5.7/6.0                       |
| DF150A/150SS/175A/200SS/200A  | 16510-96J10        | 2016-Current | 8.0/8.5                           | 8.5/9.0                       |
| DF200(V6)/225/250             | 16510-96J10        | ALL          | 8.0/8.5                           | 8.2/8.7                       |
| DF225T/250T/250SS/250AP/300AP | 16510-96J10        | 2011-Current | 8.0/8.5                           | 8.2/8.7                       |
| DF300B/350A/300BMD/350AMD     | 16510-96J10        | 2017-Current | 7.8/8.2                           | 8.0/8.5                       |

## Marine Maintenance Kits

Suzuki Genuine Parts & Accessories is excited to introduce our new Marine Maintenance Kits. These all inclusive kits contain everything necessary for performing the recommended service.

| Models                   | Part Number            | Year            |
|--------------------------|------------------------|-----------------|
| DF2.5                    | 17400-97820            | 2006-2011       |
| DF2.5                    | 17400-97810            | 2012-Current    |
| DF4/6                    | 17400-91860            | 2002-2010       |
| DF4/6                    | 17400-91830            | 2011-2016       |
| DF4A/6A                  | 17400-91891            | 2017-Current    |
| DF9.9A                   | 17400-99840            | 2010-Current    |
| DF9.9/15                 | 17400-94810            | 2011-2013       |
| DF9.9B/15A/20A           | 17400-89812            | 2013-Current    |
| DF25/30                  | 17400-89822            | 2001-2010       |
| DF25 V-Twin              | 17400-95872            | 2006-2010       |
| DF25A/30A                | 17400-94824            | 2015-Current    |
| DF40/50                  | 17400-87822            | Late 2006-2010  |
| DF60                     | 17400-99852            | Late 2009 Only  |
| DF60/70                  | 17400-99871            | 2007 Only       |
| DF60/70                  | 17400-99861            | 2008-Early 2009 |
| DF40A/50A/60A            | 17400-88812            | 2010-Current    |
| DF50AV/60AV              | 17400-88822            | 2014-Current    |
| DF70A/80A/90A            | 17400-87813            | 2009-Current    |
| DF115                    | 17400-92841            | 2010-2012       |
| DF140                    | 17400-92851            | 2010-2012       |
| DF115A/140A/115SS        | 17400-92823            | 2013-Current    |
| DF150/175/150SS          | 17400-96824            | 2006-Current    |
| DF150A/175A/200A         | 17400-96833            | 2016-Current    |
| DF200/225/250 - V6       | 17400-93855            | 2011-Current    |
| DF250AP/300A/300AP/250SS | 17400-98865            | 2011-Current    |
| DF300B/350A              | 17400-98873            | 2017-Current    |
| Kit Contents*            | Oil Filter             |                 |
|                          | Spark Plugs            |                 |
|                          | Water Pump Kit         |                 |
|                          | Fuel Filter            |                 |
|                          | Water Pump Case Sleeve |                 |
|                          | Anodes                 |                 |
|                          | Cotter Pin             |                 |
|                          | Gaskets                |                 |
|                          | O-Ring                 |                 |

\*Kit Contents will vary slightly. See pages 78-79 for specific kit contents.

## Recommended Oil Change Periods

|                              |                        |                                  |
|------------------------------|------------------------|----------------------------------|
| 1st 20 hours<br>Oil & Filter | Every 100 hours<br>Oil | Every 200 hours<br>Oil & Filters |
|------------------------------|------------------------|----------------------------------|

## Oil Change Necessities/Oil Drain Plug Gasket

| Engine Model                         | Drain Plug  | Drain Plug Gasket |
|--------------------------------------|-------------|-------------------|
| DF2.5                                | 09248-10008 | 09168-10022       |
| DF4/6                                | 09248-10008 | 09168-10022       |
| DF4A/6A                              | 09248-12009 | 09168-12017       |
| DF9.9A                               | 09248-12009 | 09168-12017       |
| DF9.9B/15A/20A                       | 09248-12009 | 09168-12017       |
| DF25/25 V-Twin/30                    | 09248-12009 | 09168-12012       |
| DF25A/30A                            | 09248-12009 | 09168-12017       |
| DF40/50                              | 09248-12009 | 09168-12012       |
| DF40A/50A/60A                        | 09248-12009 | 09168-12012       |
| DF60/70                              | 09248-12009 | 09168-12012       |
| DF70A/90A                            | 09248-12009 | 09168-12012       |
| DF90/115/115A/140/140A               | 09248-12009 | 09168-12012       |
| DF150/150A/175/175A/200A             | 09248-12009 | 09168-12012       |
| All V6 Models (Includes DF300B/350A) | 09248-12009 | 09168-12012       |

## Bulk Oil Filters

All Bulk Packs contain 24 oil filters. They are not individually wrapped. Only meant for service departments, not resale.

| Bulk Pack Part Number | Oil Filter Part Number |
|-----------------------|------------------------|
| 16510-61A31           | 16510-61831-B24        |
| 16510-82703           | 16510-82803-B24        |
| 16510-87J01           | 16510-87801-B24        |
| 16510-96J10           | 16510-96801-B24        |



# MAINTENANCE AND CARE



## Flush Hose Attachment

See Owners Manual or Service Manual on how to use the flush attachments.

55181-95200

All 2-Stroke Models  
DF4 thru DF15 4-Stroke Models



## Suzuki Super Grease

Multi-purpose, lithium grease is heat and water resistant, anti-wear.

99000-25480



## Water Resistant Grease

Use on oil seal lips, links and joints of the engine that are below the waterline.

99000-25520

8.8 oz. Tube



## Silicone Seal

A clear adhesive sealer with a silicone base.

93691-80030

3.5 oz. Tube

## Spark Plugs

| Models         | Part Number | Models       | Spark Plug | Models              | Part Number | Models       | Spark Plug |
|----------------|-------------|--------------|------------|---------------------|-------------|--------------|------------|
| DF2.5          | 09482-00406 | ALL          | CR6H5A     | DF40/50             | 09482-00446 | ALL          | DCPR6E     |
| DF4/6          | 09482-00299 | 2003-2010    | BPR6ES     | DF60/70             | 09482-00299 | ALL          | BPR6ES     |
| DF4/6          | 09482-00L04 | 2011-2016    | CPR6EA-9   | DF40A/50A/60A       | 09482-00446 | 2010-Current | DCPR6E     |
| DF4A/6A        | 09482-00L04 | 2017-Current | CPR6EA-9   | DF70A/90A           | 09482-00446 | ALL          | DCPR6E     |
| DF9.9/15       | 09482-00446 | 1996-2003    | DCPR6E     | DF90, ALL DF115/140 | 09482-00427 | ALL          | BK6RE      |
| DF9.9/15       | 09482-00427 | 2004-2011    | BKR6E      | DF115BSS/115B/140B  | 09482-00649 | 2022-Current | LK6RE      |
| DF9.9A         | 09482-00528 | ALL          | CR6E       | DF150/175           | 09482-00427 | 2006-2018    | BK6RE      |
| DF9.9B/15A/20A | 09482-00L04 | 2013-2017    | CPR6EA-9   | DF150A/175A/200A    | 09482-00649 | 2019-Current | LK6RE      |
| DF9.9B/15A/20A | 09482-00661 | 2018-Current | MR6K-9     | DF150AP/175AP/200AP | 09482-00649 | ALL          | LK6RE      |
| DF25 V-Twin    | 09482-00427 | 2006-2010    | BKR6E      | DF200(V6)/225/250   | 09482-00427 | ALL          | BK6RE      |
| DF25/30        | 09482-00446 | ALL          | DCPR6E     | DF250SS             | 09482-00427 | ALL          | BK6RE      |
| DF25A/30A      | 09482-00L04 | 2015-2018    | CPR6EA-9   | DF300/300A          | 09482-00427 | ALL          | BK6RE      |
| DF25A/30A      | 09482-00661 | 2019-Current | MR6K-9     | DF300B/350A         | 09482-00642 | ALL          | ILZKR7D3   |

## Lower Unit Drain Plug Gaskets

| Models      | Part Number                 |
|-------------|-----------------------------|
| 59178-97J00 | DF25A/30A                   |
| 09168-10022 | DF40-140B (excluding 70/90) |
| 09168-10038 | DF70A-90A, DF150-300A       |



## Touch-Up Paint

If you need touch-up paint for your outboard, please visit [www.colorrite.com](http://www.colorrite.com).

| Black Outboards                | Code |
|--------------------------------|------|
| Shadow Black Metallic          | OEP  |
| Nebular Black                  | YAY  |
| Metallic Matte Black           | YKV  |
| White Outboards                | Code |
| Super Cool White               | QTN  |
| Cool White                     | Y5S  |
| Pearl Anniversary White        | QUA  |
| Other                          | Code |
| 2 Stroke Charcoal              | OED  |
| Warm Silver - DF300B/350A Trim | 20H  |



# ENGINE COVERS



## Engine Covers

Custom-fit Engine Covers feature Sunbrella® UV resistant, water-repellent fabric and silk screened Suzuki graphics. Sunbrella is a registered trademark of Glen Raven, Inc.

| New Part Number | For                 | Application            |
|-----------------|---------------------|------------------------|
| 990C0-65012     | DF2.5               | All Model years        |
| 990C0-65013     | DF4A/6A             | All Model years        |
| 990C0-65022     | DF9.9A/9.9B/15A/20A | 2012 - Current         |
| 990C0-65023     | DF25A/30A           | All Model years        |
| 990C0-65024     | DF40A/50A/60A       | 2011 - Current         |
| 990C0-65001     | DF40/50             | 2010 and prior         |
| 990C0-65026     | DF70A/90A           | 2009 - Current         |
| 990C0-65027     | DF115A/140A         | 2012 - Current         |
| 990C0-65004     | DF140               | 2002 - 2011            |
| 990C0-65028     | DF115BG/140BG       | All Model years        |
| 990C0-65030     | DF150/175           | 2006 - Current         |
| 990C0-65031     | DF150AP/175AP/200A  | Will not fit DF150/175 |
| 990C0-65032     | DF225/250/250T      | Will not fit DF250AP   |
| 990C0-65033     | DF250AP/300/300AP   | All Model years        |
| 990C0-65034     | DF300B/350A         | All Model years        |





## Splash Covers

Suzuki vented Splash Covers are custom made, tight-fitting covers that are designed to protect the outboard engine cowlings and decals from sun, spray, salt, birds, errant fish hooks, and anything else that can compromise the factory finish while the engine is running. The Polysoft II fabric is a breathable, marine grade fabric that is 95% waterproof and 5% breathable which ensures that moisture will not be trapped under the cover. This 100% woven polyester fabric is UV stabilized to resist fading and rotting. The soft non-woven lining will not scuff or damage your cowlings when installed. Splash Covers are easy to clean and will be sure to turn heads! Please note: all engine covers 150hp and up will have gray graphics, while all engine covers 140hp and below (including DF4/6 carry bag) will have red graphics.

### Gray Graphics-Black Cover

|                 |                        |
|-----------------|------------------------|
| 990C0-66000-BLK | DF150SS/150/175        |
| 990C0-66002-BLK | DF150A/175A/200SS/200A |
| 990C0-66003-BLK | DF250AP/300AP          |
| 990C0-66005-BLK | DF300B                 |
| 990C0-66004-BLK | DF350A                 |

### Gray Graphics-White Cover

|                 |        |
|-----------------|--------|
| 990C0-66005-WHT | DF300B |
| 990C0-66004-WHT | DF350A |

### Red Graphics-Black Cover

|                 |                       |
|-----------------|-----------------------|
| 990C0-67000-BLK | Carry bag for DF4A/6A |
| 990C0-67001-BLK | DF90/115              |
| 990C0-67002-BLK | DF115SS/115A/140A     |
| 990C0-67003-BLK | DF140                 |
| 990C0-66001-BLK | DF225/250 - V6        |

# MARINE STYLE



**SUZUKI APPAREL LINEUP**



## CASUAL BOATING APPAREL



### Men's Packable Rain Jacket

Huk 100% Water proof 100% wind proof quick drying breathability

|                |                                   |
|----------------|-----------------------------------|
| 990C0-15000-__ | Black                             |
|                | XSM, SML, MED, LRG, 1XL, 2XL, 3XL |



### Men's Black 1/4 Zip Pullover-Fleece

Huk Designed with anti-microbial treatment that inhibits and kills the growth of odor causing microorganisms

|                |                                   |
|----------------|-----------------------------------|
| 990C0-15001-__ | Black                             |
|                | XSM, SML, MED, LRG, 1XL, 2XL, 3XL |



### Men's Black Polo

Huk Performance Polo 90% Polyester 10% spandex

|                |                                   |
|----------------|-----------------------------------|
| 990C0-18001-__ | Black                             |
|                | XSM, SML, MED, LRG, 1XL, 2XL, 3XL |



### Men's White/Gray Lowpro Raglan Long Sleeve

Huk Long Sleeve performance fabric sun blocking +30 UPF, 60% polyester 10% spandex

|                |                                   |
|----------------|-----------------------------------|
| 990C0-16100-__ | White/Gray                        |
|                | XSM, SML, MED, LRG, 1XL, 2XL, 3XL |



### Men's Black/Gray Lowpro Raglan Long Sleeve

Huk Long Sleeve performance fabric sun blocking +30 UPF, 90% polyester 10% spandex

|                |                                   |
|----------------|-----------------------------------|
| 990C0-16101-__ | Black/Gray                        |
|                | XSM, SML, MED, LRG, 1XL, 2XL, 3XL |



### Women's Black Icon Long Sleeve Hoodie

Huk Long Sleeve Hoodie I.C.E. Technology anti-microbial sun blocking +30 UPF, 100% polyester

|                |                                   |
|----------------|-----------------------------------|
| 990C0-13000-__ | Black                             |
|                | XSM, SML, MED, LRG, 1XL, 2XL, 3XL |



### Women's Black Icon Long Sleeve

Huk Long Sleeve I.C.E. Technology anti-microbial sun blocking +30 UPF, 100% polyester

|                |                                   |
|----------------|-----------------------------------|
| 990C0-16102-__ | Black                             |
|                | XSM, SML, MED, LRG, 1XL, 2XL, 3XL |



### Black Trucker Hat

Huk mesh snap-back trucker cap

|             |                    |
|-------------|--------------------|
| 990C0-17200 | Black              |
|             | One Size Fits Most |



### White Trucker Hat

Huk mesh snap-back trucker cap

|             |                    |
|-------------|--------------------|
| 990C0-17201 | White              |
|             | One Size Fits Most |

## NEW HUK CO-BRANDED APPAREL



### Suzuki Icon X Hoodie

Lightweight, moisture-wicking, flexible 90% polyester/10% spandex. The 100% polyester mesh panels on the sides enhance breathability.

|                |                                   |
|----------------|-----------------------------------|
| 990C0-13001-__ | Erie                              |
|                | XSM, SML, MED, LRG, 1XL, 2XL, 3XL |



### Suzuki Icon Camo Long Sleeve

Lightweight, moisture-wicking, flexible 90% polyester/10% spandex. The 100% polyester mesh panels on the sides enhance breathability.

|                |                                   |
|----------------|-----------------------------------|
| 990C0-16103-__ | Northdrop                         |
|                | XSM, SML, MED, LRG, 1XL, 2XL, 3XL |



### Suzuki Icon Short Sleeve

Lightweight, moisture-wicking, flexible 90% polyester/10% spandex. The 100% polyester mesh panels on the sides enhance breathability.

|                |                                   |
|----------------|-----------------------------------|
| 990C0-16200-__ | Carolina Blue                     |
|                | XSM, SML, MED, LRG, 1XL, 2XL, 3XL |



REVERSE

### Suzuki Americana Tee

The most comfortable tee on and off the water. 56% Cotton / 44% Polyester.

|                |                                   |
|----------------|-----------------------------------|
| 990C0-16275-__ | Dark Blue                         |
|                | XSM, SML, MED, LRG, 1XL, 2XL, 3XL |



REVERSE

### Suzuki Tuna Flag Tee

The most comfortable tee on and off the water. 56% Cotton / 44% Polyester.

|                |                                   |
|----------------|-----------------------------------|
| 990C0-16276-__ | Gray                              |
|                | XSM, SML, MED, LRG, 1XL, 2XL, 3XL |



### Men's Black Next Level Shorts

Huk performance shorts are anti-microbial, offer sun protection, and breathability. 55% cotton, 35% polyester, 10% spandex.

|                |                              |
|----------------|------------------------------|
| 990C0-11000-__ | Black                        |
|                | SML, MED, LRG, 1XL, 2XL, 3XL |



### Men's Gray Next Level Shorts

Huk performance shorts are anti-microbial, offer sun protection, and breathability. 55% cotton, 35% polyester, 10% spandex.

|                |                              |
|----------------|------------------------------|
| 990C0-11001-__ | Gray                         |
|                | SML, MED, LRG, 1XL, 2XL, 3XL |

# MARINE STYLE



## Vintage Trucker

The Suzuki Vintage Snap-back Hat features a black snap-back hat with the vintage Suzuki logo screen printed on the front panel. Order in quantities of 3.

|             |                    |
|-------------|--------------------|
| 990A0-17150 | One Size Fits Most |
|-------------|--------------------|

## Suzuki Marine Stretch-Fit Visor

The Stretch-Fit Visor is draped in Suzuki colors and features embroidered logos. This one-size fit most visor has an elastic band. Order in quantities of 3.



990C0-17005

|             |
|-------------|
| White/Black |
| S/M Stretch |



## Suzuki Mark Trucker Hat

This trucker-style hat is gray with a black bill and features a black Suzuki "S" patch sewn onto the front panel.

990A0-17151

|                    |
|--------------------|
| Black/Red Logo     |
| One Size Fits Most |



## Suzuki Sideways Hat

3-D Embroidered Suzuki Logo. Order in quantities of 3.

990A0-17138

|                     |
|---------------------|
| Suzuki Sideways Hat |
| One Size Fits Most  |



## 3D Red "S" Gradation Cap

Flex-Fit X-Cap with 3D Red "S" Logo. Order in quantities of 3.

990A0-17107

|                    |
|--------------------|
| Black/Red Logo     |
| One Size Fits Most |



## 3D Blue "S" Gradation Cap

Flex-Fit X-Cap with 3D Blue "S" Logo. Order in quantities of 3.

990A0-17108

|                    |
|--------------------|
| Black/Blue Logo    |
| One Size Fits Most |



## Women's Suzuki Stripes Tee

Women's crew t-shirt 60% Cotton 40% poly 4.3 oz combed ring-spun screen printed front and sleeve.

990A0-16256-

|                    |
|--------------------|
| Royal Blue         |
| SML, MED, LRG, 1XL |



## Ladies '86

100% Cotton. Tagless neck label. Screen-print on front.

990A0-16224-

|                    |
|--------------------|
| Gray               |
| SML, MED, LRG, 1XL |



### Suzuki Logo Tee

100% Ringspun Cotton. Screen-printed logo on front.

|                |                         |                |                         |
|----------------|-------------------------|----------------|-------------------------|
| 990A0-16242-__ | Blue                    | 990A0-16243-__ | Black                   |
|                | SML, MED, LRG, 1XL, 2XL |                | SML, MED, LRG, 1XL, 2XL |



### Suzuki Ecstar Polo

3.8 oz polyester tricot, snag resistant, moisture wicking, tag free. Features and embroidered Suzuki logo on left chest and ECSTAR® logo on the left sleeve.

|                |               |                              |
|----------------|---------------|------------------------------|
| 990A0-18127-__ | Men's Black   | SML, MED, LRG, 1XL, 2XL, 3XL |
| 990A0-18128-__ | Men's Blue    | SML, MED, LRG, 1XL, 2XL, 3XL |
| 990A0-18129-__ | Men's Gray    | SML, MED, LRG, 1XL, 2XL, 3XL |
| 990A0-18130-__ | Women's Black | SML, MED, LRG, 1XL           |
| 990A0-18131-__ | Women's Blue  | SML, MED, LRG, 1XL           |
| 990A0-18132-__ | Women's Gray  | SML, MED, LRG, 1XL           |

# MARINE STYLE



## Suzuki Big S

Black Men's crew T-shirt, 100% cotton 6 oz. Jersey. Screen printed front, side and sleeve

|                  |                    |
|------------------|--------------------|
| 990A0-16281-_-_- | Black              |
|                  | MED, LRG, 1XL, 2XL |

## Suzuki Wedge

Royal/Heather, Men's 3/4 raglan, 50% poly, 25% cotton, 25% rayon, 4.3 oz, Screen printed front and back

|                  |                    |
|------------------|--------------------|
| 990A0-16290-_-_- | Royal/Heather      |
|                  | MED, LRG, 1XL, 2XL |



## 'S' Bar

The Suzuki S-Bar T-Shirt features a charcoal T-Shirt, with the Suzuki "S" screen printed on the chest. Suzuki logotype is printed on the bottom.

|                  |                    |
|------------------|--------------------|
| 990A0-16247-_-_- | Gray               |
|                  | MED, LRG, 1XL, 2XL |

## Sun

Navy premium soft cotton T-Shirt with graphics screen printed on the front.

|                  |                    |
|------------------|--------------------|
| 990A0-16246-_-_- | Navy               |
|                  | MED, LRG, 1XL, 2XL |





## Mechanics Shirts

65% Polyester, 35% Cotton. Features the SUZUKI logo embroidered on the left chest and Suzuki 'S' on right sleeve.

|                  |                                   |
|------------------|-----------------------------------|
| 990A0-18112-_-_- | Navy                              |
|                  | SML, MED, LRG, 1XL, 2XL, 3XL, 4XL |
| 990A0-18113-_-_- | Charcoal                          |
|                  | SML, MED, LRG, 1XL, 2XL, 4XL      |



# MARINE STYLE



## Hat Black

100% cotton twill with polymesh back

990A0-17160 Black

## Beanie Black

100% Acrylic knit.

990A0-17181 Black



## Beanie Gray

100% Acrylic knit.

990A0-17180 Gray



## Suzuki Nested Logo Tee

60% cotton-40% polyester knit blend.

990A0-16265-\_\_\_  
Black  
SML, MED, LRG, 1XL, 2XL



## Suzuki Center Red "S" Tee

60% cotton-40% polyester knit blend.

990A0-16266-\_\_\_  
Gray  
SML, MED, LRG, 1XL, 2XL



## Suzuki Team

Royal Men's crew T-shirt, 100% cotton 6 oz. Jersey screen printed front, side and sleeve

990A0-16280-\_\_\_  
Royal  
MED, LRG, 1XL, 2XL



### Suzuki Soft Shell Jacket

Navy Soft-Shell Jacket, 100% Polyester water resistant, micro fleece lining, scuba hood, media pocket, chest print and sleeve patch

|                |                    |
|----------------|--------------------|
| 990A0-15101-__ | Navy               |
|                | MED, LRG, 1XL, 2XL |



### Suzuki Logo

Black hooded pullover sweatshirt, 80% cotton 20% poly, 7 Oz. Mid-weight fleece, screen printed graphics

|                |                    |
|----------------|--------------------|
| 990A0-15104-__ | Black              |
|                | MED, LRG, 1XL, 2XL |



### Sublimated Polo Dark Gray

100% performance knit polyester.

|                |                              |
|----------------|------------------------------|
| 990A0-18134-__ | Gray                         |
|                | SML, MED, LRG, 1XL, 2XL, 3XL |



### Logo Polo Black

100% performance knit polyester.

|                |                              |
|----------------|------------------------------|
| 990A0-18135-__ | Black                        |
|                | SML, MED, LRG, 1XL, 2XL, 3XL |



### Suzuki UPF Sun Shirt Gray

100% performance knit polyester.

|                |                         |
|----------------|-------------------------|
| 990A0-16267-__ | Gray                    |
|                | SML, MED, LRG, 1XL, 2XL |



### Softshell Jacket

100% polyester bonded waterproof shell.

|                |                    |
|----------------|--------------------|
| 990A0-15100-__ | Black              |
|                | MED, LRG, 1XL, 2XL |

# GIFTS AND COLLECTIBLES



## Suzuki Key Fobs

Made of flexible rubber, Key Fob features the Suzuki Corporate Logo. Dealers order in packs of 3.

|             |                 |
|-------------|-----------------|
| 990A0-19113 | Suzuki 'S' Logo |
| 990A0-19112 | Suzuki Logo     |

## Suzuki Coffee Mug

This 16 oz Mug features an extra large comfort-grip handle.

990A0-99184



## Suzuki Umbrella

Protect yourself from the weather with a Suzuki Umbrella.

990A0-99178



## Suzuki Logo Can Koozie

Keep your favorite drink cold in this Suzuki Can Koozie! Sublimated Suzuki Logo resists fading or chipping.

990A0-19206



### Suzuki Shelter

Protect yourself and your gear from the elements while outside. These canopies feature durable canvas covers, aluminum frames, and silk screened Suzuki branding. When you're ready to pack it up for the day, simply fold it down and store them in their own canvas carrying case.

990A0-99279



### Suzuki Tables

Perfect for any garage or shop, Suzuki branded tables feature chrome plated steel tubing and melamine coated tops.

|             |                   |
|-------------|-------------------|
| 990A0-96383 | Suzuki Logo Table |
| 990A0-99387 | Ecstar Logo Table |



### Suzuki Stools

Dress up your garage or shop with these comfortable padded stools. Each stool is covered in an easy to clean vinyl material and features Suzuki branding and are constructed using chrome plated steel tubing.

|             |                   |
|-------------|-------------------|
| 990A0-95525 | Suzuki Logo Stool |
| 990A0-95529 | Ecstar Logo Stool |



### Garage & Shop Mats

Light and strong 100% olefin carpet pile with non-skid vinyl backing and 1-inch tapered border. 36 inch x 64 inch

|             |                 |
|-------------|-----------------|
| 990A0-95535 | Suzuki Logo Mat |
| 990A0-95539 | Ecstar Logo Mat |

# GIFTS AND COLLECTIBLES



**SUZUKI**



**SUZUKI**

## Suzuki Logo Die-Cut Decals

Thermal die-cut vinyl Official Suzuki Logo available in sizes from 4" to 20". Dealers order in packs of 5.

|                 |             |     |
|-----------------|-------------|-----|
| 99150-19245-MED | Suzuki Logo | 12" |
| 99950-19245-LRG | Suzuki Logo | 20" |



## Suzuki Merchandise Bags

Available in your choice of paper or plastic with Suzuki graphics in 500 piece packages.

|             |         |               |
|-------------|---------|---------------|
| 99950-19371 | Paper   | 12" H x 6" W  |
| 99950-19372 | Plastic | 13" H x 12" W |

### Suzuki String Pennant

50 foot String Pennants are made with a durable 4mm vinyl.

|                 |                    |
|-----------------|--------------------|
| 990A0-99303-WHT | 50' String Pennant |
|-----------------|--------------------|



### Vinyl Banners

Suzuki banners are a great way to increase the presence of Suzuki in and outside of your dealership. They are also great for events.

|                 |                 |
|-----------------|-----------------|
| 990A0-99301-WHT | 4' x 20'        |
| 990A0-99302-WHT | 3' x 10' Banner |



### Suzuki Logo Decals

Suzuki Decals are made with durable 15 mil, UV resistant coated vinyl decals. All Decals are sold in QTYs of 1.

|                 |     |
|-----------------|-----|
| 990A0-99290-006 | 6"  |
| 990A0-99290-012 | 12" |
| 990A0-99290-024 | 24" |
| 990A0-99290-048 | 48" |

# APPLICATION CHART



## DF9.9/15 (1996 - 2009)

|                              |                         |                                  |
|------------------------------|-------------------------|----------------------------------|
| Side Mount Control Box       | <b>67200-91J32</b>      | '05 - Current                    |
| Remote Control Attaching Kit | <b>67130-94J12</b>      | '05 - Current                    |
| Remote Control Cables        | <b>990K0-11002-0XX*</b> | 2 req'd                          |
| Harness, Remote Control      | <b>36630-89E02***</b>   | '96 - '04                        |
| Main Harness                 | <b>36620-89L00</b>      | '05 - Current                    |
| Water Pump Repair Kit        | <b>17400-93951</b>      | '96 - '06                        |
|                              | <b>17400-94J00</b>      | '07 - Current                    |
| Steering Bracket Attachment  | <b>67710-93E00</b>      |                                  |
| Tilt-Tube Attachment         | <b>41111-89E00</b>      |                                  |
| Rectifier Set                | <b>32840-95D02</b>      | '96 - '04                        |
|                              | <b>32810-94J11</b>      | '05 - Current                    |
| Rectifier Regulator          | <b>32811-94J01</b>      | '05 - Current                    |
| Battery Charging Kit         | <b>32010-94J02</b>      | '05 - Current                    |
| Choke Solenoid               | <b>38610-93E00</b>      | '96 - '04                        |
| Bolts                        | <b>01510-06167</b>      | 2 req'd                          |
|                              | <b>31141-95D20-0EP</b>  | '96 - '03                        |
| Starter Motor Set            | <b>31140-94J22</b>      | '05 - Current                    |
| Stator, 120W                 | <b>32110-94J10</b>      | '06 - Current                    |
| Flywheel, Ring Gear Type     | <b>32112-94J10</b>      | '05 - Current                    |
| Propeller Hardware Kit       | <b>57630-93900</b>      |                                  |
| Drag Link Assembly           | <b>67711-93E12</b>      | '97 - Current                    |
| Spark Plug                   | DCPR6E                  | <b>09412-00446</b> up to '04     |
|                              | BKR6E                   | <b>09412-00427</b> '04 - Current |
|                              | CPR6-EA-9               | <b>09412-00L04</b> '11 - Current |
| Oil Filter                   | DF9.9/15                | <b>16510-05240</b> '96 - Current |
|                              | DF9.9T/15               | <b>16510-45H10</b> '11 - Current |



## DF4/6A (2017 - Current)

|                              |                    |
|------------------------------|--------------------|
| Side Mount Control Box       | <b>67200-91J32</b> |
| Remote Control Attaching Kit | <b>67101-97L01</b> |
| Battery Charging Kit         | <b>32000-97L10</b> |
| Spark Plug (CPR6E-9)         | <b>09482-00L04</b> |
| Water Pump Repair Kit        | <b>17400-986L2</b> |
| Oil Filter                   | <b>16510-16H11</b> |
| Maintenance Kit              | <b>17400-91891</b> |
| Flush Hose Attachment        | <b>55181-95200</b> |



## DF9.9A (2010 - 2012)

|                              |                    |               |
|------------------------------|--------------------|---------------|
| Side Mount Control Box       | <b>67200-91J32</b> |               |
| Remote Control Attaching Kit | <b>67130-99J02</b> |               |
| Water Pump Repair Kit        | <b>17400-99J02</b> |               |
| Electric Starter Set         | <b>31000-99J00</b> |               |
| Battery Charging Kit         | <b>32000-99J00</b> |               |
| Oil Filter                   | <b>16510-05240</b> | '10           |
|                              | <b>16510-45H10</b> | '11 - Current |
| Drag Link                    | <b>67701-99J02</b> |               |
| Propeller Hardware Kit       | <b>57630-99J00</b> |               |
| Spark Plug CR6E              | <b>09482-00528</b> |               |

\*Clamp Bracket Set 41100-99J00-0EP required to install.




## DF9.9B/15A/20A (2013 - Current)

|                                        |                  |                               |
|----------------------------------------|------------------|-------------------------------|
| Side Mount Control Box                 | 67200-94J33      | w/ Warning Buzzer, no PTT     |
| Side Mount Control Box                 | 67200-93J62      | w/ P/T Switch, up to 2021     |
| Side Mount Control Box                 | 67200-93J70      | w/ P/T Switch, 2022 - Current |
| Remote Control Mounting Kit            | 67130-89L22      |                               |
| Remote Control Cables                  | 990C0-11002-0XX* |                               |
| Single Binnacle                        | 67200-88L01      |                               |
| Flush Mount Remote Control             | 67200-93J34      |                               |
| Wire Harness 21'                       | 36620-89L10      |                               |
| Modular Ignition Panel                 | 37803-98L00      |                               |
| Single Vertical Ign. Sw. Panel Assy.   | 37100-98L10      |                               |
| Single Horizontal Ign. Sw. Panel Assy. | 37100-98L20      |                               |
| Warning Buzzer                         | 38500-93J90      |                               |
| Emergency Stop Assy.                   | 37803-98L00      |                               |
| Drag Link Kit                          | 67701-99J02      |                               |
| Propeller Hardware Kit                 | 57630-93900      |                               |
| Water Pump Repair Kit                  | 17400-99J20      |                               |
| Maintenance Kit                        | 17400-89812      |                               |
| Spark Plug CPR6EA-9                    | 09482-00L04      | 2012-2017                     |
| Spark Plug MR6K-9                      | 09482-00661      | 2018-Current                  |
| Oil Filter                             | 16510-45H10      |                               |

## DF25A/30A (2015 - Current)

|                              |                  |        |
|------------------------------|------------------|--------|
| Side Mount Control Box       | 67200-91J32      |        |
| Single Binnacle Kit          | 67000-88L03      |        |
| Flush Mount Kit              | 67000-93JN0      |        |
| Remote Control Attaching Kit | 67130-95J04      |        |
| Remote Control Cables        | 990C0-11002-0XX* | 2req'd |
| Single Binnacle              | 67200-88L01      |        |
| Dual Binnacle                | 67200-88L11      |        |
| Flush Mount                  | 67200-93J34      |        |
| Wire Harness 16'             | 36620-93J54      |        |
| Wire Harness 21'             | 36620-93J04      |        |
| Wire Harness 26'             | 36620-93J64      |        |
| Ignition Sw. Panel Assy.     | 37100-96J01      |        |
| Ing. Sw. Emg. Stop/Buzzer    | 37100-96J27      |        |
| Warning Buzzer               | 38500-92X52      |        |
| Emergency Stop Assy.         | 37803-93J06      |        |
| Water Pump Repair Kit        | 17400-95J03      |        |
| Drag Link Kit                | 67700-95J01      |        |
| Propeller Hardware Kit       | 57630-96300      |        |
| Spark Plug BKR6E             | 09482-00427      |        |



### Specific Application Notes:

\* Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

\*\* Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

\*\*\* Under-Hood Electric Start Harness

# APPLICATION CHART



## DF70A/75A/90A (2009 - Current)

|                             |                    |               |
|-----------------------------|--------------------|---------------|
| Side Mount Control Box      | 67200-93J62        |               |
| Single Binnacle Kit         | 67000-88L03        |               |
| Dual Binnacle Kit           | 67000-88L13        |               |
| Flush Mount Kit             | 67000-93JN0        |               |
| Remote Control Cables       | 990C0-11002-0XX*   | 2 req'd       |
| Single Binnacle             | 67200-88L01        |               |
| Dual Binnacle               | 67200-88L11        |               |
| Flush Mount                 | 67200-93J34        |               |
| Wire Harness 16'            | 36620-93J54        |               |
| Wire Harness 21'            | 36620-93J04        |               |
| Wire Harness 26'            | 36620-93J64        |               |
| Power Trim/Tilt Sw.         | 37805-93J00        |               |
| Ignition Sw. Panel Assy.    | 37100-96J01        |               |
| Dual Ign. Sw. Panel Assy    | 37100-96J17        |               |
| Ing. Sw. Emg. Stop/Buzzer   | 37100-96J27        |               |
| Warning Buzzer              | 38500-92X52        |               |
| Emergency Stop Assy.        | 37803-93J06        |               |
| Dual Engine Tie Bar         | 990C0-10006        |               |
| Water Pump Repair Kit       | 17400-87L04        |               |
| Tiller Handle Kit           | 63002-87L09-0EP    | *09 - Current |
| Tiller Handle Kit with Tach | 63002-87L18-YAY    |               |
| Drag Link Kit               | 67701-87L01        |               |
| Propeller Hardware Kit      | 57630-90J00        |               |
| Spark Plug                  | DCPR6E 09482-00446 |               |

## DF40A/50A/50AV/60A/60AV (\*10 - Current)

|                             |                    |             |
|-----------------------------|--------------------|-------------|
| Side Mount Control Box      | 67200-93J62        |             |
| Single Binnacle Kit         | 67000-88L03        |             |
| Dual Binnacle Kit           | 67000-88L13        |             |
| Flush Mount Kit             | 67000-93JN0        |             |
| Remote Control Cables       | 990C0-11002-0XX*   | 2 req'd     |
| Single Binnacle             | 67200-88L01        |             |
| Dual Binnacle               | 67200-88L11        |             |
| Flush Mount                 | 67200-93J34        |             |
| Wire Harness 16'            | 36620-93J54        |             |
| Wire Harness 21'            | 36620-93J04        |             |
| Wire Harness 26'            | 36620-93J64        |             |
| Power Trim/Tilt Sw.         | 37805-93J00        |             |
| Ignition Sw. Panel Assy.    | 37100-96J01        |             |
| Dual Ign. Sw. Panel Assy    | 37100-96J17        |             |
| Ing. Sw. Emg. Stop/Buzzer   | 37100-96J27        |             |
| Warning Buzzer              | 38500-92X52        |             |
| Emergency Stop Assy.        | 37803-93J06        |             |
| Dual Engine Tie Bar         | 990C0-10006        |             |
| Steering Tensioner          | 43770-99E03        |             |
| Water Pump Repair Kit       | 17400-88L00        |             |
| Tiller Handle Kit           | 63002-88L33-0EP    |             |
| Tiller Handle Kit with Tach | 63002-88L29-YAY    | DF40A/50A   |
|                             | 63002-88L18-YAY    | DF60A       |
| Drag Link Kit               | 67701-87J11        |             |
| Propeller Hardware Kit      | 57630-94301        |             |
|                             | 57630-90J00        | DF50AV/60AV |
| Spark Plug                  | DCPR6E 09482-00446 |             |

## DF115B/140B

|                                        |                  |         |
|----------------------------------------|------------------|---------|
| Side Mount Control Box                 | 67200-93J34      |         |
| Remote Control Cables                  | 990C0-11002-0XX* | 2 Req'd |
| Single Binnacle                        | 67200-88L01      |         |
| Dual Binnacle                          | 67200-88L11      |         |
| Flush Mount Remote Control             | 67200-93J34      |         |
| Wire Harness 16'                       | 36620-93J80      |         |
| Wire Harness 21'                       | 36620-93J70      |         |
| Wire Harness 26'                       | 36620-93J90      |         |
| Power Trim/Tilt Switch                 | 37805-88L00      |         |
| Modular Ignition Panel                 | 37100-98L00      |         |
| Dual Ign. Sw. Panel Assy.              | 37100-98L30      |         |
| Single Vertical Ign. Sw. Panel Assy.   | 37100-98L10      |         |
| Single Horizontal Ign. Sw. Panel Assy. | 37100-98L20      |         |
| Troll Mode Switch Panel                | 37860-98L00      |         |
| Warning Buzzer                         | 38500-93J90      |         |
| Emergency Stop Assy.                   | 37803-98L00      |         |
| Drag Link Kit                          | 67701-90J01      |         |
| Propeller Hardware Kit                 | 57630-90J00      |         |
| Water Pump Repair Kit                  | 17400-92J23      |         |
| Spark Plug LK6E                        | 09482-00649      |         |
| Oil Filter                             | 16510-61A32      |         |

## DF115A/140A/115SS (2013-2022)

|                                        |                  |         |
|----------------------------------------|------------------|---------|
| Flush Mount Control Box                | 67200-93J34      |         |
| Remote Control Cables                  | 990C0-11002-0XX* | 2 Req'd |
| Single Binnacle                        | 67200-88L01      |         |
| Dual Binnacle                          | 67200-88L11      |         |
| Flush Mount Remote Control             | 67200-93J34      |         |
| Wire Harness 16'                       | 36620-93J80      |         |
| Wire Harness 21'                       | 36620-93J70      |         |
| Wire Harness 26'                       | 36620-93J90      |         |
| Power Trim/Tilt Switch                 | 37805-88L00      |         |
| Modular Ignition Panel                 | 37100-98L00      |         |
| Dual Ign. Sw. Panel Assy.              | 37100-98L30      |         |
| Single Vertical Ign. Sw. Panel Assy.   | 37100-98L10      |         |
| Single Horizontal Ign. Sw. Panel Assy. | 37100-98L20      |         |
| Troll Mode Switch Panel                | 37860-98L00      |         |
| Warning Buzzer                         | 38500-93J90      |         |
| Emergency Stop Assy.                   | 37803-98L00      |         |
| Dual Engine Tie Bar                    | 990C0-10006      |         |
| Drag Link Kit                          | 67701-90J01      |         |
| Tiller Handle Kit w/ Tach.             | 63002-90J38-YAY  | DF115A  |
| Propeller Hardware Kit                 | 57630-90J00      |         |
| Maintenance Kit                        | 17400-92822      |         |
| Water Pump Repair Kit                  | 17400-92J23      |         |
| Spark Plug BKR6E                       | 09482-00427      |         |
| Oil Filter                             | 16510-61A32      |         |
| Spark Plug BKR6E                       | 09482-00427      |         |
| Propeller Hardware Kit                 | 57630-90J00      |         |
| Spark Plug BKR6E                       | 09482-00427      |         |

## DF150A/150SS/175A/200A/200SS

|                                        |                  |                  |
|----------------------------------------|------------------|------------------|
| Flush Mount Control Box                | 67200-93J34      |                  |
| Remote Control Cables                  | 990C0-11002-0XX* | 2 Req'd          |
| Single Binnacle                        | 67200-88L01      |                  |
| Dual Binnacle                          | 67200-88L11      |                  |
| Flush Mount Binnacle                   | 67200-93J34      |                  |
| Wire Harness 16'                       | 36620-93J80      |                  |
| Wire Harness 21'                       | 36620-93J70      |                  |
| Wire Harness 26'                       | 36620-93J90      |                  |
| Power Trim/Tilt Switch                 | 37805-88L00      |                  |
| Modular Ignition Panel                 | 37100-98L00      |                  |
| Dual Ign. Sw. Panel Assy.              | 37100-98L30      |                  |
| Single Vertical Ign. Sw. Panel Assy.   | 37100-98L10      |                  |
| Single Horizontal Ign. Sw. Panel Assy. | 37100-98L20      |                  |
| Troll Mode Switch Panel                | 37860-98L00      |                  |
| Warning Buzzer                         | 38500-93J90      |                  |
| Emergency Stop Assy.                   | 37803-98L00      |                  |
| Dual Engine Tie Bar                    | 67600-93J00      |                  |
| Drag Link Kit                          | 67701-96J00      |                  |
| Propeller Hardware Kit (Watergrip)     | 57630-93L00      |                  |
| Propeller Hardware Kit (Non-Watergrip) | 57630-92E00      |                  |
| Maintenance Kit                        | 17400-98833      |                  |
| Water Pump Repair Kit                  | 17400-96J04      | DF150A/175A/200A |
| Spark Plug BK6RE                       | 09482-00427      |                  |
| Spark Plug LK6RE                       | 09482-00649      | 2019 and newer   |
| Oil Filter                             | 16510-96J10      |                  |




### Specific Application Notes:

\* Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

\*\* Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

\*\*\* Under-Hood Electric Start Harness

# APPLICATION CHART



## DF225/250 (2004 - Current)

|                           |                  |         |
|---------------------------|------------------|---------|
| Flush Mount Control Box   | 67200-93J34      |         |
| Remote Control Cables     | 990C0-11002-0XX* | 2 Req'd |
| Single Binnacle           | 67200-88L01      |         |
| Dual Binnacle             | 67200-88L11      |         |
| Flush Mount Binnacle      | 67200-93J34      |         |
| Wire Harness 16'          | 36620-93J80      |         |
| Wire Harness 21'          | 36620-93J70      |         |
| Wire Harness 26'          | 36620-93J90      |         |
| Power Trim/Tilt Switch    | 37805-88L00      |         |
| Modular Ignition Panel    | 37100-98L00      |         |
| Dual Ign. Sw. Panel Assy. | 37100-98L30      |         |

|                                        |             |  |
|----------------------------------------|-------------|--|
| Single Vertical Ign. Sw. Panel Assy.   | 37100-98L10 |  |
| Single Horizontal Ign. Sw. Panel Assy. | 37100-98L20 |  |
| Troll Mode Switch Panel                | 37860-98L00 |  |
| Warning Buzzer                         | 38500-93J90 |  |
| Emergency Stop Assy.                   | 37803-98L00 |  |
| Drag Link Kit                          | 67700-93J00 |  |
| Propeller Hardware Kit (Watergrip)     | 57630-93L00 |  |
| Propeller Hardware Kit (Non-Watergrip) | 57630-92E00 |  |
| Maintenance Kit                        | 17400-93855 |  |
| Water Pump Repair Kit                  | 17400-98J04 |  |
| Spark Plug BK6RE                       | 09482-00427 |  |
| Oil Filter                             | 16510-96J10 |  |



### DF115BG/140BG/150AP/175AP/200AP

|                                        |             |                   |
|----------------------------------------|-------------|-------------------|
| Single Engine Binnacle 1st Station Kit | 67000-98L02 |                   |
| Single Engine Binnacle 2nd Station Kit | 67000-98LA0 |                   |
| Dual Engine First Station Kit          | 67000-98L22 |                   |
| Dual Engine Second Station Kit         | 67000-98LC2 |                   |
| Triple Engine First Station Kit        | 67000-98L32 |                   |
| Triple Engine Second Station Kit       | 67000-98LD1 |                   |
| Quad Engine First Station Kit          | 67000-98L42 |                   |
| Quad Engine Second Station Kit         | 67000-98LE2 |                   |
| Flush Mount First Station Kit          | 67000-98L12 |                   |
| Flush Mount Second Station Kit         | 67000-98LB1 |                   |
| Remote Control Assembly, Single        | 67200-98L00 |                   |
| Remote Control Assembly, Dual          | 67200-98L10 |                   |
| Remote Control Assembly, Flush         | 67200-98L20 |                   |
| Counter Select Connector               | 36612-98J20 |                   |
| Dual Engine Control Panel              | 37120-98L00 |                   |
| Triple Engine Control Panel            | 37120-98L10 |                   |
| Quad. Engine Control Panel, PORT       | 37120-98L20 |                   |
| Quad. Engine Control Panel, STBD.      | 37120-98L30 |                   |
| Vertical Switch Panel                  | 37100-98L10 |                   |
| Horizontal Switch Panel                | 37100-98L20 |                   |
| Modular Ignition Panel                 | 37100-98L00 |                   |
| Emergency Stop Switch                  | 37803-98L00 |                   |
| Troll Mode Switch Panel                | 37860-98L00 |                   |
| Warning Buzzer                         | 38500-93J90 |                   |
| Dual Engine Tie Bar                    | 67600-99L00 | 115BG/140BG       |
| Dual Engine Tie Bar                    | 67600-93J00 | 150AP/175AP/200AP |
| Drag Link Kit                          | 67701-96J00 | 150AP/175AP/200AP |
| Propeller Hardware Kit                 | 57630-90J00 | 115BG/140BG       |
| Propeller Hardware Kit                 | 57630-93L00 | 150AP/175AP/200AP |
| Maintenance Kit                        | 17400-96833 | 150AP/175AP/200AP |
| Spark Plug LK6RE                       | 09482-00649 |                   |
| Oil Filter                             | 16510-61A32 | 115BG/140BG       |
| Oil Filter                             | 16510-96J10 | 150AP/175AP/200AP |

#### Specific Application Notes:

\* Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

\*\* Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

\*\*\* Under-Hood Electric Start Harness

### DF250SS Mechanical (2008 - Current)

|                                        |                  |         |
|----------------------------------------|------------------|---------|
| Flush Mount Control Box                | 67210-93J34      |         |
| Remote Control Cables                  | 99010-11002-0XX* | 2 Req'd |
| Single Binnacle                        | 67210-88L01      |         |
| Dual Binnacle                          | 67210-88L11      |         |
| Flush Mount Binnacle                   | 67210-93J34      |         |
| Wire Harness 16'                       | 36610-93J80      |         |
| Wire Harness 21'                       | 36610-93J70      |         |
| Wire Harness 26'                       | 36610-93J90      |         |
| Power Trim/Tilt Switch                 | 37815-88L00      |         |
| Modular Ignition Panel                 | 37110-98L00      |         |
| Dual Ign. Sw. Panel Assy.              | 37110-98L30      |         |
| Single Vertical Ign. Sw. Panel Assy.   | 37110-98L10      |         |
| Single Horizontal Ign. Sw. Panel Assy. | 37110-98L20      |         |
| Troll Mode Switch Panel                | 37810-98L00      |         |
| Warning Buzzer                         | 38510-93J90      |         |
| Emergency Stop Assy.                   | 37813-98L00      |         |
| Drag Link Kit                          | 67710-93J00      |         |
| Propeller Hardware Kit (Watergrip)     | 57610-93L00      |         |
| Propeller Hardware Kit (Non-Watergrip) | 57610-92E00      |         |
| Maintenance Kit                        | 17410-98865      |         |
| Water Pump Repair Kit                  | 17410-98J04      |         |
| Spark Plug BK6RE                       | 09432-00427      |         |
| Oil Filter                             | 16510-96J10      |         |



# APPLICATION CHART



## DF250AP/300AP

|                                           |             |                                        |             |
|-------------------------------------------|-------------|----------------------------------------|-------------|
| Single Engine Binnacle First Station Kit  | 67000-98L02 | Quad. Engine Control Panel, PORT       | 37120-98L20 |
| Single Engine Binnacle Second Station Kit | 67000-98LA0 | Quad. Engine Control Panel, STBD.      | 37120-98L30 |
| Dual Engine First Station Kit             | 67000-98L22 | Vertical Switch Panel                  | 37100-98L10 |
| Dual Engine Second Station Kit            | 67000-98LC2 | Horizontal Switch Panel                | 37100-98L20 |
| Triple Engine First Station Kit           | 67000-98L32 | Modular Ignition Panel                 | 37100-98L00 |
| Triple Engine Second Station Kit          | 67000-98LD1 | Emergency Stop Switch                  | 37803-98L00 |
| Quad Engine First Station Kit             | 67000-98L42 | Troll Mode Switch Panel                | 37860-98L00 |
| Quad Engine Second Station Kit            | 67000-98LE2 | Warning Buzzer                         | 38500-93.90 |
| Flush Mount First Station Kit             | 67000-98L12 | Drag Link Kit                          | 67700-93.00 |
| Flush Mount Second Station Kit            | 67000-98LB1 | Propeller Hardware Kit (Watergrip)     | 57630-93L00 |
| Remote Control Assembly, Single           | 67200-98L00 | Propeller Hardware Kit (Non-Watergrip) | 57630-92E00 |
| Remote Control Assembly, Dual             | 67200-98L10 | Maintenance Kit                        | 17400-98465 |
| Remote Control Assembly, Flush            | 67200-98L20 | Water Pump Repair Kit                  | 17400-98.04 |
| Counter Select Connector                  | 36612-98J20 | Spark Plug BK6RE                       | 09482-00+27 |
| Dual Engine Control Panel                 | 37120-98L00 | Oil Filter                             | 16510-96.10 |
| Triple Engine Control Panel               | 37120-98L10 |                                        |             |



### DF300B/300BMD/350A/350AMD

|                                           |                    |                                     |                    |
|-------------------------------------------|--------------------|-------------------------------------|--------------------|
| Single Engine Binnacle First Station Kit  | <b>67000-98L02</b> | Triple Engine Control Panel         | <b>37120-98L10</b> |
| Single Engine Binnacle Second Station Kit | <b>67000-98LA0</b> | Quad. Engine Control Panel, PORT    | <b>37120-98L20</b> |
| Dual Engine First Station Kit             | <b>67000-98L22</b> | Quad. Engine Control Panel, STBD.   | <b>37120-98L30</b> |
| Dual Engine Second Station Kit            | <b>67000-98LC2</b> | Vertical Switch Panel               | <b>37100-98L10</b> |
| Triple Engine First Station Kit           | <b>67000-98L32</b> | Horizontal Switch Panel             | <b>37100-98L20</b> |
| Triple Engine Second Station Kit          | <b>67000-98LD1</b> | Modular Ignition Panel              | <b>37100-98L00</b> |
| Quad Engine First Station Kit             | <b>67000-98L42</b> | Emergency Stop Switch               | <b>37803-98L00</b> |
| Quad Engine Second Station Kit            | <b>67000-98LE2</b> | Troll Mode Switch Panel             | <b>37860-98L00</b> |
| Flush Mount First Station Kit             | <b>67000-98L12</b> | Warning Buzzer                      | <b>38500-93J90</b> |
| Flush Mount Second Station Kit            | <b>67000-98LB1</b> | Propeller Hardware Kitn (Front)     | <b>58540-98L01</b> |
| Remote Control Assembly, Single           | <b>67200-98L00</b> | Propeller Hardware Kitn (Rear)      | <b>58640-98L00</b> |
| Remote Control Assembly, Dual             | <b>67200-98L10</b> | Maintenance Kit (2017 - 2022)       | <b>17400-98873</b> |
| Remote Control Assembly, Flush            | <b>67200-98L20</b> | Water Pump Repair Kit (2017 - 2022) | <b>17400-98L02</b> |
| Counter Select Connector                  | <b>36612-98J20</b> | Water Pump Repair Kit (~23 - Newer) | <b>17400-87M00</b> |
| Dual Engine Control Panel                 | <b>37120-98L00</b> | Spark Plug ILZKR7D8                 | <b>09482-00642</b> |
|                                           |                    | Oil Filter                          | <b>16510-96J10</b> |

# MAINTENANCE KITS

SUZUKI highly recommends you to replace your outboard motor with Maintenance Kits every 100 hours or 1 year, whichever comes first.



| Model Year          | Kit Part Number | Part Number | Part Name                  | QTY |
|---------------------|-----------------|-------------|----------------------------|-----|
| DF2.5 '06-'11       | 17400-97820     | 09168-10022 | GASKET (10X17X1.5)         | 1   |
|                     |                 | 09202-02006 | PIN (2.9X14)               | 1   |
|                     |                 | 09204-02001 | PIN                        | 1   |
|                     |                 | 09280-33005 | O RING (D:1.9, ID:32.7)    | 1   |
|                     |                 | 09482-00406 | PLUG, SPARK (CR6HSA)       | 1   |
|                     |                 | 17461-97J00 | IMPELLER, WATER PUMP       | 1   |
|                     |                 | 17471-97J00 | PANEL, PUMP CASE UNDER     | 1   |
|                     |                 | 17472-97J00 | GASKET, PUMP CASE PANEL    | 1   |
|                     |                 | 55321-87J01 | ANODE, PROTECTION          | 1   |
|                     |                 | 59178-97J00 | GASKET, DRAIN PLUG         | 2   |
|                     |                 | 09168-10022 | GASKET (10X17X1.5)         | 1   |
|                     |                 | 09202-02006 | PIN (2.9X14)               | 1   |
| DF2.5 '12-Current   | 17400-97810     | 09204-03003 | PIN                        | 1   |
|                     |                 | 09280-33005 | O RING (D:1.9, ID:32.7)    | 1   |
|                     |                 | 09482-00406 | PLUG, SPARK (CR6HSA)       | 1   |
|                     |                 | 17461-97J00 | IMPELLER, WATER PUMP       | 1   |
|                     |                 | 17471-97J00 | PANEL, PUMP CASE UNDER     | 1   |
|                     |                 | 17472-97J00 | GASKET, PUMP CASE PANEL    | 1   |
|                     |                 | 55321-87J01 | ANODE, PROTECTION          | 1   |
|                     |                 | 59178-97J00 | GASKET, DRAIN PLUG         | 2   |
|                     |                 | 17400-98661 | KIT, WATER PUMP REPAIR     | 1   |
|                     |                 | 09168-10022 | GASKET (10X17X1.5)         | 3   |
|                     |                 | 09204-03003 | PIN                        | 1   |
|                     |                 | 09482-00299 | PLUG, SPARK (8PR6ES)       | 1   |
| DF4/6 '02-'10       | 17400-91860     | 15410-98500 | FILTER, FUEL               | 1   |
|                     |                 | 17412-91J00 | PANEL, WATER PUMP CASE UPR | 1   |
|                     |                 | 17413-91J00 | SLEEVE, WATER PUMP CASE    | 1   |
|                     |                 | 55321-87J01 | ANODE, PROTECTION          | 2   |
|                     |                 | 17400-98661 | KIT, WATER PUMP REPAIR     | 1   |
|                     |                 | 09168-10022 | GASKET (10X17X1.5)         | 3   |
| DF4/6 '11-'16       | 17400-91830     | 09204-03003 | PIN                        | 1   |
|                     |                 | 09482-00L04 | PLUG, SPARK (CPR6EA-9)     | 1   |
|                     |                 | 15410-98500 | FILTER, FUEL               | 1   |
|                     |                 | 17412-91J00 | PANEL, WATER PUMP CASE UPR | 1   |
|                     |                 | 17413-91J00 | SLEEVE, WATER PUMP CASE    | 1   |
|                     |                 | 55321-87J01 | ANODE, PROTECTION          | 2   |
| DF4A/6A '17-Current | 17400-91891     | 17400-98661 | KIT, WATER PUMP REPAIR     | 1   |
|                     |                 | 09168-12017 | GASKET (12X17X1)           | 1   |
|                     |                 | 09204-03003 | PIN                        | 1   |
|                     |                 | 09280-39002 | O RING (D:2, ID:38.5)      | 1   |
|                     |                 | 09482-00L04 | PLUG, SPARK (CPR6EA-9)     | 1   |
|                     |                 | 16510-16H11 | FILTER, ENGINE OIL         | 1   |
|                     |                 | 17412-91J00 | PANEL, WATER PUMP CASE UPR | 1   |
|                     |                 | 17413-91J00 | SLEEVE, WATER PUMP CASE    | 1   |
|                     |                 | 44330-13H00 | FILTER, FUEL               | 1   |
|                     |                 | 55321-87J01 | ANODE, PROTECTION          | 1   |
|                     |                 | 55321-95J00 | ANODE, PROTECTION          | 1   |
|                     |                 | 59178-97J00 | GASKET, DRAIN PLUG         | 2   |

| Model Year                                                               | Kit Part Number    | Part Numbr                                                               | Part Name                | QTY |
|--------------------------------------------------------------------------|--------------------|--------------------------------------------------------------------------|--------------------------|-----|
| DF9.9A<br>'10-Current                                                    | 17400-99840        | 17400-99J01                                                              | KIT, WATER PUMP REPAIR   | 1   |
|                                                                          |                    | 09168-12017                                                              | GASKET (12x17X1)         | 1   |
|                                                                          |                    | 09204-02004                                                              | PIN                      | 1   |
|                                                                          |                    | 09280-13004                                                              | O RING (D:1.9, ID:13)    | 1   |
|                                                                          |                    | 09280-22019                                                              | O RING (D:1.9, ID:21.8)  | 1   |
|                                                                          |                    | 09280-54001                                                              | O RING (D:2.4, ID:52.6)  | 1   |
|                                                                          |                    | 09482-00528                                                              | PLUG, SPARK (CR6E)       | 2   |
|                                                                          |                    | 15410-98500                                                              | FILTER, FUEL             | 1   |
|                                                                          |                    | 16510-45H10                                                              | FILTER ASSY, ENG OIL     | 1   |
|                                                                          |                    | 17413-94J00                                                              | SLEEVE, WATER PUMP CASE  | 1   |
|                                                                          |                    | 55321-87J01                                                              | ANODE, PROTECTION        | 2   |
|                                                                          |                    | 59178-97J00                                                              | GASKET, DRAIN PLUG       | 2   |
| DF9.9/15<br>'11-'13                                                      | 17400-94810        | 17400-94J00                                                              | KIT, WATER PUMP REPAIR   | 1   |
|                                                                          |                    | 09168-10022                                                              | GASKET (10x17X1.5)       | 2   |
|                                                                          |                    | 09168-12017                                                              | GASKET (12x17X1)         | 1   |
|                                                                          |                    | 09204-02004                                                              | PIN                      | 1   |
|                                                                          |                    | 09280-10013                                                              | O RING (D:2.4, ID:9.6)   | 1   |
|                                                                          |                    | 09482-00L04                                                              | PLUG, SPARK (CPR6EA-9)   | 2   |
|                                                                          |                    | 15410-98500                                                              | FILTER, FUEL             | 1   |
|                                                                          |                    | 16510-45H10                                                              | FILTER ASSY, ENG OIL     | 1   |
|                                                                          |                    | 17413-94J00                                                              | SLEEVE, WATER PUMP CASE  | 1   |
|                                                                          |                    | 55321-90L00                                                              | ZINC, PROTECTION         | 1   |
|                                                                          |                    | 55321-99E00                                                              | ANODE, PROTECTION        | 1   |
|                                                                          |                    | 17400-99J00                                                              | KIT, WATER PUMP REPAIR   | 1   |
| DF9.9B/<br>15A/20A<br>'13-Current                                        | 17400-89812        | 09168-12017                                                              | GASKET (12x17X1)         | 1   |
|                                                                          |                    | 09204-02004                                                              | PIN                      | 1   |
|                                                                          |                    | 09280-13004                                                              | O RING (D:1.9, ID:13)    | 1   |
|                                                                          |                    | 09280-22019                                                              | O RING (D:1.9, ID:21.8)  | 1   |
|                                                                          |                    | 09280-54001                                                              | O RING (D:2.4, ID:52.6)  | 1   |
|                                                                          |                    | 09482-00661                                                              | PLUG, SPARK (MR6K-9)     | 2   |
|                                                                          |                    | 15410-87J00                                                              | FILTER, FUEL             | 1   |
|                                                                          |                    | 16510-45H10                                                              | FILTER ASSY, ENG OIL     | 1   |
|                                                                          |                    | 17413-94J00                                                              | SLEEVE, WATER PUMP CASE  | 1   |
|                                                                          |                    | 55321-87J01                                                              | ANODE, PROTECTION        | 2   |
|                                                                          |                    | 59178-97J00                                                              | GASKET, DRAIN PLUG       | 2   |
|                                                                          |                    | *2013 - 2017 requires Spark Plug CPR6EA-9 Suzuki Part Number 09482-00L04 |                          |     |
| DF25 V-Twin<br>'06-'10                                                   | 17400-95872        | 17400-95J03                                                              | KIT, WATER PUMP REPAIR   | 1   |
|                                                                          |                    | 09168-10022                                                              | GASKET (10x17X1.5)       | 2   |
|                                                                          |                    | 09168-12012                                                              | GASKET (12.5X20X2.5)     | 1   |
|                                                                          |                    | 09204-03003                                                              | PIN                      | 1   |
|                                                                          |                    | 09280-10013                                                              | O RING (D:2.4, ID:9.6)   | 2   |
|                                                                          |                    | 09280-22019                                                              | O RING (D:1.9, ID:21.8)  | 1   |
|                                                                          |                    | 09482-00427                                                              | PLUG, SPARK (NGK, BKR6E) | 2   |
|                                                                          |                    | 15410-87J30                                                              | FILTER, FUEL             | 1   |
|                                                                          |                    | 16510-87J01                                                              | FILTER ASSY, OIL         | 1   |
|                                                                          |                    | 17413-95J00                                                              | SLEEVE, WATER PUMP CASE  | 1   |
|                                                                          |                    | 55321-87J01                                                              | ANODE, PROTECTION        | 5   |
|                                                                          |                    | 55321-95J00                                                              | ANODE, PROTECTION        | 2   |
| DF25/30<br>'01-'10                                                       | 17400-89822        | 17400-96354                                                              | KIT, WATER PUMP REPAIR   | 1   |
|                                                                          |                    | 09168-10022                                                              | GASKET (10x17X1.5)       | 2   |
|                                                                          |                    | 09168-12012                                                              | GASKET (12.5X20X2.5)     | 1   |
|                                                                          |                    | 09204-03003                                                              | PIN                      | 1   |
|                                                                          |                    | 09482-00446                                                              | PLUG, SPARK (NGK DCPR6E) | 3   |
|                                                                          |                    | 11265-87E10                                                              | GASKET, PROTECTION COVER | 1   |
| DF25A/30A<br>'15-Current                                                 | 17400-94824        | 15410-87J10                                                              | FILTER, FUEL             | 1   |
|                                                                          |                    | 16510-87J01                                                              | FILTER ASSY, OIL         | 1   |
|                                                                          |                    | 55321-87J01                                                              | ANODE, PROTECTION        | 1   |
|                                                                          |                    | 17400-94J21                                                              | KIT, WATER PUMP REPAIR   | 1   |
|                                                                          |                    | 09168-12017                                                              | GASKET (12x17X1)         | 1   |
|                                                                          |                    | 09204-03003                                                              | PIN                      | 1   |
| DF25A/30A<br>'15-Current                                                 | 17400-94824        | 09280-22019                                                              | O RING (D:1.9, ID:21.8)  | 1   |
|                                                                          |                    | 09482-00661                                                              | PLUG, SPARK (MR6K-9)     | 3   |
|                                                                          |                    | 15410-87J00                                                              | FILTER, FUEL             | 1   |
|                                                                          |                    | 16510-87J01                                                              | FILTER ASSY, OIL         | 1   |
|                                                                          |                    | 17413-94J00                                                              | SLEEVE, WATER PUMP CASE  | 1   |
|                                                                          |                    | 55321-87J01                                                              | ANODE, PROTECTION        | 5   |
| 59178-97J00                                                              | GASKET, DRAIN PLUG | 2                                                                        |                          |     |
| *2015 - 2018 requires Spark Plug CPR6EA-9 Suzuki Part Number 09482-00L04 |                    |                                                                          |                          |     |
| DF40/50<br>Late '06-'10                                                  | 17400-87822        | 17400-96354                                                              | KIT, WATER PUMP REPAIR   | 1   |
|                                                                          |                    | 09168-10022                                                              | GASKET (10x17X1.5)       | 2   |
|                                                                          |                    | 09168-12012                                                              | GASKET (12.5X20X2.5)     | 1   |
|                                                                          |                    | 09204-03003                                                              | PIN                      | 1   |
|                                                                          |                    | 09280-22019                                                              | O RING (D:1.9, ID:21.8)  | 2   |
|                                                                          |                    | 09482-00446                                                              | PLUG, SPARK (NGK DCPR6E) | 3   |
|                                                                          |                    | 15410-87J30                                                              | FILTER, FUEL             | 1   |
|                                                                          |                    | 16510-87J01                                                              | FILTER ASSY, OIL         | 1   |
| 55321-87J01                                                              | ANODE, PROTECTION  | 2                                                                        |                          |     |

| Model Year                           | Kit Part Number | Part Number | Part Name                     | QTY |
|--------------------------------------|-----------------|-------------|-------------------------------|-----|
| DF40A/50A/60A<br>'10-Current         | 17400-88812     | 17400-88L01 | KIT, WATER PUMP REPAIR        | 1   |
|                                      |                 | 09168-10022 | GASKET (10X17X1.5)            | 2   |
|                                      |                 | 09168-12012 | GASKET (12.5X20X2.5)          | 1   |
|                                      |                 | 09204-03003 | PIN                           | 1   |
|                                      |                 | 09280-22019 | O RING (D:1.9, ID:21.8)       | 2   |
|                                      |                 | 09482-00446 | PLUG, SPARK (NGK DCPR6E)      | 3   |
|                                      |                 | 15410-88L00 | FILTER, FUEL                  | 1   |
|                                      |                 | 16510-87J01 | FILTER ASSY, OIL              | 1   |
|                                      |                 | 55321-87J01 | ANODE, PROTECTION             | 3   |
|                                      |                 | 17400-99E12 | KIT, WATER PUMP REPAIR        | 1   |
| DF50AV/60AV<br>2014-Current          | 17400-88822     | 09168-10022 | GASKET (10X17X1.5)            | 2   |
|                                      |                 | 09168-12012 | GASKET (12.5X20X2.5)          | 1   |
|                                      |                 | 09204-03003 | PIN                           | 1   |
|                                      |                 | 09280-22019 | O RING (D:1.9, ID:21.8)       | 2   |
|                                      |                 | 09482-00446 | PLUG, SPARK (NGK DCPR6E)      | 3   |
|                                      |                 | 15410-88L00 | FILTER, FUEL                  | 1   |
|                                      |                 | 16510-87J01 | FILTER ASSY, OIL              | 1   |
|                                      |                 | 55321-87J01 | ANODE, PROTECTION             | 3   |
|                                      |                 | 17400-99E12 | KIT, WATER PUMP REPAIR        | 1   |
|                                      |                 | 09168-10022 | GASKET (10X17X1.5)            | 2   |
| DF60<br>Late '09 Only                | 17400-99852     | 09168-12012 | GASKET (12.5X20X2.5)          | 1   |
|                                      |                 | 09204-03003 | PIN                           | 1   |
|                                      |                 | 09482-00299 | PLUG, SPARK (BPR6ES)          | 4   |
|                                      |                 | 11265-87E10 | GASKET, PROTECTION COVER      | 1   |
|                                      |                 | 15410-87J30 | FILTER, FUEL                  | 1   |
|                                      |                 | 16510-87J01 | FILTER ASSY, OIL              | 1   |
|                                      |                 | 55321-87J01 | ANODE, PROTECTION             | 1   |
|                                      |                 | 17400-87E04 | KIT, WATER PUMP REPAIR        | 1   |
|                                      |                 | 09168-10022 | GASKET (10X17X1.5)            | 2   |
|                                      |                 | 09168-12012 | GASKET (12.5X20X2.5)          | 1   |
| DF60/70<br>'07 Only                  | 17400-99871     | 09204-03003 | PIN                           | 1   |
|                                      |                 | 09482-00299 | PLUG, SPARK (BPR6ES)          | 4   |
|                                      |                 | 11265-87E10 | GASKET, PROTECTION COVER      | 1   |
|                                      |                 | 15410-87J30 | FILTER, FUEL                  | 1   |
|                                      |                 | 16510-87J01 | FILTER ASSY, OIL              | 1   |
|                                      |                 | 55321-87J01 | ANODE, PROTECTION             | 1   |
|                                      |                 | 17400-87E04 | KIT, WATER PUMP REPAIR        | 1   |
|                                      |                 | 09168-10022 | GASKET (10X17X1.5)            | 2   |
|                                      |                 | 09168-12012 | GASKET (12.5X20X2.5)          | 1   |
|                                      |                 | 09204-03003 | PIN                           | 1   |
| DF60/70<br>'08-Early '09             | 17400-99861     | 09482-00299 | PLUG, SPARK (BPR6ES)          | 4   |
|                                      |                 | 11265-87E10 | GASKET, PROTECTION COVER      | 1   |
|                                      |                 | 15410-87J30 | FILTER, FUEL                  | 1   |
|                                      |                 | 16510-87J01 | FILTER ASSY, OIL              | 1   |
|                                      |                 | 17413-99E11 | SLEEVE, WATER PUMP CASE       | 1   |
|                                      |                 | 17416-99E00 | SEALING, WATER PUMP CASE NO.1 | 1   |
|                                      |                 | 17417-99E00 | SEALING, WATER PUMP CASE NO.2 | 1   |
|                                      |                 | 55321-87J01 | ANODE, PROTECTION             | 1   |
|                                      |                 | 17400-87L04 | KIT, WATER PUMP REPAIR        | 1   |
|                                      |                 | 09168-10038 | GASKET (9.5X16.5X2)           | 2   |
| DF70A/75A/<br>80A/90A<br>'09-Current | 17400-87813     | 09168-12012 | GASKET (12.5X20X2.5)          | 1   |
|                                      |                 | 09204-03003 | PIN                           | 1   |
|                                      |                 | 09280-22019 | O RING (D:1.9, ID:21.8)       | 3   |
|                                      |                 | 09482-00446 | PLUG, SPARK (NGK DCPR6E)      | 4   |
|                                      |                 | 15410-87L00 | FILTER, FUEL                  | 1   |
|                                      |                 | 16510-61A31 | FILTER ASSY, OIL WAKO         | 1   |
|                                      |                 | 55321-87J01 | ANODE, PROTECTION             | 3   |
|                                      |                 | 17400-92J23 | KIT, WATER PUMP REPAIR        | 1   |
|                                      |                 | 09168-10022 | GASKET (10X17X1.5)            | 2   |
|                                      |                 | 09168-12012 | GASKET (12.5X20X2.5)          | 1   |
| DF115<br>'10-'12                     | 17400-92841     | 09204-03003 | PIN                           | 1   |
|                                      |                 | 09280-22019 | O RING (D:1.9, ID:21.8)       | 2   |
|                                      |                 | 09482-00427 | PLUG, SPARK (NGK, BKR6E)      | 4   |
|                                      |                 | 11265-87E10 | GASKET, PROTECTION COVER      | 2   |
|                                      |                 | 15410-87J30 | FILTER, FUEL                  | 1   |
|                                      |                 | 16510-61A31 | FILTER ASSY, OIL WAKO         | 1   |
|                                      |                 | 55321-87J01 | ANODE, PROTECTION             | 4   |
|                                      |                 | 17400-92J23 | KIT, WATER PUMP REPAIR        | 1   |
|                                      |                 | 09168-10022 | GASKET (10X17X1.5)            | 2   |
|                                      |                 | 09168-12012 | GASKET (12.5X20X2.5)          | 1   |
| DF115A/<br>140A/115SS<br>'13-Current | 17400-92822     | 09204-03003 | PIN                           | 1   |
|                                      |                 | 09280-22019 | O RING (D:1.9, ID:21.8)       | 2   |
|                                      |                 | 09482-00427 | PLUG, SPARK (NGK, BKR6E)      | 4   |
|                                      |                 | 11265-87E10 | GASKET, PROTECTION COVER      | 2   |
|                                      |                 | 15412-92J00 | FILTER, FUEL                  | 1   |
|                                      |                 | 16510-61A31 | FILTER ASSY, OIL WAKO         | 1   |
|                                      |                 | 55321-87J01 | ANODE, PROTECTION             | 4   |

| Model Year                                       | Kit Part Number | Part Number | Part Name                   | QTY |
|--------------------------------------------------|-----------------|-------------|-----------------------------|-----|
| DF140<br>'10-'12                                 | 17400-92851     | 17400-92J23 | KIT, WATER PUMP REPAIR      | 1   |
|                                                  |                 | 09168-10022 | GASKET (10X17X1.5)          | 2   |
|                                                  |                 | 09168-12012 | GASKET (12.5X20X2.5)        | 1   |
|                                                  |                 | 09204-03003 | PIN                         | 1   |
|                                                  |                 | 09280-22019 | O RING (D:1.9, ID:21.8)     | 2   |
|                                                  |                 | 09280-56005 | O RING (D:3.53, ID:56.74)   | 1   |
|                                                  |                 | 09280-60007 | O RING (D:3.5, ID:59.6)     | 1   |
|                                                  |                 | 09280-70002 | O RING (D:3.1, ID:69.4)     | 1   |
|                                                  |                 | 09482-00427 | PLUG, SPARK (NGK, BKR6E)    | 4   |
|                                                  |                 | 11265-87E10 | GASKET, PROTECTION COVER    | 2   |
| DF150/<br>175/150SS<br>'06-Current               | 17400-96824     | 15410-87J30 | FILTER, FUEL                | 1   |
|                                                  |                 | 16510-92J00 | FILTER ASSY, OIL            | 1   |
|                                                  |                 | 16621-73G00 | GASKET, OIL COOLER          | 1   |
|                                                  |                 | 55321-87J01 | ANODE, PROTECTION           | 4   |
|                                                  |                 | 17400-96J04 | KIT, WATER PUMP REPAIR      | 1   |
|                                                  |                 | 09168-10038 | GASKET (9.5X16.5X2)         | 2   |
|                                                  |                 | 09168-12012 | GASKET (12.5X20X2.5)        | 1   |
|                                                  |                 | 09204-03003 | PIN                         | 1   |
|                                                  |                 | 09280-22019 | O RING (D:1.9, ID:21.8)     | 5   |
|                                                  |                 | 09482-00427 | PLUG, SPARK (NGK, BKR6E)    | 4   |
| DF150A/<br>175A/200A<br>'16-Current              | 17400-96833     | 15410-96J00 | FILTER, FUEL                | 1   |
|                                                  |                 | 16510-96J10 | FILTER ASSY, OIL            | 1   |
|                                                  |                 | 55321-87J01 | ANODE, PROTECTION           | 6   |
|                                                  |                 | 17400-96J04 | KIT, WATER PUMP REPAIR      | 1   |
|                                                  |                 | 09168-10038 | GASKET (9.5X16.5X2)         | 2   |
|                                                  |                 | 09168-12012 | GASKET (12.5X20X2.5)        | 1   |
|                                                  |                 | 09204-03003 | PIN                         | 1   |
|                                                  |                 | 09280-22019 | O RING (D:1.9, ID:21.8)     | 5   |
|                                                  |                 | 09482-00649 | PLUG, SPARK (LKR6E)         | 4   |
|                                                  |                 | 15412-92J00 | FILTER, FUEL                | 1   |
| DF200/225<br>'250 V6<br>'11-Current              | 17400-93855     | 16510-96J10 | FILTER ASSY, OIL            | 1   |
|                                                  |                 | 55321-87J01 | ANODE, PROTECTION           | 6   |
|                                                  |                 | 17400-93J05 | KIT, WATER PUMP REPAIR      | 1   |
|                                                  |                 | 09168-10038 | GASKET (9.5X16.5X2)         | 2   |
|                                                  |                 | 09168-12012 | GASKET (12.5X20X2.5)        | 1   |
|                                                  |                 | 09204-03003 | PIN                         | 1   |
|                                                  |                 | 09280-22019 | O RING (D:1.9, ID:21.8)     | 7   |
|                                                  |                 | 09482-00427 | PLUG, SPARK (NGK, BKR6E)    | 6   |
|                                                  |                 | 15412-93J10 | FILTER ASSY, FUEL           | 1   |
|                                                  |                 | 16510-96J10 | FILTER ASSY, OIL            | 1   |
| DF250A/300A/<br>300AP/250SS<br>'11-Current       | 17400-98865     | 55320-94900 | ANODE SET, CLAMP BRACKET    | 1   |
|                                                  |                 | 55321-87J01 | ANODE, PROTECTION           | 7   |
|                                                  |                 | 17400-98J04 | KIT, WATER PUMP REPAIR      | 1   |
|                                                  |                 | 09168-10038 | GASKET (9.5X16.5X2)         | 2   |
|                                                  |                 | 09168-12012 | GASKET (12.5X20X2.5)        | 1   |
|                                                  |                 | 09204-03003 | PIN                         | 1   |
|                                                  |                 | 09280-22019 | O RING (D:1.9, ID:21.8)     | 7   |
|                                                  |                 | 09482-00427 | PLUG, SPARK (NGK, BKR6E)    | 6   |
|                                                  |                 | 15412-93J10 | FILTER ASSY, FUEL           | 1   |
|                                                  |                 | 16510-96J10 | FILTER ASSY, OIL            | 1   |
| DF300B/<br>300BMD/350A/<br>350AMD<br>'17-Current | 17400-98873     | 55320-94900 | ANODE SET, CLAMP BRACKET    | 1   |
|                                                  |                 | 55321-87J01 | ANODE, PROTECTION           | 8   |
|                                                  |                 | 17400-98L03 | KIT, WATER PUMP REPAIR      | 1   |
|                                                  |                 | 09168-10038 | GASKET (9.5X16.5X2)         | 3   |
|                                                  |                 | 09168-12012 | GASKET (12.5X20X2.5)        | 1   |
|                                                  |                 | 09204-03003 | PIN                         | 1   |
|                                                  |                 | 09280-22019 | O RING (D:1.9, ID:21.8)     | 7   |
|                                                  |                 | 09482-00642 | PLUG, SPARK (NGK, ILZKR7D8) | 6   |
|                                                  |                 | 15412-93J10 | FILTER ASSY, FUEL           | 1   |
|                                                  |                 | 16510-96J10 | FILTER ASSY, OIL            | 1   |

**MECHANICAL AND DIGITAL CONTROLS**

**CABLES AND RIGGING**

**FUEL SYSTEM**

**PROPS**

**INSTRUMENTS AND GAUGES**

**REPAIR AND MAINTENANCE KITS**

**ECSTAR® OIL AND CHEMICALS**

**ENGINE COVERS**

**SUZUKI STYLE APPAREL**

All information, illustrations, photographs and specifications contained in this catalog are based on the latest product information available at the time of publication. Due to improvements or other changes, there may be some discrepancies in this brochure. Suzuki reserves the right to make production changes at any time, without notice and without incurring any obligation to make the same or similar changes to accessories previously built or sold.

Note: Some items may require installation by an Authorized Suzuki Marine Dealer.



**SUZUKI MARINE USA, LLC**

13521 Prestige Place, Tampa, FL 33635

[www.suzukimarine.com](http://www.suzukimarine.com) | [www.suzuki.com](http://www.suzuki.com)

